











B.H. ang. 5, 1893

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of January, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

The state of the s	the month of January, 1888, imated at 400,000.	Rate per 1,000 inhabitants, 31.2	
Total number .	1043	NATIVITY.	
	SEX.	United States 67	3
Males	511	Ireland)
Females		England	-
	CONDITION.	Scotland	5
Married		Germany	7
Single	549	British America	2
Widows	106	Other Countries)
	39	Unknown	
		Po	
Unknown		PARENTAGE.	
	COLOR.	United States	-
White	1022	Irish	2
Colored	21	English	-
		Scotch	3
	(Under 1 year 188	German	,
Potal deaths of shills		British American	2
total deaths of childr	en Under 2 years 233	Other Countries	2
	(Under 5 years 332	Mixed	
THE PARTY OF THE P	Under 1 year 11	Unknown	
Diarrhœal diseases	Under 2 years	The state of the s	
The state of the s	Under 5 years 11	1959 - 27	
	All ages	Still-births during the month 48	3

	for s.	for	11	-						-	A	G	E.					_			-	SI	ex.
CAUSES OF DEATH.	Total Mortality for January, 1888.	tal Mortality f	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	under 5 years.	ars and der 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	69	nles,
I. ZYMOTICS.	Tota	Total	Und	8 mc	g mo	1 ye	2 ye	3 year	4 ye	Total	o year	10 y	20 ye	30 ye	40 y	oun pun	60 ye	70 ye	80 ye	90 ye	100 y	Malce.	Femules,
ALCOHOLISM	2	2													2							1	1
CROUP	18	20		į	2	1	5	4	3	16	2											6	12
CARBUNCLE																					-		
CHOLERA MORBUS		1																					
CHOLERA INFANTUM		1																					
CEREBRO-SPINAL MENINGITIS		1							-														
Congestive Fever				Н																			
DIARRHŒA	10	8	5	4	1					10												4	6
DYSENTERY	1		1							1												1	-
D IPHTHERIA	35	38			1	5	10	6	6	28	7											- 17	18
ERYSIPELAS	5	8	1							1				1	1			2				2	3
INTERMITTENT FEVER																							
INPLUENZA	1																	1				1	-
MEASLES	3	4				3				3												1	2
PURPURA															-							-	
PUERPERAL FEVER	4	5	-										4									-	4
Ружміа																							
REMITTENT FEVER		-	-													-			-				
RHEUMATISM	3	3													-		1	1	1				3
SCARLATINA	24	11	2	-	1	6	-8	2	2	21	2	1						-				9	15
SMALL POX		-																					
SYPHILIS (CONGENITAL)	2	2	1						1	2										-		1	1
Вурниц													-										
SEPTICÆMIA	3	3										1		1						1	-	1	2
Tonsillitis,	3			1	1				1	.3										-		3	
TYPHOID FEVER.	7	8										3	-1		-	1	1		1			2	5
Typhus Fever													-			-	-						-
WHOOPING COUGH	10		1	1	4	3			1	10		_							-			2	8
YELLOW FEVER			-		-				-											-	-		- 0
		-		-								_	-			-							-
OTHER ZYMOTIC DISEASES												-			-			_					
200																							
II. CONSTITUTIONAL																							
II. CONSTITUTIONAL.						_																	
CANCER	30	34											1	7	3	6	6	6	1			8	22
	11	22	4		2			1	1		1.											5	6
MARASMUS, SCROPULA AND TABES MESENTERICA	23	20	6	5	2	1	-	1	1		2		1				1	2				13	10
PHTHISIS PULMONALIS	139	133	1	1		2	2	1		7		19	44	38	13	12	2	3	1			78	66
OTHER CONSTITUTIONAL DISEASES	12	17		-		1	1	1		3	1	1	2	1	1	1	2			-		3	9

of January, Classified by Cause, Age and Sex.

	for 8.	for		-							A	Gł:	E.				-	-	_	-		SI	EX,
CAUSES OF DEATH.	Total Mortality f. January, 1888.	Total Mortality f. January, 1887.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
		31		=	=		=	-	-						2			8	7			21	14
APOPLEXY	35		-				-	-		0	-	_	1	3		4	9			1			-
Bright's Disease	21	19	-	-	_		1	1		2	1		3	4	5	2	3		1			13	8
Bronchitis	62	55	10	7	8	7	4	4		40	-		1	2	1	3	4	6	5			24	- 38
HEART DISEASE	60	57										4	3	6	11	12	14	6	4			28	32
MENINGITIS	23	17	1	3	3	4	2	1	2	16	1	1	2	2	1							15	8
NEPHRITIS	12	11				1		1		2	1		2.	1	1	4	1					7	5
PLEURISY	3	3		1						1							2					1	2
PNEUMONIA	192	95	4	7	10	5	5	8	3	42	3	. 5	16	25	24	32	17	19	9			111	81
OTHER LOCAL DISEASES	153	108	15	7	5	5	3	3	1	39	6	10	10	13	13	19	20	14	9			66	87
1V. DEVELOPMENTAL.																							
CYANOSIS	7	1	7	-						7	-					-			-			5	2
INANITION	5	5	3						-	3			-		-		1		1	-		1	4
OLD AGE	33	32	-				-	-							-	1	-	10	17	3	2	15	18
PREMATURE BIRTH	21	11	21	-					-	21	-	-				-				-		12	9
PUERP'L DISEASES (not including Puerp'l Fever)	4	1	-					-			-	-	2	2									4
	25	23	17	-	2					22								2		_		13	
OTHER DEVELOPMENTAL DISEASES	20	40	1.	3		_			-			-										10	12
V. VIOLENT.																							
ACCIDENTAL	33	20	1			1	1	1		4	1	2	6	5	4	4	4	2	1			23	10
HOMICIDAL	2	1	1							1			1										2
SUICIDAL	2	4											1	1								1	1
OTHER VIOLENT CAUSES	,																						
and the same							_		_		-												
Unknown Causes	4	1	1							1	-			2	1							2	- 2
TOTAL FROM ALL CAUSES	1043	836	103	43	42	45	42	35	22	332	28	47	101	114	83	101	88	82	61	4	2	511	532
TOTAL FROM ZYMOTIC DISEASES	131	115	11	7	10	18	23	12	14	95	11	5	5	2	3	1	2	4	3			51	80
" CONSTITUTIONAL DISEASES	215	226	11	8	4	4	3	4	2	36	4	20	48	46	17	19	11	11	3			102	113
" " LOCAL do	561	396	30	25	26	22	15	18	6	142	12	20	38	56	58	76	70	53	35	1	-	286	275
" " DEVELOPMENTAL do	95	73	48	3	2	-	-	-	-	53		-	2	2		1	1	12	19	3	2	46	49
" VIOLENT CAUSES	37	25	2	-	-	1	1	1	-	5	1	2	8	6	4	4	4	2	1	-	-	24	13
VIOLENT CAUSES	01	20	2	1		1	1	1		0	1	1 -	0	0	12	.4	.4	4	1			24	19

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1888, and for the corresponding month in 1887.

CASES REPORTED DURIN	NG JANUA	RY, 1888.	CASES REPORTED DURIN	IG JANUAI	RY, 1887.
	City.	Quarantine.		City.	Quarantine
Diphtheria	113		Diphtheria	128	
Measles	67		Measles	158	****
Small Pox	****		Small Pox	****	****
Scarlatina	146		Scarlatina	100	****
Typhoid Fever	29		Typhoid Fever	30	****
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever		****

For the month of January, 1888, as reported by J. W. SMITH, Sergeant Signal Corps.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.32	45	100	S.	.56	Mean Barometer, 30.10.
2	29.74	36	76	w.	.27	Highest Barometer, 30.85, on the 12th.
3	29,97	26	68	W.	.00	Lowest Barometer, 29.10, on the 26th. Monthly Range of Barometer, 1.75.
4	30.20	25	87	W.	.01	Mean Temperature, 20.0.
5	30.05	21	62	N.W.	*T	Highest Temperature, 57.0, on the 2d.
0						Lowest Temperature, ×6.2, on the 29th. Monthly Range of Temperature, 63.2.
6	30.25	28	59	W.	.00	Greatest Daily Range of Temperature, 39.8, on the 13th.
7	29.98	37	89	W.	*T	Least Daily Range of Temperature, 4.1, on the 10th.
8	29.79	31	79	N.	.16	Mean Daily Range of Temperature, 17.4. Mean Daily Dew-point, 11.8.
9	30.36	20	68	N.W.	.00	Mean Daily Relative Humidity, 71.6.
10	30.09	22	80	N.	.12	Prevailing Direction of Wind, W.
11	30.00	17	55	w,	.00	Total Movement of Wind, 10,417 Miles. Highest Velocity of Wind and Direction, 52 Miles per hr., N.W., on 26th.
12	30.64	9	58	w.	.00	Number of Foggy Days, 0.
13	30.70	31	88		.16	" Clear " 12.
14	39.43	32		W.		" Fair " 12. Number of Cloudy " 7.
			64	N.W.	.00	Total Number of Days on which Rain or Snow fell, 11.
15	30.83	35	86	w.	.08	Depth of unmelted Snow on ground at end of month, 3 in.
16	30.64	12	60	N.W.	.00	Dates of Auroras, 0. Dates of Solar Halos, 9th, 23d, 25th.
17	30.78	19	88	N.W.	.30	Dates of Lunar Halos, 0.
18	29.76	23	84	w.	.21	Thunder storm, 0.
19	29.82	14	60	w.	,00	Dates of Frosts, 0 Mean Max. Temp , 28.7.
20	29.92	13	58	w.	.00	Mean Min. Temp., 11.4.
21	30.15	7	53	W.	.00	COMPARATIVE TEMPERATURE.
22	30,52	5	48			1871
				W.	.00	1872
23	30.51	13	68	W.	*T	1874
24	30.02	10	57	w.	.01	1875
25	30.54	11	76	E.	*T	1876
26	29.22	26	89	N.W.	.38	1878
27	29.44	5	62	w.	*T	1887 26 1888 20
28	29.73	1	67	w.	.00	COMPARATIVE PRECIPITATIONS.
29	29.98	3	74	w.	.00	Inches. Inches.
30	29.93	22	77	w.	.00	1871 2.67 1879 2.79 1872 2.11 1880 3.72
31	29.99	23	80	N.	.00	1873 5,76 1881 7,21
		- 11 AS	1 1 1 1	14.	.00	1874 4.32 1882 3.68
TOTALS	933.12	619,5	2220,		2,26	1875 3.68 1883 3.59 1876 1.87 1884 6.27
	********	La Contract	2220.	THAT Y	2.26	1877 3,33 1885 5,33
MEANS	30,10	20.0	71.6	W.	070	1878 7.60 1886 7.08
	00110	20.0	11.0	W.	.073	1887 4.86 1888 2.26

Statement of Mortality for the month of February, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of February, 1888, .	
Population estimated at 400,000.	Rate per 1,000 inhabitants, 25.5
Total number 852	NATIVITY.
SEX.	United States
Males	Ireland
Females 411	England
CONDITION.	Scotland
Married	Germany
Single	British America 54
Widows	Other Countries 19
Widowers	Unknown
Unknown 9	PARENTAGE.
COLOR.	United States
White 829	Irish
Colored	English
	Scotch
(Under 1 year 149	German
Total deaths of children Under 2 years 210	British American 45
	Other Countries 79
(Under 5 years 274	Mixed 60
Under 1 year	Unknown
All ages 6	Still-births during the month 48
The second secon	

	for 8.	for 7.									A	G	E.							_		81	EX.
CAUSES OF DEATH.	Total Mortality for February, 1888.	otal Mortality f	Under 3 mos.	3 mos. and under 6 mos.	months and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	years and under 4 yrs.	4 years and under 5 yrs.	al under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	der 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	der 70 yrs.	To years and under 80 yrs.	S0 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	108.	Females.
I. ZYMOTICS.	ToT	Total Feb.	Cn	3 n	6 10	1 3	2 y	8 2 2	4 5	Total	s e	10.	20.7	30 3	40	50 y	80 y	70,	80.7	90 3	100	Males.	Fer
ALCOHOLISM	3	3											1	1			1					3	
CROUP	14	12	_		1	3	4	3	2	13	1											3	11
CARBUNCLE								_										_					1
CHOLERA MORBUS	1			_						-			_				1	_					1
CHOLERA INFANTUM	1	1		1				_	_	1													1
CEREBRO-SPINAL MENINGITIS	1				1					1												1	
Congestive Fever																					-		
DIARRHŒA	2	2	2							2													2
DYSENTERY	2	3		1	1					2													2
DIPHTHERIA	23	29			3	4	6	3	3	19	4											12	11
ERYSIPELAS	6 ·	1	2				1			3				2				1				4	2
INTERMITTENT FEVER																							
INFLUENZA																							
MEASLES	1	8						1		1												1	
PURPURA		1																					
PUERPERAL FEVER	2	2											2										2
Ружміа	2												1			1							2
REMITTENT FEVER																							
RHEUMATISM	7	7				i							3	1		2	1					2	5
SCARLATINA	11	3			1	2	4	1	1	9	1	1										4	7
SMALL POX																							
Syphilis (Congenital)	1	5		-	1					1												1	
Syphilis	1															1						1	
SEPTICÆMIA	-	4																					-
Tonsillitis,				_																			
Typhoid Fever	5	7										1	1	2	1			_	-			4	1
Typhus Fever																		-			**************************************		
WHOOPING COUGH	5	2	3		1		-		-	5						_						2	3
YSLLOW FEVER							-																
OTHER ZYMOTIC DISEASES																	_				-		
Cine Bracio Distaste	-														-								
II. CONSTITUTIONAL.																							
CANCER	36	25											3		9	-6	10	7	1			13	23
Hydrocephalus and Tuberc. Meningitis	13	19	2	2	1	2	1	1	1	10	2		1										7
MARASMUS, SCROFULA AND TABES MESENTERICA	21	20	7	3	2	4	1			18				1			1	1				11	10
PHTHISIS PULMONALIS	110	127			1	1	2		1			7	87	32	14	9			-				
										5					14		2	3	1			51	59
OTHER CONSTITUTIONAL DISEASES	22	8	1	1	1	3		1		7		2	4	2	3	1	1	2				11	11

of February, Classified by Cause, Age and Sex.

	for 8.	for .			-						A	G :	E.									S	ex.
CAUSES OF DEATH.	Total Mortality for February, 1888.	Total Mortality f. February, 1887.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yes.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	33	20						=			1	===	1	2	3	3	10	8	4	1		15	18
Bright's Disease	12	16		-			-	-						2	6	1	2	1				8	4
Bronchitis	61	45	10	10	12	10	3	1		46	1	_	1		1	1	4	5	2			33	28
HEART DISEASE	57	47				1	_			1	1	2	2	5	9	12	14	9	2			32	25
Meningitis	38	14	2	2	9	9	2	2	_	26	2	2	2	3	2			1				23	15
Nephritis	7	/ 12												1	2		1	3				6	1
PLEURISY	1	2													1								1
PNEUMONIA	153	59	3	4	10	10	3	7	1	38	4	4	8	25	20	12	15	20	6	1		87	66
OTHER LOCAL DISEASES	112	95	9	4	1	9	5	1	1	30	3	4	10	12	12	13	14	11	3			66	46
IV. DEVELOPMENTAL.																							
CYANOSIS	3	3	3							3												2	1
INANITION	5	5	4							4								1				3	2
OLD AGE	24	28															3	8	12	1		7	17
PREMATURE BIRTH	9	10	8	1						9												1	8
PUERP'L DISEASES (not including Puerp'l Fever)	3	3											1	2									3
OTHER DEVELOPMENTAL DISEASES	19	19	13	1						14						1		3	1			8	11
v. violent.																							
ACCIDENTAL	22	16	2			2	_		************	4		2	4	3	3	2	4					18	4
Homicidal	1	1		1					_	1												1	
SUICIDAL		4							_			_											
OTHER VIOLENT CAUSES	1	2			_							_			_			1	_			1	
Victoria di constituti di Cons										_					_		i	_					
Unknown Causes	1	1			1					1													1
TOTAL FROM ALL CAUSES	852	691	71	31	47	61	32	21		274		25		96	86	65	84		32	3		441	411
TOTAL FROM ZYMOTIC DISEASES	88	90	7	2	9	10	15	8	6	57	6	2	8	6	1	4	3	1	_			38	50
CONSTITUTIONAL DISEASES	202	199	10	6	5	10	4	2	3	40	2	9	45	35	26	16	14	13	2			92	110
LOCAL GO	474	310	24	20	32	39	13	11	2	141	12	12	24	50	56	42	60	58	17	2		270	204
DEVELOPMENTAL do	63	68	28	2	_	2				30		2	1	3	- 3	2	3	12	13	1	-	21	42
VIOLENT CAUSES	24	20	- Z	1		2				5		2	*	0	0	2	4	.1.			1	20	4

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1888, and for the corresponding month in 1887.

CASES REPORTED DURIN	G FEBRUA	ARY, 1888.	CASES REPORTED DURING	FEBRUA	RY, 1887.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	80		Diphtheria	93	
Measles	115		Measles	249	****
Small Pox		2	Small Pox	1	****
Scarlatina	119		Scarlatina	76	1
Typhoid Fever	26		Typhoid Fever	39	****
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of February, 1888, as reported by J. W. SMITH, Sergeant Signal Corps.

	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILY	
DATE.				DIRECTION		GENERAL ITEMS.
	BAROMETER.	TEMPERATURE.	HUMIDITY.	OF WIND.	RAIN FALL.	
1	30.18	21	66	N. '	,00	Mean Barometer, 30.074.
2	30.22	26	58	w.	.00	Highest Barometer, 30.47, on the 15th. Lowest Barometer, 29.52, on the 8th.
3	30.23	29	67	N.W.	.00	Monthly Range of Barometer, 0.95.
4	30.12	28	90	S.E.	.25	Mean Temperature, 28.4.
5	29.67	44	76	s.w.	.11	Highest Temperature, 56.0, on the 14th. Lowest Temperature, ×4.0, on the 16th.
6	30.06	27	62	N.W.	.00	Monthly Range of Temperature, 60.0.
7	30.10	25	81	N.E.	.02	Greatest Daily Range of Temperature, 44.0, on the 15th.
7.8						Least Daily Range of Temperature, 9.0, on the 19th, Mean Daily Range of Temperature, 17.6.
	29.63	33	87	. W.	.09	Mean Daily Dew-point, 19.6.
9	30.00	14	62	w.	.00	Mean Daily Relative Humidity, 71.0. Prevailing Direction of Wind, W.
10	30.35	7	77	N.	.10	Total Movement of Wind, 7,520 Miles.
11	29.96	20	91	N.	.57	Highest Velocity of Wind and Direction, 42 N.W., 42 E. on 15th and 25th.
12	30.11	26	76	N.E.	*T	Number of Foggy Days, 0. " Clear " 10.
13	\$0.14	33	73	E.	.00	" Fair " 9.
14	39.01	45	64	s.w.	.00	Number of Cloudy " 10.
15	30.25	19	. 66	N.W.	.00	Total Number of Days on which Rain or Snow fell, 10. Depth of unmelted Snow on ground at end of month, 0.
16	30.29	9	55	W.	.00	Dates of Auroras, 0.
17	29.85	30	63	N.W.	.00	Dates of Solar Halos, 21st and 23d. Dates of Lunar Halos, 19th.
18	30.05	31	67	N.E.	· *T	Thunder storm, 0.
19	30.38	27	77	S.E.	.00	Dates of Frosts, 10th. Mean Max. Temp., 37.1.
20	30.03	45	94	s.	.87	Mean Min. Temp., 19.5.
21	30.05	41	68	W.	.29	COMPARATIVE TEMPERATURE.
22	30.23	35	66	w.	.00	1871 28.6 1880
23	30.20	35	62		.00	1873 27.2 1882 30.4
24	30.27	36	69	8.W.	.00	1874
25	29.88	36	94	s.w.	.55	1876
26	29.66	41	71	S.E.	.01	1877
27	29.82	27	60	w w.	.00	1879
28	30.17	13	58	N.W.	.00	COMPARATIVE PRECIPITATIONS.
29	30.30	20	62		.00	Inches. Inches.
	30.00		02	N.W.	.00	1871 2.87 1880 4.11
						1872 2.31 1881 4.89 1873 3.21 1882 4.77
						1874 3.41 1883 2.74
Tomas	070.01	900	0000			1875
Totals	872.21	823	2060.2		2.36	1876 4.54 1885 3.00 1877 4.50 1886 7.04
MEANS	30.08	28.4	71.0	w.	.081	1878 4.40 1887 3.68
mmq///2 ** *****	80.00	40.4	11.0	VV -	.081	1879 4.35 1888 2.36

Average February temperature for 18 years, 27.9. XBelow Zero. Average February precipitation for 18 years, 3.98 inches. *T indicates trace of precipitation.

Statement of Mortality for the month of March, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Doothe desired the month of March 2000	
Deaths during the month of March, 1888,	
Population estimated at 400,000.	Rate per 1,000 inhabitants, 26.8
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
Single	British America
Widows	Other Countries
Widowers 42	Unknown
	DADENTAGE
	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(Under 1 year 163	German
Total deaths of children Under 2 years	British American
	Other Countries
(Under 5 years	Mixed
Under 1 year	Unknown
Under 2 years	
Under 5 years	Cath blade Justin all and
(111 1250) , , , , 10	Still-births during the month

<u> </u>	ă lă AGE.													SI	EX.								
CAUSES OF DEATH.	Total Mortality March, 1888.	Total Mortality March, 1887.	Under 3 mos.	8 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	d under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	(8.	Femules.
I. ZYMOTICS.	Tot	1 2	the Can	8 m	0 m	l y	2 y	3 3	4 y	Total 1	y e	10 I	20 J	30 J	40 y	10g	09 .	70 J	80 y	90 1	100	Males	Fen
ALCOHOLISM	4	3											1	2	1							3	1
CROUP	14	6	_	1		2	1	3	. 3	10	+											5	9
CARBUNCLE	-													1			man						
CHOLERA MORBUS													_									-	
Cholera Infantum	1	1		1						1												1	
CEREBRO-SPINAL MENINGITIS	2	2				2				2			-							_		1	1
Congestive Fever			1_									_											
DIARRHŒA	8	4	5							5		1			1		1					6	2
DYSENTERY	1		1							1												1	
DIPHTHERIA	37	24		1	4	2	4	. 8	5	24	8	3	2									16	21
ERYSIPELAS	6	1	2							2			1		1	1	1					5	1
INTERMITTENT FEVER																							
Inpluenza		1																					
MEASLES	1	10			1					1													1
PURPURA		1																					
PUERPERAL FEVER	2	1												2									2
Ружмиа	1														1							1	
REMITTENT FEVER																							
RHEUMATISM	4	2											2				1		1			2	2
SCARLATINA	10	6			1	2	2	2	1	8	2											3	7
SMALL Pox	1											-		-	1							1	
SYPHILIS (CONGENITAL)	3	3	3							3									1			2	ĭ
SYPHILIS		1	-																		-		
Septicæmia	2	4							1	1	1											2	
Tonsillitis,	1						1			1								_				1	
TYPHOID FEVER	5	9										_	1	2	1	1						3	2
Typhus Fever			-			_																	
WHOOPING COUGH	10	2	1	1	5	1	1	1		10												5	5
YELLOW FEVER				_								_											
Other Zymotic Diseases	1	3											-			1						1	
																				į			
II. CONSTITUTIONAL.	İ																					1	
CANCER	22	31											2	3	5	5	5	2				7	15
HYDROCEPHALUS AND TUBERC. MENINGITIS	17	20	1		4	9		2		16			1									7	10
Marasmus, Scropula and Tabes Mesenterica	25	22	11	5	3	1	1			21	2						1		1			13	12
PHTHISIS PULMONALIS	138	126		1	1				1	3	2	10	33	42	21	17	7	3				64	74
OTHER CONSTITUTIONAL DISEASES	16	10	1.		1		2			3	2	4	2	2	1	1	1					8	8
Mark Towns		-															-						

of March, Classified by Cause, Age and Sex.

	for	for					_	_			A	G:	E.									SE	X,
CAUSES OF DEATH. III. LOCAL.	Total Mortality March, 1888.	Total Mortality March, 1887.	Under 3 mos.	S mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	Syears and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules.
APOPLEXY	28	23											1	3	3	7	7	3	4			13	15
BRIGHT'S DISEASE	10	9					_							1	3	2	2	2				5	5
Bronchitis	57	50	3	8	13	7	4	1		36	1	1	-	1	1	1	8	4	3	1		21	36
HEART DISEASE	70	66	1					2		3		4	3	9	11	9	12	15	4			32	38
MENINGITIS	23	30			-5	7	8	3	2	20	1			2								14	9
Nephritis	17	12					1			1			3	3	2	2	3	2	1			11	6
PLEURISY	6	1			1					1		3	1					2	1			2	4
PNEUMONIA	126	88	3	3	13	12	2	5		38	3	2	6	18	17	8	18	10	6			69	57
OTHER LOCAL DISEASES	122	118	14	5	5	5	2	, 1		32	6	7	9	8	16	15	14	7	8			61	61
IV. DEVELOPMENTAL.																		_					
CYANOSIS		2																					
Inanition	ā	10	2							2								3				2	3
OLD AGE	27	33														1	1	9	14	2		8	19
PREMATURE BIRTH	10	16	10							10												7	8
PUERP'L DISEASES (not including Puerp'l Fever)	8	3						_					5	1	2								8
OTHER DEVELOPMENTAL DISEASES	24	29	19	1						20				_		1	1	2				11	13
v. violent.		40																				14	
ACCIDENTAL	19	43	1		_					1	1	2	4	2	2	2	3	1	1			14	
Homicidal	1	2	1							1		2			2							5	2
SUICIDAL	7	4								_	1	Z	1	2					1			9	2
OTHER VIOLENT CAUSES	2					_					1								,				
Unknown Causes	1.	3			1	-				1		1		-					-	-		1	
TOTAL FROM ALL CAUSES	895	835	78	27	58	50	24	28	13	278	34	37	78	103	92	74	86	65	45	3		434	461
TOTAL FROM ZYMOTIC DISEASES	114	84	12	4	11	9	9		10		15	4		6	6	3	3		1			59	55
" " Constitutional Diseases	218	209	12	6	9	10	3	2	1	-	6	14	-	47	27	23	14	5	1	-		- 99	119
" " LOCAL do	459	397	21	16	37	31	12	12	2	131	11	15	-	45	53	44	64	45	27	1		228	231
" DEVELOPMENTAL do	74	93	31	1	-	_		-	-	32			5	1	2	2	2	14	14	2		28	46
" " VIOLENT CAUSES	29	49	2			1				2	2	4	5	4	4	2	3	1	2			19	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1888, and for the corresponding month in 1887.

CASES REPORTED DURI	ING MARC	H, 1888.	CASES REPORTED DURI	NG MARC	H, 1887.
	City.	Quarantine.		City.	Quarantine
Diphtheria	105		Diphtheria	96	••••
Measles	252		Measles	252	****
Small Pox	1		Small Pox	****	****
Scarlatina	110		Scarlatina	104	****
Typhoid Fever	18		Typhoid Fever	31	****
Typhus Fever	****	***	Typhus Fever		****
Yellow Fever	****		Yellow Fever		****

For the month of March, 1888, as reported by J. W. SMITH, Sergeant Signal Corps.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	80.33	29	61	N.W.	*'I'	Mean Barometer, 29.893,
2	30.21	38	59	N.	*T	Highest Barometer, 30.60, on the 26th.
8	29.90	27	75	w,	.08	Lowest Barometer, 29.09, on the 12th. Monthly Range of Barometer, 1.51.
4	29.88	22	59	N.W.	.10	Mean Temperature, 32.0.
б	29.75	23	59	N.W.	.00	Highest Temperature, 57.5, on the 21st. Lowest Temperature, 11.8, on the 24th.
6	29.81	21	63	N.W.	.00	Monthly Range of Temperature, 45.7.
7	29.86	21	71	W.	,00	Greatest Daily Range of Temperature, 28.7, on the 1st.
8	29.89	31	61	W.	,00	Least Daily Range of Temperature, 3.5, on the 12th. Mean Daily Range of Temperature, 14.7.
9	30.25	36	60	W.	.00	Mean Daily Dew-point, 22.1.
10	30.50	34	63		.00	Mean Daily Relative Humidity, 68.7. Prevailing Direction of Wind, W.
11	30.25	34	63	N.E.		Total Movement of Wind, 11,433 Miles.
12	29.44	33	78	N.E.	.00	Highest Velocity of Wind and Direction, 60 E. & N. E. on 13th, Number of Foggy Days, 0.
13	29.38	28		N.	.72	. " Clear " 9.
14	29.87	35	79	N.E.	.30	" Fair " 9. Number of Cloudy " 13.
15			97	N.	.22	Total Number of Days on which Rain or Snow fell, 13.
	29.97	39	, 84	W.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	29.72	39	84	S.W.	.00	Dates of Auroras, 0. Dates of Solar Halos, 0.
17	29.74		89	W.	.00	Dates of Lunar Halos, 0.
18	29.99	24	61	w.	.00	Thunder storm, 0. Dates of Frosts, 4th.
19	30.30	29	53	E.	.00	Mean Max. Temp , 39.7.
20	29.93	47	80	s.	.03	Mean Min. Temp., 24.9.
21	29.54	52	96	S.E.	.73	COMPARATIVE TEMPERATURE. 1871
22	29.75	37	58	w	.06	1872
23	29.91	20	58	s.w.	.00	1873
24	30.21	19	51	s.w.	.00	1874
25	30.54	25	47	s.w.	.00	1876
26	30.49	31	84	E.	.23	1877
27	30.24	37	93	N.E.	.43	1879
28	29.88	42	88	w.	.32	COMPARATIVE PRECIPITATIONS.
29	29.80	42	75	w.	,20	Inches. Inches.
30	30.15	42	53	8.W.	.00	1871 4.55
31	29.96	43	56	w.	,00	1873 3.76 1882 3.35
=						1874 1.60 1883 2.33
TOTALS	929.48	997	2158.		3,32	1875 5.04 1884 4.86 1876 7.19 1885 1.15
		-		-		1877 9.79 1886 3.20
MEANS	29.893	32.0	69.7	W.	.107	1878 6.14 1887 1.32 1879 3.90 1888 3.32

Average March temperature for 18 years, 35.2. Average March precipitation for 18 years, 4.44 inches. *T indicates trace of precipitation.

Statement of Mortality for the month of April, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of April, 1888, . Population estimated at 400,000.	Rate per 1,000 inhabitants, 25.8
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females 423	England ,
CONDITION.	Scotland
Married	Germany
Single 475	British America
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(Under 1 year 142	German
otal deaths of children Under 2 years 198	British American 41
	Other Countries 89
(Under 5 years 266	Mixed
Under 1 year	Unknown 65
Diarrhœal diseases Under 5 years	
(All ages 9	Still-births during the month

	for	for		-	_			T	-		A	G:	E.					_	-	-	and a	SE	х.
CAUSES OF DEATH.	Mortality oril, 1888.	Total Mortality f April, 1887.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	5	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femules.
I. ZYMOTICS.	Total	Tot	Unc	3 m	un en	l y	2 yc	3 ye	4 ye	Total	o ye	10 y	20 y	30 y	40 y	90 y	60 y	10 3	80 y	90 3	100	Ma	
ALCOHOLISM	4	7											1	1	1		1					4	
CROUP	8	7				4	1	. 1	1	7	1									_		6	2
CARBUNCLE																							
CHOLERA MORBUS																			_				
CHOLERA INFANTUM	2	1	1			1				2												1	1
CEREBRO-SPINAL MENINGITIS	2	1	1							1	1											1	1
Congestive Fever																							
DIARRHŒA	5	11	4		1					5												4	1
DYSENTERY	2	1										_			1		1					1	1
DIPHTHERIA	43	19	2	1	1	3	9	7	7	30	8	1	2	1	1							21	22
ERYSIPELAS	6	5											1				3	2				5	1
INTERMITTENT FEVER																							
INFLUENZA												-											
MEASLES	5	18			1	1	1		1	4			1									1	4
PURPURA	1							_			1											1	
PUERPERAL FEVER	3	2							-				2	1									3
Ружміа																							
REMITTENT FEVER																							
RHEUMATISM	3	2											1		1		1					2	1
SCARLATINA	9	10		1	1		1		2	5	3	1										5	4
SMALL POX																							
Syphilis (Congenital)	1	1	1							1												1	
Strhilis		2																		_			
Septicæmia	4	2									1		2	1								2	2
Tonsillitis,																							
TYPHOID FEVER	11	15									1	1	4	2	1			2				5	6
TYPHUS FEVER							~					-							_				
WHOOPING COUGH	6	4	3	1	2					6			_									2	4
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	2	1												1			1			_		2	
II. CONSTITUTIONAL.															1000000								
CANCER	25	22		-		-			-		-	1		2	4	8	5	2	2	1		5	20
Hydrocephalus and Tuberc. Meningitis	27	26	2	2	5	11	1		2	23	3	-	1	-		-	-					16	11
MARASMUS, SCROPULA AND TABES MESENTERICA	20	30			-		-	-	-	16	1				2			1				14	6
PHTHISIS PULMONALIS	141	128	1		2	-	1	-	-	6	-	18	41	32	25	12	6	1		-		66	75
OTHER CONSTITUTIONAL DISEASES	10	8	-			-		-				1	5	1	1	1		1			-	3	7
OTHER CONSTITUTIONAL DISEASES	10	8	11		1	1	1	1			11	1 1	1.0	*	1	1 1	1	1 1		-	1		

of April, Classified by Cause, Age and Sex.

CAUSES OF DEATH. 111. LOCAL		for	for									A	G :	E.									SE	X,
APOPLEKY			otal Mortality April, 1887.	Juder 3 mos.	mos. and under 6 mos.	mos. and under 1 year.	year and under 2 yrs.	years and under 3 yrs.	years and under 4 yrs.	years and under 5 yrs.	lotal under 5 years.	years and under 10 yrs.	0 years and under 20 yrs.	U years and under 30 yrs.	50 years and under 40 yrs.	O years and under 50 yrs.	of years and under 60 yrs.	50 years and under 70 yrs.	To years and under 80 yrs.	30 years and under 90 yrs.	30 years and under 100 yrs.	100 years and over.	Males.	Females.
AROPHENENTS					==	9	=	==	53	4	==		=											
BROOKHITS DIREARS	APOPLEXY								_			1	_		1		_			4	1			
BROGERIUTS	BRIGHT'S DISEASE													1	_									
MENNORITE . 28 31	Bronchitis			7	4		7	4	1		31								_			-		
MENDRITITS	HEART DISEASE	50		_												12	6	8	5					
PRINCIPLE 1	MENINGITIS	28	31		1	5	9	2	2			4	3	1			_							
PREVINIONIA	Nephritis	13	14	1		_					1				3	2	2	2	3		-			5
PREMINDIA	PLEURISY	1	3																					
TOTAL FROM ALL CAUSES	PNEUMONIA	106	96	3	3	6	10	5	2	1	30	1	5	11	7	16	13	6			1			
CYANOBIS	OTHER LOCAL DISEASES	132	125	18	5	4	6	5	4	1	43		4	7	18	15	11	11	22	1			63	69
INANITION	IV. DEVELOPMENTAL.																							
OLD AGE	CYANOSIS	2	5	2		_	-				2	-		-	_	-	-		-	-	-		1	1
PREMATURE BIRTH	INANITION	1	2	1	-	-		_		_	1								-	-			1	
PREMPIL DISEASES (not including Puerp'l Fever) 3 2 2 28 11 1 1 1 1 1 1 2 2 4 1 1 8 12	OLD AGE	20	30											_		-		1	4	14	1		5	15
PUERP'L DISEASES (not including Puerp'l Fever) 3 2	PREMATURE BIRTH	17	19	17			-				17												6	11
OTHER DEVELOPMENTAL DISEASES . 20 28 11 1 1 1 1 1 1 1 8 12 4 1 8 12 V. VIOLENT. ACCIDENTAL		3	2											-	1	2								3
ACCIDENTAL		20	28	11	1		1				13							2	4	1			8	12
HOMICIDAL	V. VIOLENT.																							
SUICIDAL	ACCIDENTAL	30	23	1		-		1	1		3	2	,	6	2	6	3	2	6				23	7
OTHER VIOLENT CAUSES	Homicidal	2	1		-									2									2	
UNENOWN CAUSES	SUICIDAL	3	4		-	-	-		-	-			1	1				1					2	1
TOTAL FROM ALL CAUSES	OTHER VIOLENT CAUSES	-	-			-					-													
TOTAL FROM ALL CAUSES					-		-		-		-													
TOTAL FROM ZYMOTIC DISEASES	Unknown Causes	2	i					-						1		1		-			1		2	
" " CONSTITUTIONAL DISEASES	TOTAL FROM ALL CAUSES	860	842	83	21	38	56	33	20	15	266	27	41	100	82	100	66	64	81	29	4		437	423
" LOCAL do 420 404 29 13 23 32 18 9 2 124 6 16 29 37 54 42 40 58 12 2 219 201 " DEVELOPMENTAL do 63 86 31 1 1 1 33 1 1 2 3 8 15 1 21 42	TOTAL FROM ZYMOTIC DISEASES	117	109	12	3	6	9	12	8	11	61	16	3	14	7	5		7	4				64	53
" DEVELOPMENTAL do 63 86 31 1 1 33 1 2 3 8 15 1 21 42	" " CONSTITUTIONAL DISEASES	223	214	10	4	9	14	4	2	2	45	3	21	47	35	32	21	11	5	2	1		104	119
DEVELOPMENTAL U	" " LOCAL do	420	404	29	13	23	32	16	9	2	124	6	16	29	37	54	42	40	58	12	2		219	201
" " VIOLENT CAUSES	44 DEVELOPMENTAL do	63	86	31	1		1				33				1	2		3	8	15	1		21	42
	" Violent Causes	35	28	1				1	1		3	2	1	9	2	6	3	3	6				27	8

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1888, and for the corresponding month in 1887.

CASES REPORTED DUR	ING APRI	L, 1888.	CASES REPORTED DUR	ING APRII	., 1887.
	City.	Quarantine.		City.	Quarantine
Diphtheria	109 185		Diphtheria	103 243	
Small Pox	1 75		Small Pox	103	****
Typhoid Fever	80		Typhoid Fever	74	
Typhus Fever			Yellow Fever		

For the month of April, 1888, as reported by J. W. SMITH, Sergeant Signal Corps.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.04	40.0	57.7	w.	.02	Mean Barometer, 30.086.
2	29.64	38.3	86,3	N.W.	.58	Highest Barometer, 30.54, on the 26th.
3	30.14	38.0	48.9	N.W.	.00	Lowest Barometer, 29.57, on the 2d. Monthly Range of Barometer, .97.
4	30.37	40.3	49.7	W.	.00	Mean Temperature, 42.2.
5	30.20	42.3	86.9	S.		Highest Temperature, 66.0, on the 28th.
					.40	Lowest Temperature, 20.8, on the 8th. Monthly Range of Temperature, 45.2.
6	29.88	47.3	54.3	W.	-26	Greatest Daily Range of Temperature, 28.1, on the 6th.
7	30.07	39.3	52.3	W.	.00	Least Daily Range of Temperature, 7.4, on the 2d.
8	30.28	28.3	49.3	N.W.	.00	Mean Daily Range of Temperature, 15.8. Mean Daily Dew-point, 27.0.
9	30.44	85.7	37.3	. W.	.00	Mean Daily Relative Humidity, 59.2.
10	30.35	36.3	65.3	N.W.	.11	Prevailing Direction of Wind, W.
11	29.97	40,0	87.0	w.	.29	Total Movement of Wind, 8,205 Miles. Highest Velocity of Wind and Direction, 42 W. on 7th.
12	30.03	43.3	54.0	N.	.01	Number of Foggy Days, 0.
13	30.11	37.7	40.7	N.	.00	" Clear " 12." " Fair " 11.
.14	29.86	38.3	78.0			Number of Cloudy " 7.
15	29,94			N.	.11	Total Number of Days on which Rain or Snow fell, 14.
		40.7	66.3	8.W.	.09	Depth of unmelted Snow on ground at end of month, 0.
16	29.96	40.7	60.0	W.	.01	Dates of Auroras, 11th, 10.30 A. M. to 11.40 P. M. Dates of Solar Halos, 0.
17	30.22	43.0	48.7	E.	.00	Dates of Lunar Halos, 19th.
18	30.07	44.0	71.7	W.	.05	Thunder storm, distant lightning on 29th.
19	30.00	48.0	42.3	w.	.00	Dates of Frosts, 23d light; killing, 3d, 4th, 8th, 9th, 10th, 25th. Mean Max. Temp, 50.5,
20	29.88	40.3	80.0	E.	.06	Mean Min. Temp., 34.6.
21	29.73	40.7	63.7	w.	.05	COMPARATIVE TEMPERATURE.
22	29.84	43.0	61.3	. W.	*T	1871
23	29.88	42.0	51.7			1872
24	30.18	39.7		E.	.00	1874
			48.3	N.W.	.00	1875 42.1 1876 43.2 1885 46.3
25	30,48	40.3	57.0	s.w.	.00	1877 43.9 1886
26	30.49	53.0	32.0	w.	.00	1878 47.2 1887 43.9
27	30.45	50.3	48.7	E.	.00	1879 42.2 1888 42.2
28	30.16	56.3	45.3	s.w.	.00	COMPARATIVE PRECIPITATIONS.
29	29.98	55.3	66.0	8.W.	.00	Inches. Inches.
80	29,95	43.7	85.3	.N.E.	.00	1871
						1872 1.31 1881 1.66 1873 3.83 1882 2.50
						1874 7.99 1883 2.83
OTALS	902.59	1264.8	1774.2		2.04	1875 4.92 1884 4.76 1876 3.61 1885 3.39 1877 4.19 1886 1.70
EANS	30.086	42.2	59,1	W.	.068	1878 6.14 1887 2.88 1879 6.54 1888 2.04

Average April temperature for 18 years, 44.9. Average April precipitation for 18 years, 3.70 inches. *T indicates trace of precipitation.

Statement of Mortality for the month of May, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of May, 1888, Population estimated at 400,000.	Rate per 1,000 inhabitants, 24.6
Total number 820	NATIVITY.
SEX.	United States
Males 404	Ireland
Females 416	England 14
CONDITION.	Scotland 4
Married 243	Germany 9
Single	British America
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(Under 1 year 167	German
	British American
Total deaths of children Under 2 years 207	Other Countries 84
(Under 5 years 269	Mixed
Under 1 year 10 Under 2 years 10	Unknown 89
Under 5 years 10 All ages	Still-births during the month

	for	for					_			_	A	G :	E.		_						}	SE	X.
CAUSES OF DEATH.	Total Mortality f	Total Mortality f	Under 3 mos.	s. and er 6 mos.	6 months and under 1 year.	r and	rs and ler 3 yrs.	rs and ar 4 yrs.	4 years and under 5 yrs.	under 5 years.	rs and er 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	er 50 yrs.	50 years and under 60 yrs.	ars and er 70 yrs.	ars and er 80 yrs.	ars and er 90 yrs.	ars and	100 years and over.	ac.	iles.
I. ZYMOTICS.	Total	Total	Unde	3 mos	6 mor	1 year an	2 year	3 years	4 year	Total under	5 years under	10 year	20 year	30 year	40 year	50 ye und	60 year	70 ye	80 year	90 ye	100 y	Males.	Females
ALCOHOLISM	2	5												1	1							2	
CROUP	11	8		1	2	4	2	1 -	1	11												6	5
CARBUNCLE													_										
CHOLERA MORBUS																							
CHOLERA INFANTUM	4	4	2	2						4													4
CEREBRO-SPINAL MENINGITIS	1	1						1		1													1
Congestive Fever																							
Diabrhœa	5	4	5							5												2	3
DYSENTERY	2	3		1						1								1					2
Dipetheria	53	22		1	1	4	10	12	6	34	11	6	1		1							26	27
ERYSIPELAS	8	5		1						1			1	1	3	1		1				5	3
INTERMITTENT FEVER																							
Influenza		1																					
MEASLES	5	17			2	2	1			5												4	1
Purpura																							
Puerperal Fever	1	2		_						-					1								1
Ружміа																							
REMITTENT FEVER				_																			
RHEUMATISM		6	-																				
SCARLATINA	4	13				1	-	1		2	1	1						-				2	2
SMALL POX	1						_	1		1													1
SYPHILIS (CONGENITAL)	2	3	1	1	-					2		_	-									1	1
Syphilis	1		-						_		-		-	1									1
Septicæmia					-						_												
Tonsillitis,	2	1			1				-	1		1	-							-		2	
	3	17						_			-		2	1				-				1	2
TYPHOID FEVER			-	-						-					-	-		-				-	
WHOOPING COUGH	3	5		1		2				3		-	-									2	1
				_									_					-					
YELLOW FEVER		1				-						-											
OTHER ZYMOTIC DISEASES									-			-	-							-			
II. CONSTITUTIONAL.																							
Cancer	18	25	-		-						-		1	3	2	7	3	2				3	15
Hydrocephalus and Tuberc. Meningitis	20		2	1		3	4			15	3	1	1	_			-		-	-		10	10
MARASMUS, SCROFULA AND TABES MESENTERICA		30										_	-	-			-	1				14	19
PHTHISIS PULMONALIS	33	25	16	7	5		1	1		31	1	10	15	05	10						-	61	73
I HI HISIS I ULMUNALIS	134	144		2	1	3	1	-	_	7	3	10	45	20	19	-	8	-5	-				
OTHER CONSTITUTIONAL DISEASES	12	7		2	1	1				4	1	1	8		2	1	1					7	5

of May, Classified by Cause, Age and Sex.

CAUSES OF DEATH.		for	for									A	G	E.									S:	EX,
APOPLEXY: 20 27 1 0 0 0 10 10 10 10 10 10 10 10 10 10 1		Total Mortality May, 1888.	Total Mortality May, 1887.	Under 2 mos.	mos. and	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males,	Femules.
BRIONIT'S DIREASE 130 0 0 0 0 0 0 0 0 0	APOPLEXY	26	27	1			=		-=				1	1	1								10	16
Heant Disease		19	9							-	-		-	3	1	1	10	4				-		7
MENNOSTIS . 24 21 3 1 7 6 2 1 10 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Bronchitis	42	44	9	5	7	2	2	2	1	28					4	2	3	2	3	-		14	28
NEFRRITIS	Heart Disease	68	87		-							1	3	4	7	10	10	16	14	3			37	31
PRECEDENT 2 1	MENINGITIS	24	21	3	1	7	6	2	-		19	2		1		1			1		_		13	11
PREMONIA	Nephritis	17	12							•			_	3	3	2	1	-6	2				8	9
OTHER LOCAL DISEASES . 106 90 12 6 3 3 1 2 25 3 11 9 15 6 8 14 12 3 5 50 56 1V. DEVELOPMENTAL. CYANOSIS . 2 2 2 2 2 3 3 4 4 1 1 1 4 7 5 1 1 6 7 7 7 1 404 410 TOTAL PROM CAURES . 2 4 4 1 1 1 4 7 5 1 1 6 7 7 8 14 50 28 23 17 12 8 5 95 122 **CONSTITUTIONAL DISEASES . 108 118 8 8 8 6 13 13 15 7 11 12 8 4 4 6 1 2 2 5 5 5 5 6 7 12 17 7 1 404 410 **TOTAL PROM ZYMOTIC DISEASES . 2 17 221 18 12 12 10 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PLEURISY	2	1													1		1					2	
IV. DEVELOPMENTAL. CYANOSIS	PNEUMONIA	78	82	3	1	4	-6	6	3	2	25	1	2	7	10	5	8	6	12	2			35	43
CYANOSIS	OTHER LOCAL DISEASES	106	90	12	6	3	3	1	7		25	3	11	9	15	6	8	14	12	3			50	56
CYANOSIS																								
INANITION	IV. DEVELOPMENTAL.																							
OLD AGE	CYANOSIS	2	2	2	-						2					_							2	
PREMATURE BIRTH	INANITION	5	6	5					-		5												5	
PUERP'L DISEASES (not including Puerp'l Fever) 3 3 3	OLD AGE	18	25															2	7	3	5	1	10	8
OTHER DEVELOPMENTAL DISEASES . 31 18 13 4 1 1 1 19 19 1 1 3 1 7 22 9 V. VIOLENT. ACCIDENTAL	PREMATURE BIRTH	17	21	17							17												5	12
V. VIOLENT. 33 30 2 2 1 11 4 7 5 1 1 1 1 28 5 HOMICIDAL	PUERP'L DISEASES (not including Puerp'l Fever)	3	3											1	2									3
ACCIDENTAL	OTHER DEVELOPMENTAL DISEASES	31	18	13		4	1	1			19					1	3	1	7				22	9
ACCIDENTAL																								
HOMICIDAL	v. violent.																							
SUICIDAL	ACCIDENTAL	33	30									2	1	11	4	7	5	1	1	1		-	28	5
OTHER VIOLENT CAUSES	Homicidal												_					-						
UNENOWN CAUSES	SUICIDAL	1	4							_						1							1	
TOTAL FROM ALL CAUSES	OTHER VIOLENT CAUSES	1														1				_				1
TOTAL FROM ALL CAUSES																	-							
TOTAL FROM ZYMOTIC DISEASES	Unknown Causes	2	4													2				_			2	
" " CONSTITUTIONAL DISEASES 217 231 18 12 12 9 5 1 57 8 14 50 28 23 17 12 8 9 5 122 " " LOCAL do 382 323 28 13 21 17 11 5 3 98 7 17 28 37 30 43 60 47 13 2 181 201 " " DEVELOPMENTAL do 76 75 37 4 1 1 4 3 1 2 1 2 1 3 3 14 3 5 1 44 32	TOTAL FROM ALL CAUSES	820	785	91	33	43	40	30	22	10	269	29	40	94	75	71	69	76	72	17	7	1	404	416
" LOCAL do 382 323 28 13 21 17 11 5 3 98 7 17 28 37 30 43 60 47 13 2 181 201 " DEVELOPMENTAL do 76 75 37 4 1 1 43 1 2 1 3 3 14 3 5 1 44 32	TOTAL FROM ZYMOTIC DISEASES	108	118	8	8	6	13	13	18	7	71	12	8	4	4	6	1		2				53	55
" DEVELOPMENTAL do 76 75 37 4 1 1 43 1 2 1 3 3 14 3 5 1 44 32	" CONSTITUTIONAL DISEASES	217	231	18	12	12	9	5	1		57	. 8	14	50	28	23	17	12	8				95	122
DEVELOPMENTAL U 10 10 01 4 1 1 43 1 2 1 0 0 14 0 0 1 44 32	66 66 LOCAL do	382	323	28	13	21	17	11	5	3	98	7	17	28	87	30	43	60	47	13	2		181	201
" " VIOLENT CAUSES	" DEVELOPMENTAL do	76	75	37		4	1	1			43			1	2	1	3	3	14	3	5	1	44	32
	" " VIOLENT CAUSES	35	34									2	1	11	4	9	5	1	1	. 1			29	6

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1888, and for the corresponding month in 1887.

CASES REPORTED DU	RING MAY	1888.	CASES REPORTED DUF	RING MAY,	1887.
	City.	Quarantine.		City.	Quarantine
Diphtheria	152		Diphtheria	75	
Measles	367	4	Measles	523	
Small Pox	4	1	Small Pox	2	
Scarlatina	70	****	Scarlatina	90	****
Typhoid Fever	31		Typhoid Fever	116	****
Typhus Fever	****	1. ****	Typhus Fever	*. **	****
Yellow Fever	****		Yellow Fever		

For the month of May, 1888, as reported by J. W. SMITH, Sergeant Signal Corps.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION	DAILY RAIN FALL.	GENERAL ITEMS.
	DAROMETER.	TEMPERATURE.	HUMIDITY.	OF WIND.	RAIN FALL.	
1	29.80	41.7	90.7	E.	.03	Mean Barometer, 30.022.
2	30.06	38.3	73.7	N.E.	.03	Highest Barometer, 30.32, on the 8th.
3	30.23	45.3	59.3	s.w.	.00	Lowest Barometer, 29.77, on the 31st. Monthly Range of Barometer, 0.55.
4	30.26	45.3	59.7			Mean Temperature, 52.5.
5	30.20	48.0		E.	.00	Highest Temperature, 77.0, on the 10th.
			87.3	S.	.25	Lowest Temperature, 35.0, on the 3d. Monthly Range of Temperature, 42.0.
6	30.13	57.7	54.3	W.	.02	Greatest Daily Range of Temperature, 26.6, on the 6th.
7	30.19	57.0	42.7	N.W.	.00	Least Daily Range of Temperature, 4.8, on the 4th.
8	30.22	56.3	45.0	s.w.	*T	Mean Daily Range of Temperature, 15.2. Mean Daily Dew-point, 43.4.
9	29.97	56.3	87.3	S.	.50	Mean Daily Relative Humidity, 74.3.
10	29.99	62.3	79.3	s.w.	.01	Prevailing Direction of Wind, E.
11	30.16	45.7	95.3	E.	.38	Total Movement of Wind, 6,884 Miles. Highest Velocity of Wind and Direction, 28 E. on 12th.
12	29.85	52.7	95.7	E.	1.42	Number of Foggy Days, 0.
13	29.82	50.7	97.0	N.E.	1.14	" Clear " 4. " Fair " 11.
14	29.90	44.3	86.7	E.	.02	Number of Cloudy " 16.
15	29,89	44.7				Total Number of Days on which Rain or Snow fell, 22.
			84.3	N.	.20	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 20th.
16	29.90	50.0	65.0	s.w.	*T	Dates of Solar Halos, 0.
17	30.00	51.7	58.0	W.	.00	Dates of Lunar Halos, 0.
18	30.02	52.7	57.0	W.	*T	Thunder storm, 28th. Dates of Frosts, 0.
19	30.01	46.7	95.0	E.	.22	Mean Max. Temp., 60.7.
20	30.09	56.0	58.7	N.W.	.00	Mean Min. Temp., 45.5.
21	30.17	57.0	46.0	N.W.	.00	COMPARATIVE TEMPERATURE. 1871 57.9 1880 62.6
22	30.24	56.3	49.7	S.E.	.00	1871
23	30.11	58.0	52.7	s.	.00	1872
24	30.06	52.7	87.3	E.	.00	1874
25	30.03	53.3	77.3	N.E.	*T	1876 54.5 1885 52.8
26	29.98	52.3	85.3	N.	.10	1877
27	29.97	51.7	91.3	E.	.03	1879
28	29.98	52.3	94.7			VOMBARA RETURN PREVIOUS ARIONS
29				E.	.21	COMPARATIVE PRECIPITATIONS. Inches. Inches.
	29.86	60.3	89.0	s.	.40	1871 4.84 1880 1.63
30	29.90	66.0	74.0	W.	.16	1872 3.24 1881 4.16
81	29.82	63.7	85.3	S.	.05	1873 5.16 1882 6.05 1874 3.70 1883 5.11
	-					1875 3.76
TOTALS	930.71	162.7	2304.6		5.20	1876 2.70 1885 4.26
			-	-		1877 3.38 1886 3.08 1878 1.03 1887 1.67
MEANS	30.022	52.5	74.3		.168	1879

Mean average temperature for 18 years, 56.1. Mean average rainfall for 18 years, 3.50 inches. *T, trace of precipitation.

Statement of Mortality for the month of June, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of June, 1888, Population estimated at 400,000.	Rate per 1,000 inhabitants, 22.2
Total number	NATIVITY.
SEX.	United States 473
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
Single	British America
Widows	Other Countries
Widowers	Unknown
Unknown 4	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(Under 1 year 120	German
	British American
Total deaths of children Under 2 years 169	Other Countries
Under 5 years 224	Mixed
Under 1 year 9 Under 2 years 9	Unknown
Under 5 years	Still-births during the month

	10	for									A	G:	E.									SE	X.
CAUSES OF DEATH.	Total Mortality for June, 1888.	Total Mortality f June, 1-87.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Potal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	O years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under Su yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.) years and over.	Males.	Females.
I. ZYMOTICS.	To	To	Un	a n	6 n	1 1	2 3	3 3	4	Tot	u u	10 u	20 n				09 m	70 n	08 n	96	100		
ALCOHOLISM	4	5												2	1	1							1
CROUP	8	2				3		2	1.	6	2												
CARBUNCLE												_					_	_		.—			
CHOLERA MORBUS	1							_	_							1						1	
CHOLERA INFANTUM	6	6		1	4		1			6											-	2	4
CEREBRO-SPINAL MENINGITIS	3	_ 1	1	1	-	1				3	_								-			2	1
Congestive Fever				_																			
DIARRHŒA	10	5	1	2	1					4	2				1		1	2					+
Dysentery	1																1					1	
Diphtheria	37	22				5	9	6	1	21	10	3	2	1								18	19
ERYSIPELAS	3	3				_										3						2	1
INTERMITTENT FEVER				ш																			
INFLUENZA		1										Ш			_	_ !							
MEASLES	2	24			-	2				2												2	
Purpura	1	1							1	1												1	
Puerperal Fever	1	1		<u> </u>										1		1							1
Ружміа	1	3														1				1 -			1
REMITTENT FEVER																							
RHEUMATISM	1												1										1
SCARLATINA	1	5					1			1								-				1	
SMALL Pox																							
SYPHILIS (CONGENITAL)		2																					
Syphilis																							
SEPTICÆMIA	1				Г											1 .						1	
Tonsillitis,																							
TYPHOID FEVER	11	10				_						+	3	1	2		1					4	7
Typhus Fever																							
WHOOPING COUGH	6	5	1	2		3				6													6
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	2		1										2									1	1
II. CONSTITUTIONAL.																							
CANCER	33	21		-	-	-	-	had been	-				1	5	7	5	8	5	1	1		8	25
Hydrocephalus and Tuberc. Meningitis	23	20	1	3	5		1	1	3	19	2	1	1									11	12
MARASMUS, SCROPULA AND TABES MESENTERICA		21			4			1		21							1			-	-	11	11
PHTHISIS PULMONALIS	92	125		1						1		10	36	14	15			4				48	44
					1		-			4	-	2						2				5	- 6
OTHER CONSTITUTIONAL DISEASES	11	7		1	2	1				4	1	1 2	1		1			2				0	

of June, Classified by Cause, Age and Sex.

	for	for	1								А	G	E.									S	EX,
CAUSES OF DEATH.	Total Meanality June, 1888.	Total Mortality June, 1887.	Under 3 mos.	3 mos. and under 6 mes.	6 mos, and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yes.	30 years and under 40 yrs.	40 years und under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	15	29						 			1		1		1	3	5	2	2	-		5	10
Bright's Disease	15	9					-	-	-			-	1	1	6	4	2	1				12	-3
Bronchitis	38	23	6	1	3	8	3	1		22	2				2	2	6	3	1			16	22
HEART DISEASE	55	41	1							1	1	3	2	10	9	9	10	8	2			24	31
Meningitis	24	26		2	7	1	1	3		14	4	3			1	1		1				14	10
NEPHRITIS	9	8											2	3		4				_		5	4
PLEURISY	4	1											1	1	1	1						2	2
PNEUMONIA	51	39	2			8	5		2	17		1	4	7	4	5	9	3	1			27	24
OTHER LOCAL DISEASES	151	87	8	7	8	10	3	. 3		34	4	4	13	28	14	18	19	13	3	1		77	74
IV. DEVELOPMENTAL.																							
													_		_			_					
CYANOSIS	1	1	1							1	_	_											1
INANITION	2	6	1		_				-	1								1				1	1
OLD AGE	14	9	11	1		-								_			2	3	8	1	-	2	12
PREMATURE BIRTH	1	2	11	1				-	-	12		-	1	-		_			-			8	1
OTHER DEVELOPMENTAL DISEASES	21	20	14	_	3		1			19			1			_						12	9
VINER DEVENUENTAL DISEASES			14																'				9
V. VIOLENT.																							
ACCIDENTAL	37	35	1		1				4	6	3	2	6	7	3	5	4		1		-	26	11
Homicidal	1															1	_		—				1
SUICIDAL	4	6											1	1	1	1						2	2
Other Violent Causes																-							
															-	_							
UNKNOWN CAUSES	4	1	1					1		2			2		_				-			4	
TOTAL FROM ALL CAUSES	740	654	60	27	33	49	25	18	12 2	224	32	33	81	82	69	74	74	49	19	3		366	374
Total from Zymotic Diseases	100	99	3	6	5	14	11	8	3	50	14	7	8	5	4	7	3	2				46	54
" CONSTITUTIONAL DISEASES	181	194	11	9	11	8	1	2	3	45	3	13	39	19	23	13	13	11	1	1		83	98
" " LOCAL do	362	263	17	10	13	27	12	7	2	88	12	11	24	50	38	47	51	31	9	1		182	180
14 16 DEVELOPMENTAL do	51	50	27	2	3		1			33			1				3	5	8	1		23	28
" " VIOLENT CAUSES	42	41	1		1				4	6	3	2	7	8	4	7	4		1			#8	14

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1888, and for the corresponding month in 1887.

CASES REPORTED DUE	RING JUNE	E, 1888.	CASES REPORTED DUF	RING JUNE	., 1887.
	City.	Quarantine.		City.	Quarantine
Diphtheria	111		Diphtheria	68	
Measles	183	5	Measles	435	1
Small Pox	1	1	Small Pox'	****	
Scarlatina	20		Scarlatina	62	
Typhoid Fever	41		Typhoid Fever	41	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of June, 1888, as reported by J. W. SMITH, Sergeant Signal Corps. U. S. A.

DATE.	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING DIRECTION	DAILY	GENERAL ITEMS.
	BAROMETER.	TEMPERATURE.	HUMIDITY.	of WIND.	RAIN FALL.	
1	29.70	62	65	W.	.05	Mean Barometer, 29.87.
2	28.85	61	48	S	.00	Highest Barometer, 30.25, on the 28th
3	29.92	60	- 63	N.W.	.00	Lowest Barometer, 29.60, on the 11th. Monthly Range of Barometer, 0.65.
3					.00	Mean Temperature, 68.4.
4	30.04	64	49	W.		Highest Temperature, 96.0, on the 23d
5	30.13	72	48	W.	.00	Lowest Temperature, 49.0, on the 2d. Monthly Range of Temperature, 47.0.
6	29.97	75	56	s.w.	.00	Greatest Daily Range of Temperature, 36.0, on the 6th.
7	29.96	68	73	w.	.23	Least Daily Range of Temperature, 7.0, on the 21st.
8	30.14	58	72	E.	.00	Mean Daily Range of Temperature, 19.0. Mean Daily Dew-point, 55.0.
9	30.03	71	63	s.w.	.00	Mean Daily Bew-point, 55.0. Mean Daily Relative Humidity, 68.0.
· ·		66	76	s.w.	.00	Prevailing Direction of Wind, W.
10	29.83					Total Movement of Wind, 7,381 Miles.
11	29.69	68	66	w.	.06	Highest Velocity of Wind and Direction, 36 W. & N. E. on 7th and 23d. Number of Foggy Days, 0.
12	30.07	65	49	W.	.00	Clear " 8.
13	30.19	66	50	8.W.	.00	" Fair " 13.
14	30.04	62	86	s.w.	.64	Number of Cloudy "9. Total Number of Days on which Rain or Snow fell, 12.
15	29.84	61	98	s.w.	.47	Depth of unmelted 8now on ground at end of month, 0.
		76	63	N.W.	.00	Dates of Auroras, 8th.
16	29.78					Dates of Solar Halos, 0.
17	29.89	71	69	8.E.	.00	Dates of Lunar Halos, 28th. Thunder storm, 7th, 15th, 23d, 30th.
18	29.81	78	58	w.	.00	Dates of Frosts, 0.
19	29.89	68	-56	S.E.	.00	Mean Max. Temp., 76.2.
20	29.91	65	75	N.	.07	Mean Min. Temp., 57.1.
21	29.72	59	89	S.E.	.01	COMPARATIVE TEMPERATURE.
22	29,67	76	79	s.w.	.00	1872
				W.		1873 68 1882 66
23	29.79	85	66		.21	1874
24	29.75	66	88	N.E.	.00	1875 67 1884 66 1876
25	29.76	63	89	E.	.01	1877 67
26	29.98	68	82	N.	.53	1878 64 1887 64
27	29.89	69	58	N.W.	.00	1879 64 1888 67
28 .	30.23	56	72	E.	.00	COMPARATIVE PRECIPITATIONS.
29	30.10	1 57	75	E.	.02	Inches. Inches.
30	29.81	68	62	w.	,39	1871 5.47 1880 6.24 1872 4.87 1881 0.75
00	20101		1		1	1873 0.54 1882 7.79
						1874 3.94 1883 1.03
_		-	-		0.00	1875 7.25 1884 2.07 1876 1.72 1885 3.70
TOTALS	896.38	2054	2033		2.69	1877 8,21 1886 1.34
						1878 3.28 1887 1.98
MEANS	29.87	68.4	67.7		.089	1879 2.28 1888 2.69

Mean average temperature for 18 years, 65.4. Mean average rainfall for 18 years, 3.49 inches. *T, trace of precipitation.

Statement of Mortality for the month of July, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of July, 1888, . Population estimated at 415,000.	Rate per 1,000 inhabitants, 24.0
Total number 830	NATIVITY.
SEX.	United States 576
Males	Ireland
Females	England
CONDITION.	Scotland 6
Married 209	Germany
Single	British America
Widows	Other Countries
Widowers	Unknown
Unknown 4	PARENTAGE.
COLOR.	United States
White 809	Irish
Colored	English
	Scotch
(Under 1 year 271	German
Total deaths of children Under 2 years	British American 40
	Other Countries 81
(Under 5 years 384	Mixed
Under 1 year	Unknown
Diarrhœal diseases Under 5 years	
All ages	Still-births during the month 48

)r	for			=	-	=		-		A	G:	E.	-			-		-			SE	EX.
CAUSES OF DEATH.	Potal Mortality for July, 1888.	Total Mortality for July, 1887.	Under 3 mos.	s. and ler 6 mos.	6 months and under 1 year.	ar and ler 2 yrs.	2 years and under 3 yrs.	years and	4 years and under 5 yrs.	5		20 yrs.	and , 30 yrs.	o years and under 40 yrs.	under 50 yrs.	50 years and under 60 yrs.	moder 70 yrs.	70 years and under 80 yrs.	So years and under 90 yrs.	90 years and under 100 yrs.	years and over.		ales.
I. ZYMOTICS.	Tota	Tota	Umd	3 mc	6 mc	l year a	2 ye	S year	4 ye	Total	as e	10 y un	under under	30 y	40 y	50 y	di y	170 %	So y	80 y	100	Males.	Fem
ALCOHOLISM	4	5											1	3								3	1
CROUP	2	2				1	1			2												2	
CARBUNCLE											-								_				
CHOLERA MORBUS	9	8			1					1	1				3		1	1	2			6	3
CHOLERA INFANTUM	130	233	22	31	57	17	2		1	130												69	61
CEREBRO-SPINAL MENINGITIS		. 4																					
Congestive Fever																							
DIARRHŒA	21	35	6	5	5	3				19							1		1			13	8
DYSENTERY	10	16		-	1	1		1		3	1				1	2		2	1			6	4
DIPHTHERIA	29	11				4	6	5	3	18	7	3	1									11	15
ERYSIPELAS	2	2	1							1				1								1	11
INTERMITTENT FEVER																							
INFLUENZA																							
MEASLES	2	30		1						1	1											1	1
PURPURA																							
PUERPERAL FEVER		2																					
PYÆMIA	1	2							1	1									-				1
REMITTENT FEVER																							
RHEUMATISM		7																					
SCARLATINA	1	4				1				1													1
SMALL POX																							
STPHILIS (CONGENITAL)	6	1	3	3						6												3	3
Syphilis	1													1									1
SEPTICÆMIA	1	2																					
Tonsillitis,																							
TYPHOID FEVER	11	13										4	3	1	1		2					8	3
Typhus Fever																							
WHOOPING COUGH	10	15	2	1	1	8	2		1	10												4	6
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	1	2											1									1	
												-											
II. CONSTITUTIONAL.			1																				
CANCER	19	25											2	1	7	3	5	1				9	10
Hydrocephalus and Tuberc. Meningitis	12	21	2		3	3	1	2		11			1									5	7
Marasmus, Scropula and Tabes Mesenterica	36	46	18	10	2	2	1		1	34		1				1						23	13
PHTHISIS PULMONALIS	115	126		1		6		3		10	2	11	29	29	19	7	7	1				52	63
Other Constitutional Diseases	10	9		1	1		-	-	2	3		1	5		1							7	3
A second								-										1	-			1	

of July, Classified by Cause, Age and Sex.

	for	for									A	G :	E.									SI	EX,
CAUSES OF DEATH, III. LOCAL.	Total Mortality, Jaly, 1888.	Total Mortality, July, 1887.	Under 3 mos.	3 mos, and under 6 mos.	6 mos. and under I year.	I year and under 2 yrs.	2 years and under 3 yes.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yes.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yes,	100 years and over.	Males.	Females.
APOPLEXY	19	34											1	3	2	2	5	3	2	1		6	13
Bright's Disease	14	15		-	-						-	-	1	3	3	5	2		1778000000			6	8
Bronchitis	17	23	4	2	1	4	1			12		-	_			2	1	1	1			8	9
HEART DISEASE	54	37	1							1	2	3	6	6	8	11	9	5	2	1		29	25
MENINGITIS	19	35	1	5	3	1	2	4	1	17			1	1				_				13	6
Nephritis	6	9		-									1		1		1	3				5	1
PLEURISY	1												1			-							1
PNEUMONIA	23	29	1	1	2	4	1	1		10	1		2	1	4	1	4					12	11
OTHER LOCAL DISEASES	143	197	12	9	14	8	3	. 3	1	50	1	4	15	13	13	16	17	8	6			72	71
IV. DEVELOPMENTAL.																							
CYANOSIS	1	2	1							1							_					1	
INANITION	11	6	9		2					11												7	4
OLD AGE	17	25		-													2	4	8	2	1	3	14
PREMATURE BIRTH	9	16	9							9												5	4
PUERP'L DISEASES (not including Puerp'l Fever)	8	3											2	1			_						3
OTHER DEVELOPMENTAL DISEASES	19	23	15			3				18								1		_		8	11
V. VIOLENT.																							
ACCIDENTAL	35	34	1		1	1	1			4	3	5	6	5	7	2	2	1	mannen			27	8
Homicidal	2	2											1	1								2	
SUICIDAL	8	5											1		1		1					3	
OTHER VIOLENT CAUSES																							
UNKNOWN CAUSES	2	3												1				1				1	1
TOTAL FROM ALL CAUSES	830	1119	108	69	94	62	21	19	11	384	19	32	81	71	71	52	60	32	23	4	1	432	398
TOTAL FROM ZYMOTIC DISEASES	240	394	84	41	65	30	11	6	6	193	10	7	6	6	5	2	4	3	4			128	112
" CONSTITUTIONAL DISEASES	192	227	20	11	6	11	2	5	3	58	2	13	37	30	27	11	12	2				96	96
" LOCAL do	296	379	19	17	20	17	7	8	2	90	4	7	28	27	31	37	39	20	11	2		151	145
	1		0.1		0	0							2	1			-	-		-			0.1
66 66 DEVELOPMENTAL do	60	75	34		2	3				39			2	7			2	5	8	2	1	24	36

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1888, and for the corresponding month in 1887.

CASES REPORTED DUI	RING JULY	7, 1888.	CASES REPORTED DU	RING JULY	, 1887.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	97		Diphtheria	53	
Measles	63	****	Measles	: 242	
Small Pox	,		Small Pox		
Scarlatina	19		Scarlatina	29	2000
Typhoid Fever	84		Typhoid Fever	54	1
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of July, 1888, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERAL ITEMS.
1	29.90	57.0	90	: N.E.	.11	Mean Barometer, **
2	30.16	60.5	68	w.	*T	Highest Barometer, 30.30, on the 18th
3	30,18	68.0			_	Lowest Barometer, 29.39, on the 12th.
			56	S.W.	.00	Monthly Range of Barometer, .91. Mean Temperature, 68.3.
4	30.03	71.5	60	W.	.00	Highest Temperature, 88.0, on the 23d
5 .	29.81	74.0	75	W.	*T	Lowest Temperature, 51.0, on the 1st.
6	29.89	73.0	47	w.	.00	Monthly Range of Temperature, 37.0.
7	29.75	76.5	48	N.	.00	Greatest Daily Range of Temperature, 26.9, on the 4th. Least Daily Range of Temperature, 7.7, on the 18th.
8	29.91	68.5	51	w.	.00	Mean Daily Range of Temperature, 17.3.
9	29.93	68.0				Mean Daily Dew-point, **
			67	W.	.00	Mean Daily Relative Humidity, **
10	29.90	73.0	52	8.W.	.00	Prevailing Direction of Wind, W. Total Movement of Wind, 8,027 Miles.
11	29.66	69.5	72	w.	.01	Highest Velocity of Wind and Direction, 42 W. on the 12th.
12	29.43	65.0	46	w.	.11	Number of Foggy Days, 0. " Clear " 10.
13	29.71	65.5	60	N.	.00	" Fair " 11.
14	29.97	71.0	54	N.W.	.00	Number of Cloudy " 10.
15	30.08	69.5	55	s.w.	.00	Total Number of Days on which Rain fell, 13.
16	30.20					Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 0.
		63.0	77	E.	.00	Dates of Solar Halos, 0.
17	30.28	65.5	63	E.	.00	Dates of Lunar Halos, 0.
18	30.26	65,0	74	S.	.00	Thunder storm, 12th and 23d. Dates of Frosts, 0.
19	30.11	67.5	. 82	s.w.	.01	Mean Max. Temp., 77.4.
20	30.04	70.5	* -86	s.w.	.69	Mean Min. Temp., 60.1.
21	30.14	70.0	79	s.	.00	COMPARATIVE TEMPERATURE.
22	30.04	64.0	100	N.	.64	1871
23	29.92	72.5	82	w.	.09	1873
24	29.92	75.0				1874
25	30.03	71.5	56	W.	•00	1875
26			58	W.	.00	1877 70
	30.02	69.5	69	N.	.00	1878
27	30.05	63,5	84	N.	.12	1000
28	* 80.19	60.5	73	N.E.	.01	COMPARATIVE PRECIPITATIONS.
29 .	30.20	63.0	74	w.	*T	Inches. Inches.
30	30.01	71.5	70	s.w.	.00	1871
81	29.88	73.0	87	s.w.	*T	1873 3.84 1882 3.91
						1874 3.47 1883 2.73 1875 3.93 1884 4.25
TOTALS	排水	2116.5	冰水		1.79	1876 5.86 1895 1.44 1877 2.27 1886 1.81
MEANS	44	68.3	**		.058	1878 4.58

Statement of Mortality for the month of August, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of A Population estimated at 415,000		Rate per 1,000 inhabitants, 28.
Total number	988	NATIVITY.
SEX.		United States 69
Males	502	Ireland
Females	486	England ,
CONDITION.		Scotland
Married	231	Germany
Single	648	British America
Widows	71	Other Countries
Widowers	28	Unknown
Unknown ·	10	PARENTAGE.
COLOR.		United States
White	965	Irish
Colored	23	English
		Seotch
(Index 1 year	974	German
Under 1 year		British American
Total deaths of children Under 2 years		Other Countries
(Under 5 years	473	Mixed
(Under 1 year		Unknown
Diarrhœal diseases Under 5 years		
	258	Still-births during the month

	Mortality for agust, 1888.	for	II.								A	. G	E.									SI	SEX.	
CAUSES OF DEATH.		Total Mortality	Under 8 mos.	3 mos. and under 6 mos.	months an	l year and	years and	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	years	and 20 y	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and	90 years and	100 years and over.	Males.	Решцев.	
ALCOHOLISM	Total	5	-	00	9		61	8	4	T	, G		4	2	1		9	1	00 -	100 %	1	5	2	
CROUP	8	3		-		3	3	1		7	1			-	-						,	4	4	
CARBUNCLE			1												1-			-		-				
CHOLERA MORBUS	15	12	-	1	-					1	2	1	1	3	2	1		3		1		11	4	
CHOLERA INFANTUM	192	175	39	40	83	27	1		1	191	1											95	97	
CEREBRO-SPINAL MENINGITIS	3	1		1	2					3			_			-	-						3	
Congestive Fever			-								-				-									
DIARRHŒA	35	34	7	4	11	2	-	_		24	-		2		i	1	3	5				22	13	
DYSENTERY	16	18	-		4					4	3		2			2	1	3	1			5		
DIPHTHERIA	27	14			1	3	7	4	3	18	7	2					-					15	11	
ERYSIPELAS	2	14		1	1	-	-		0	10	-			1								2	12	
INTERMITTENT FEVER	1			-						1				-		1								
													_										1	
MEASURG		1						-				_		_	-				_					
MEASLES		4		-																				
PURPURA	-		-							_														
PUERPERAL FEVER	1	1						_				_		1									1	
PYÆMIA	1	4	1							1												1		
REMITTENT FEVER	1				_	_					_						1						1	
RHEUMATISM	3	1	-		_						_		1		2				_				3	
SCARLATINA	1	7									1									_			1	
SMALL Pox	-																		-					
SYPHILIS (CONGENITAL)	3	3	3							3													3	
SYPHILIS		1																						
SEPTICÆMIA	2	3												1						1			2	
TONSILLITIS,	-																							
TYPHOID FEVER	19	23										3	9	5	1			1				9	10	
Typhus Fever																								
WHOOPING COUGH	8	19	[1	1	3	2	1			8												3	5	
YELLOW FEVER																				H				
OTHER ZYMOTIC DISEASES	1		1							1													1	
II. CONSTITUTIONAL.														3			1							
Cancer	17	29												1	6	5	2	2	1			4	13	
Hydrocephalus and Tuberc. Meningitis	22	18	3	1	6	4	5			19	2			1								17	5	
MARASMUS, SCROPULA AND TABES MESENTERICA	51	56	23	11	8	3				45		2	2			1				1		26	25	
PHTHISIS PULMONALIS	117	118	1	2	1					4		15	41	21	19	8	7	2				48	69	
OTHER CONSTITUTIONAL DISEASES	10	11				1		1		2	2	1		2	1		1	1				3	7	
																	-						-	

of August, Classified by Cause, Age and Sex.

	for .	for .									A	. G	E.									S	EX,
CAUSES OF DEATH.	Total Mortality fo August, 1888.	Total Mortality August, 1887.	Under 3 mos.	3 mes, and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 vrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Maies,	Females.
APOPLEXY	29	26								=		1		2	2	4	12	4	4			18	11
Bright's Disease	17	12	1				1			2	1	-		2	4	5	1		1			5	12
Bronchitis	21	22	1	4	2	2		1		10	1	1	-	2	2	2		1	2	=		9	12
HEART DISEASE	89	40				1				1		1	3	4		7	5	5	3	-	-	19	20
MENINGITIS	30	26	5	1 6	7	2	1		1	22			_	1		2	1		1			12	19
Nephritis	9	12						-			1		1	1	2		2	2			-	5	4
PLEURISY				-		-																	
PNEUMONIA	17	27				3	1	,		4	1		4	1	2		3	-	2			10	7
OTHER LOCAL DISEASES	147	134	19	10	13	6	1	1	1	51	5	5	10	8	12	21	21	12	2		-	73	74
IV. DEVELOPMENTAL.																							
CYANOSIS	3	1	3	-	-			-		3					-					-		2	1
INANITION	7	8	5	2			-			7					-							5	2
OLD AGE	21	28															-3	-8	13	2		12	9
PREMATURE BIRTH	13	16	13							13	T)			_		-				_		6	7
PUERP'L DISEASES (not including Puerp'l Fever)	2	3											1	1									2
OTHER DEVELOPMENTAL DISEASES	24	19	16		4	1	1	-	-	22	1								1			20	4
											-												
V. VIOLENT.																							
Accidental	32	33			1	2		1		4	1	1	9	4	5	ō		3				25	7
Homicidal	2	1											2									2	
SUICIDAL	6	3										1	1	2		2						5	1
Other Violent Causes		3																					
UNENOWN CAUSES	6	2	2]				2			1		1	2 į						4	2
TOTAL FROM ALL CAUSES	988	976	144	84	146	62	22	9	6 4	73	35	34	95	66	70	69	63	47	31	5		502	486
TOTAL FROM ZYMOTIC DISEASES	316	328	52	48	104	37	12	5	4 2	262	15	6	19	13	6	5	5	12	1	2		172	174
" Constitutional Diseases	217	232	27	14	15	8	5	1		70	4	18	43	25	26	14	10	5	1	1		98	119
" " LOCAL do	309	299	26	20	22	14	4	2	2	90	14	8	19	21	32	41	45	24	15			151	158
" " DEVELOPMENTAL do	70	75	37	2	4	1	1			45	1		1	1			3	3	14	2		45	25
" " VIOLENT CAUSES	40	40			1	2	-	1		4	1	2	12	6	5	7		3				32	8
				-				-				-			-			-			-		

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of August, 1888, and for the corresponding month in 1887.

CASES REPORTED DUR	ING AUGU	ST, 1888.	CASES REPORTED DURI	NG AUGUS	ST, 1887.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	94		Diphtheria	41	
Measles	10		Measles	76	
Small Pox			Small Pox		
Scarlatina	11		Scarlatina	51	
Typhoid Fever	84		Typhoid Fever	169	
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever		

For the month of August, 1888, as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.93	67	67	w. '	.26	Mean Barometer, 29.96.
2	29.97	74	58	W.	.00	Highest Barometer, 30.32, on the 11th
3	29.98	72	62	s.w.	.00	Lowest Barometer, 29.57, on the 22d. Monthly Range of Barometer, .75.
4	29.80	74	80	s.w.	*7	Mean Temperature, 69.0.
5	29.82	74	86	N.E.	.00	Highest Temperature, 88.2, on the 5th.
						Lowest Temperature, 52.0, on the 23d. Monthly Range of Temperature, 36.2.
6	29.96	62	. 98	N.E.	.88	Greatest Daily Range of Temperature, 30.0, on the 30th.
7	29.96	60	92	E.	.14	Least Daily Range of Temperature, 5.0, on the 6th.
" 8	30.01	65	88	S.	.00	Mean Daily Range of Temperature, 17.4. Mean Daily Dew-point, 58.5
9	29.98	76	68	N.W.	.02	Mean Daily Relative Humidity, 70.7
10	30.20	70	57	N.	.00	Prevailing Direction of Wind, W.
11	30.30	66	66	N.E.	.00	Total Movement of Wind, 8,435 Miles. Highest Velocity of Wind and Direction, 45 E. on the 22d.
12	30,20	64	80	E.	.04	Number of Foggy Days, 0.
13	29,88	62	96	W.		" Clear " 0,
14	30.01	66			1.44	" Fair " 0. Number of Cloudy " 0.
			62	W.	.00	Total Number of Days on which Rain fell, 12.
15	30.04	72	71	s.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	29.98	78	75	8.W.	.03	Dates of Auroras, 0. Dates of Solar Halos, 0.
17	29.90	78	80	W.	.23	Dates of Lunar Halos, 15th and 17th.
18	29.96	74	67	w.	.67	Thunder storm, 0.
19	29.99	72	52	w.	.02	Dates of Frosts, 0. Mean Max. Temp., 78.8.
20	30.00	67	72	s.	.00	Mean Min. Temp., 61.4.
21	29.82	66	68	s.	.04	COMPARATIVE TEMPERATURE.
22	29.68	64				1871
23			68	N.W.	3.36	1872
	30.00	60	57	W.	.00	1874 68 1883
24	29.90	70	60	W.	.00	1875 71
25	29.94	74	60	N.W.	.00	1876
26	29.94	72	60	N.W.	.00	1878 68 1887
27	29.87	70	66	w.	.00	1879
28	29.94	60	60	W.	.00	COMPARATIVE PRECIPITATIONS.
29	29.90	65	56	w.	.00	Inches. Inches.
80	29.93	70	69	8.W.	.00	1871 3.06 1880 2.90
31	29.98	70	78			1872
	25.50	10	10	s.	,00	1874 6.67 1883 0.39
ALS	Mole	**	**			1875 3.50 1884 5.01
Ald		**	**		6.53	1876 1.23 1885 7.64 1877 4.49 1886 3.64
4N8	29,96	69,0		_		1878 7.06 1887 3.05

^{**} Not stated.

Statement of Mortality for the month of September, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	the month of September, 1888, timated at 415,000.	Rate per 1,000 inhabitants, 24.0
Total number	831	NATIVITY.
	SEX.	United States
Males	428	Ireland
Females	403	England
	CONDITION.	Scotland
Married		Germany
Single	528	British America
Widows	51	Other Countries
Widowers	26	Unknown
Unknown .	16	PARENTAGE.
	COLOR.	United States
White	814	Irish
Colored		English
		Scotch
	(Under 1 year 269	German
Fotal deaths of childr	en Under 2 years 322	British American 44
	Under 5 years 365	Other Countries
		Mixed
	Under 1 year 91 Under 2 years	Unknown
Diarrhœal diseases	Under 5 years	
	All ages	Still-births during the month

	for 88.	for 87.	11								A	G-	E.								1	S	EX.
CAUSES OF DEATH.	Total Mortality for September, 1888.	otal Mortality fo	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	ars and	Total under 5 years.	ars and ler 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.		ales.
I. ZYMOTICS.	Total	Total	Und	3 mc	6 mc	1 ye	2 yea	3 yes	4 yea	Total	ō years under	10 ye und	20 ye	30 ye	40 ye	50 ye	60 ye	70 ye	80 ye	90 ye	100 y	Males	Femal
ALCOHOLISM	2	3					-						2									2	
CROUP	3	3			1	1	1			3												2	1
CARBUNCLE																			-				
CHOLERA MORBUS	1	5															1					1	
CHOLERA INFANTUM	84	46	14	27	29	14				84							-					45	89
CEREBRO-SPINAL MENINGITIS		2																					
Congestive Fever																	_						
DIARRHŒA	31	22	8	6	6	3				23				1			5	1		1		13	18
DYSENTERY	8	9			1	1				2				1		1	1	2	1			2	6
DIPHTHERIA	31	25				3	6	3	5	17	13	1					-					19	12
ERYSIPELAS		1																					
INTERMITTENT FEVER																							
INFLUENZA																							
Measles		1																					
Purpura	1	1	-						1	1				_								1	
PUERPERAL FEVER	1												1										1
Ружміа		2															_			-			
REMITTENT FEVER	1			-					_							1		-					1
RHEUMATISM	3	5		_										2		1	-					3	
SCARLATINA	1	20		_									1							-		1	
SMALL Pox				-											_	_					-		
SYPHILIS (CONGENITAL)	. 4	2	2		1	1				4								_				1	3
SYPHILIS	1	1	i		-					_				1				-		_			1
SEPTICÆMIA	1	1												1				-					1
Tonsillitis,				-																			
TYPHOID FEVER	21	34		-			-				1	5	9	4	2		-			_		14	7
TYPHUS FEVER	1													1									1
WHOOPING COUGH	7	19	1		2	3	1			7		-										1	6
YBLLOW FEVER			1																	_			
OTHER ZYMOTIC DISEASES	2						-								-		2					2	
			-												-								
II. CONSTITUTIONAL.																							
CANCER	17	25		-									1	3	3.	5	3	2		-	-	5	12
Hydrocephalus and Tuberc. Meningitis	13	19	4	1	3	3				11		2										3	10
MARABMUS, SCROPULA AND TABES MESENTERICA	63	47		14	14	5	1			56	1	2	1				1	1	1			84	20
PHTHISIS PULMONALIS	107	123	3	j				1	1	6				28	20	3		1		-		48	59
OTHER CONSTITUTIONAL DISEASES	10	5		1	2		1			4		-	5			1							
OTHER CONSTITUTIONAL PREASES	10	9	1	1	2	-	,			* ()		1	-1)		-	1 !	-				11	3 /	7

of September, Classified by Cause, Age and Sex.

	for 3.	for 7.	1			-					A	G	E.									81	EX,
CAUSES OF DEATH.	Total Mortality for September, 1888.	Total Mortality fo September, 1887.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	23	19									1			-	5	2	6	6	3			11	12
Brigit's Disease	8	11			-		_	-					-	3		-	2	3				5	3
Bronchitis	18	30		2	4	2	3	1		12		-	-		1	2	2		1			6	12
HEART DISEASE	45	49					1	-		1		4	1	5	5	13	5	10	1			23	22
MENINGITIS	14	22	1	2	3	1	4	1		12		1	1	-				_				7	.7
NEPHRITIS	12	7						-	_		1		1	2	1	1	3	3		_		6	6
PLEURISY		3			-			-				_				_			_				
PNEUMONIA	39	39	1	2	3	5	2	1		14	1	2	3	6	6	3	2	1	1			26	13
OTHER LOCAL DISEASES	158	118	24	8	14	9	5	1	2	63	4	5	9	16	18	14	10	18	1			87	71
IV. DEVELOPMENTAL.																							
CYANOSIS		2	-								_				<u></u>		_			_			
INANITION	5	7	5		-				_	5					_				_			2	3
OLD AGE	16	25	-	-								_	-			-		8	5	2	1	4	12
PREMATURE BIRTH	12	16	11		1		-			12	-										-	7	5
PUERP'L DISEASES (not including Puerp'l Fever)	1	1			_	-						_	1										1
OTHER DEVELOPMENTAL DISEASES	28	16	20		2					25	-						2		-	-		13	15
v. violent.																							
ACCIDENTAL	33	28				1		1		2	5	2	8	7	2	5		2				28	5
Homicidal		1																	_				
SUICIDAL	3	1								_			1	1		1		_		_		2	1
OTHER VIOLENT CAUSES						_																	
Unknown Causes,	2	1	1			[1						2			1			1	1
TOTAL FROM ALL CAUSES	831	817	117	66	86	58	25	9	y	365	27	36	77	82	64	54	50	5S	14	3	1	428	403
TOTAL FROM ZYMOTIC DISEASES	204	202	25	33	40	24	8	3	6	141	14	6	13	11	2	3	9	3	1	1		107	97
" " CONSTITUTIONAL DISEASES	210	219	29	17	19	8	2	1	1	77	1	16	39	31	23	9	9	4	1			93	117
co to LOCAL do	317	298	26	14	24	17	15	4	2	102	7	12	15	33	36	35	80	41	7			171	146
" " DEVELOPMENTAL do	62	67	36	2	3	1				42			1		1		2	8	5	2	1	26	36
" " VIOLENT CAUSES	36	30				1		1		2	5	2	9	8	2	6		2				30	6

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1888, and for the corresponding month in 1887.

CASES REPORTED DURIN	IG SEPTEM	BER, 1888.	CASES REPORTED DURING	G SEPTEM	BER, 1887.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	95		Diphtheria	53	
Mensles	13		Mensles	3	****
Small Pox			Small Pox		****
Scarlatina	18		Scarlatina	142	****
Typhoid Fever	188	1	Typhoid Fever	165	
Typhus Fever	3		Typaus Fever	,	
Yellow Fever			Yellow Fever		

For the month of September, 1888. as reported by J. W. SMITH, Sergeant Signal Corps.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.81	70	92	N.W.	, .21	Mean Barometer, 30.084.
2	30.08	67	76	N.E.	.00	Highest Barometer, 30.66, on the 7th
2	30.28	63	76	s.	.00	Lowest Barometer, 29.46, on the 26th. Monthly Range of Barometer, 1.20.
						Mean Temperature, 58.9.
*	30.13	62	77	E.	.04	Highest Temperature, 78.3, on the 1st.
5	30.14	62	63	N	.00	Lowest Temperature, 36.2, on the 30th.
6	30.52	51	56	E.	.00	Monthly Range of Temperature, 42.1. Greatest Daily Range of Temperature, 25.1, on the 14th.
7	30.61	54	60	8.E.	.00	Least Daily Range of Temperature, 20.1, on the 11st.
8	30.19	65	85	s.w.	.22	Mean Daily Range of Temperature, 12.5.
9	29.98	70	86	8.W.	.08	Mean Daily Dew-point, 51.6.
						Mean Daily Relative Humidity, 77.3. Prevailing Direction of Wind, N.
10	29.94	68	74	N.	. 1.09	Total Movement of Wind, 6,899 Miles.
11	30.16	62	74	N.	.00	Highest Velocity of Wind and Direction, 60 N. on the 26th.
12	29.86	63	91	s.	.51	Number of Foggy Days, 0. " Clear " 8.
13	29.94	62	63	w.	.05	" Fair " 7.
14	30.14	58	. 58	w.	.00	Number of Cloudy " 15.
15	30.31	60				Total Number of Days on which Rain fell, 17.
			70	E.	,00	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, 0.
16	30.17	62	' 85	s.	.01	Dates of Solar Halos, 0.
17	30.07	68	84	N.E.	.09	Dates of Lunar Halos, 0.
18	30.12	58	94	N.	1.57	Thunder storm, 0.
19	30.16	57	87	S.E.	.01	Dates of Frosts, light, 29th; killing, 30th. Mean Max. Temp, 66.0.
20	30.14	59	- 90	E.	.00	Mean Min. Temp., 58.6.
21						COMPARATIVE TEMPERATURE.
-	30.02	58	94	N.	.71	1871
()+2 ===	30,06	56	88	N.	.06	1872 63.9 1881 65.
28	30.17	56	85	N.	.01	1873 62.4
24	30.23	52	78	E.	.01	1875 59.3 1884 65.
25	30.03	50	82	E.	.00	1876 58.8 1885 59.
2€	29.52	52	88	w.	2.08	1877
27	29.80	62	74	w.	.00	1879 60.7
28	29.94	54	67	N.W.	*02	COMPARATIVE PRECIPITATIONS.
29	30.04	45	. 66	N.	.00	Inches. Inches.
						1871 1.30 1880 2.3
30	29,98	44	58	W.	*T	1872 6.04 1881 2.5 1873 2.91 1882 10.9
						1873 2.91 1882 10.9 1874 2.05 1883 1.5
						1875 3.12 1884 0.3
TALS		1769.0			6.77	1876 3.84 1885 1.7
						1877 0.60 1886 2.7 1878 3.47 1887 0.9
AN9	30.084	59.0	77.3	N.	.226	1878 3.47 1887 0.9 1879 1.84 1888 6.7

Average September temperature for 13 years, 61.9. Average September precipitation for 18 years, 3.05. *T indicates trace of precipitation.

Statement of Mortality for the month of October, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 415,000.	Rate per 1,000 inhabitants, 23.
Total number	5 NATIVITY.
SEX.	United States
Males	6 Ireland
Females	9 England
condition.	Scotland
Married	4 Germany
Single	British America
Widows	Other Countries
Widowers	Unknown
Unknown 1	PARENTAGE.
COLOR.	United States
White	9 Irish
Colored	English
	Scotch
(Under 1 year 16:	German
	British American
Total deaths of children Under 2 years 209	Other Countries
(Under 5 years 26	Mixed
Under 1 year	Unknown
(All ages 30	

	for s.	for .									A	G :	E.									SI	ex.
CAUSES OF DEATH.	Total Mortality for October, 1888.	Total Mortality for October, 1887.	108.	I nos.	and rear.	A /I'S.	yrs.	d /TB.	yrs.	ears.	rid yrs.	s and 20 yrs.	nd yrs.	nd yrs.	nd yrs.	nd yrs.	nd yrs.	nd yrs.	nd yrs.	pur	er.		
	Mor	Il Mor	Under 3 mos	is: and	6 months and under 1 year	1 year and under 2 yr	2 years and under 3 y	years an	4 years and under 5 y	Potal unde	b years and under 10 yrs.	10 years a under 20	der 30 y	30 years a	40 years a	50 years an under 60	60 years a	der 80	80 years an	90 years and	100 years and over	×.	Females.
I. ZYMOTICS.	Tota	Total	Und	3 mos. a	6 mg	1 ye	2 ye	3 ye	4 ye	Tota	o ye	10 y	20 years	30 3	40 y	50 y	60 y	70 years	80 y	90 y	100	Makes.	- Fg.
ALCOHOLISM	9	7											1	3	4	1						5	4
CROUP	5	9				2		3		5												4	1
CARBUNCLE																							
CHOLERA MORBUS																							
Cholera Infantum	16	15	3	3	7	3				16												10	6
CEREBRO-SPINAL MENINGITIS	4	3		1			1			2	1	1										1	3
Congestive Fever																							
DIARRHŒA	9	20	2	2		1				5					2	1			1			4	5
DYSENTERY	5	2		1		2				3					2							1	4
DIPHTHERIA	51	31			1	7	7	8	4	27	19	3	2									21	30
ERYSIPELAS	2	1														1	1					2	
INTERMITTENT FEVER																							
INPLUENZA																							
MEASLES	2	1				2				2													2
Purpura																							
PUERPERAL FEVER	2	2										1		1									2
Ружміа	2	1	1							1						1						2	
REMITTENT FEVER																							
RHEUMATISM	2	5											1				1					1	1
SCARLATINA	1	24					1			1													1
SMALL Pox																							-
Syphilis (Congenital)	1	2				1				1													1
Syphilis	1												1										1
SEPTICÆMIA	1 1	1														1							1
Tonsillitis,		2																					
Typhoid Fever	42	21						1		1	3	7	16	9	3	1	2					20	13
TYPHUS FEVER																							
WHOOPING COUGH	3	3	1		1	1				3												2	1
YELLOW FEVER			1																				
OTHER ZYMOTIC DISEASES															_								
II. CONSTITUTIONAL.																							
	25	30												2								s	17
HYDROCEPHALUS AND TUBERC. MENINGITIS					-	0	-	- 0	-	10	_	. 0	1	4	0	1						12	12
MARASMUS, SCROPULA AND TABES MESENTERICA	21	12	3	2	5	3		1	1	18	1	3			1	1		1	1			20	28
PHTHISIS PULMONALIS		37	19	8	8	3						10	100	40									
I III III I I I I I I I I I I I I I I	124	127			. 1	2	. 1	1		5								2				64	60
Other Constitutional Diseases	10	3			1	1				2	1	1	2	2	1				1			4	6
-																							

of October, Classified by Cause, Age and Sex.

	for .	for									A	G :	E.									8	EX,
CAUSES OF DEATH.	Total Mortality for October, 1888.	Total Mortality October, 188	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
A	17												1	1	1	3	7	3	1			6	1
APOPLEXY	10	9											_	2			1	1	1			5	
BRONCHITIS	38	49	4	1 +	6	3			1	18	1		1	1	4	1	5	5	2			17	2
HEART DISEASE	57	66	2	1	1					4				4	8			6	1	1		34	- 2
MENINGITIS	13	18		1	1	6		1 1		11				1								7	
Nephritis	17	12					1	1		2	-		3	3	8	4		2				11	
PLEURISY	1	1								-					1								
	62	47	1 3	_	2	4	5	2	2	19			2	7	7		13	4	4			27	3
OTHER LOCAL DISEASES	143	119	16	6	4	5	5	2	_	38	4	8		15		13		9	7	1		73	- 7
OTHER LOCAL IMBRASES					-			2		-	-			10		10	10			1			
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1							1		_				-						1	. –
NANITION	7	10	6		1					7	1											3	
OLD AGE	10	28									1						1	1	7		1	4	
PREMATURE BIRTH	11	17	11							11												10	
PUERP'L DISEASES (not including Puerp'l Fever)	1	1												1									
Other Developmental Diseases	22	25	13	2	2		1			18						1	1	2				14	
v. violent.																							
ACCIDENTAL	27	31		1		1				2	1		9	5	 5	3	1	1				21	
IOMICIDAL																							
SUICIDAL	2	- 6				-							2							•		2	
Other Violent Causes	1	1																1				1	
UNKNOWN CAUSES	1	5			1					1													
TOTAL FROM ALL CAUSES	825	838	87	33	42	47	24	22	8	263	32	38	94	99	82	65	81	41	27	2	1	426	39
TOTAL FROM ZYMOTIC DISEASES	158	150	1 7	7	9	19	9	12	4	67	23	12	21	13	11	6	4		1		H	82	7
" CONSTITUTIONAL DISEASES	226	209	22	10	15	9	3	4	1	64	2	15	35	46	27	16	12	6	3			108	10
" LOCAL do	358	354	27	13	14	18	11	6	3	92	6	11	27	34	39	39	62	30	16	2		180	17
16 16 DEVELOPMENTAL do	52	82	31	2	3		1			37				1		1	2	3	7		1	32	9
64 66 VIOLENT CAUSES	30	38		1		1				2	1		11	5	5	3	1	2				24	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1888, and for the corresponding month in 1887.

CASES REPORTED DUR	ING OCTOE	BER, 1888.	CASES REPORTED DURI	NG OCTOB	ER, 1887.
	City.	Quarantine.	-	City.	Quarantine.
Diphtheria	146		Diphtheria	112	
Measles	17		Measles	23	
Small Pox			Small Pox		****
Scarlatina	52		Scarlatina	211	****
Typhoid Fever	196	2	Typhoid Fever	122	****
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		****

For the month of October, 1888, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.		Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.76	48	79	8.E.	.13	Mean Barometer, 29.942.
2	29.54	56	83	W.	.30	Highest Barometer, 30.52, on the 26th. Lowest Barometer, 29.34, on the 8th.
3	29.80	42	73	N. & N.W.	T	Monthly Range of Barometer, 1.18.
	30.10	- 44	56	s.w.	.00	Mean Temperature, 47.1.
4						Highest Temperature, 69.0, on the 5th.
5	30.04	57	7.4	8.W.	.00	Lowest Temperature, 33.8, on the 22d. Monthly Range of Temperature, 35.2.
6	29,95	55	86	8.	.24	Greatest Daily Range of Temperature, 23.5, on the 31st,
7	29.51	58	85	N.W.	.96	Least Daily Range of Temperature, 2.5, on the 14th.
8	29.37	50	63	W.	.00	Mean Daily Range of Temperature, 13.2. Mean Daily Dew-point, 37.8.
9	29,66	40	66	W.	.00	Mean Daily Relative Humidity, 71.6.
10	11 29,90	41	56	N.	.00	Prevailing Direction of Wind, N.W.
11	29.98	45	72	N.E.	.00	Total Movement of Wind, 8,301 Miles. Highest Velocity of Wind and Direction, 37 W, on the 29th.
						Number of Foggy Days, 0.
12	29.90	49	84	N.E.	.06	" Clear " 7.
18	29.76	48	86	N.	.13	" Fair " 9.
14	29.96	41	84	N.W.	.09	Number of Cloudy " 15. Total Number of Days on which Rain or Snow fell, 13.
15	30.02	44	66	S.W.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	30.06	52	68	s.	T	Dates of Auroras, 0.
17	29,92	50	85	N.W.	.06	Dates of Solar Halos, 0. Dates of Lunar Halos, 20th.
						Thunder storm, 0.
18	30.08	45	66	N.W.	.00	Dates of Frosts, 11th, 15th, 22d.
19	30,01	44	. 78	W.	.00	Mean Max. Temp, 54.3.
20	29.78	48	74	W	.38	Mean Min. Temp., 41.1.
21	30,04	40	56	W.	.00	COMPARATIVE TEMPERATURE. 1871 54.0 1880 50.9
22	30,21	41	50	w.	.00	1872 51.7 1881 53.3
23	30.04	48	65	s.w.	.00	1870
24	29.80	48	86	N.W.	.81	1874
						1875 49.2 1884
25	30,26	40	44	N.	.(10)	1877 50.8 1886 51.5
26	30,50	44	80	S.E.	Т	1878 54.9 1887 51.0
27	30,29	50	96	E.	.05	1879
28	29.77	58	80	W.	.33	COMPARATIVE PRECIPITATIONS.
29	29.77	45	60	w.	.04	Inches. Inches.
30	30.16	40	56	w.	.00	1871 5.88 1880
81	80.29	46	45	s.w.	.00	1873 5,33 1882 2.29
						1874 1.39 1883 , 6.40
COTALS					3,58	1875
						1877 8.84 1886 3.27
JEANS	29.942	47.1	71.6	N.W.	.115	1878 6.76 1887 2.53 1879

Statement of Mortality for the month of November, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of November, 1888, Population estimated at 415,000.	Rate per 1,000 inhabitants, 21.1
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 6
Married	Germany 6
Single 411	British America 40
Widows	Other Countries
Widowers 23	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(17. 14. 14. 14.	German
Under 1 year 142	British American
Total deaths of children Under 2 years 181	Other Countries
(Under 5 years 238	Mixed
Under 1 year	Unknown
Under 5 years	Still-births during the month 48

	for 's,	to to	ī								Ā	G	E.									_ S	EX.
CAUSES OF DEATH. 1. ZYMOTICS.	Total Mortality for November, 1888.	Total Mortality November, 188	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total umler 5 years.	5 years and under 10 yes.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and	80 years and under 90 yrs.	90 years and under 100 vrs.	100 years and over.	Males.	Females.
Alcoholism	4	5													3	1						4	-
CROUP	13	10				2	5	1		8	5											7	6
CARBUNCLE																							
CHOLERA MORBUS																							
CHOLERA INFANTUM	3	6	3							3												1	2
CEREBRO-SPINAL MENINGITIS	2												1		1							1	1
Congestive Fever																							
DIARRHŒA	16	9	3	6	2	1				12				2		1			I			s	- 8
DYSENTERY		1 1																					
DIPHTHERIA	51	36			1	8	12	PF 1	5	33	10	4	2		1	1						27	24
Erysipelas																		-					
INTERMITTENT FEVER																							
Influenza									-						-								
MEASLES	1	1										1											1
PURPURA		-													-								
PUERPERAL FEVER	-	1						-	-														
Ружміа	1	1		1						1	-		-									1	
REMITTENT FEVER		-		-					-						-								
RHEUMATISM	. 1	2	-										-1		-	1						1	
SCARLATINA	1	49										1		-									1
SMALL Pox																							
SYPHILIS (CONGENITAL)	1	2	1							1										-	-	1	
Syphilis		2							-														
SEPTICÆMIA	2	2													1		1					1	1
Tonsillitis,																	^			-		1	
TYPHOID FEVER	17	17					-		1	1		1	10		2	1	1	1				7.1	
TYPHUS FEVER									. 1				10		-	_	1					11	6
WHOOPING COUGH	3	1			1	1	1			3		-											
YELLOW FEVER					_		~			-												- 3	
	1	1	-			-						-	- 1										
OTHER ZYMOTIC DISEASES			-										1									1	
									٠								I						
II. CONSTITUTIONAL.																							
CANCER	17	32												5	3	2	6	1				4	13
HYDROCEPHALUS AND TUBERC. MENINGITIS	15	9	3		3	1	2			9	3	1.		1				1				9	
MARASMUS, SCROPULA AND TABES MESENTERICA	29	21	18	2	2	2	1			25					1	1	2					19	10
PHTHISIS PULMONALIS	112	126	3	1			1			5	2	14	33	30	6			3 ,	3 ,		- -	49	63
Other Constitutional Diseases	16	8			1	1	1		1	4		2	4	2	2		1			1		9	
										1		-								1			7

of November, Classified by Cause, Age and Sex.

Manual Transmission (in Factorial Inc.) and the	AGE.										S	EX,											
CAUSES OF DEATH.	Total Mortality for November, 1888.	Total Mortality November, 188	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	26	18												3	4	5	6	4	4			12	14
Bright's Disease	17	8							1	1	1		3	2	2	2	2	3	1			9	8
Bronchitis	31	56	8	5	2	6				21	1				1		4	3	1			9	22
HEART DISEASE	54	60			2					2		6	7	2	13	7	11	4	2			34	20
MENINGITIS	17	24	3	4	2	2	1		1	13						3			1			8	9
Nephritis	4	16					-		1	1			1	1				1		-		4	
PLEURISY		2																					
PNEUMONIA	63	105	2	2	3	5	4	1		17	2	2	10	10	4	10	4	1	3			44	19
Other Local Diseases	127	88	19	10	5	9	3	1	2	49		3	12	11	8	13	14	10	6	1		72	55
IV. DEVELOPMENTAL.						_																	
CYANOSIS	1	3	1							1													1
INANITION	1	2	1							1												1	
OLD AGE	15	20															1	2	10	2		4	11
PREMATURE BIRTH	9	12	8	1						9												4	5
PUERP'L DISEASES (not including Puerp'i Fever)	3	2											1	2									3
OTHER DEVELOPMENTAL DISEASES	18	13	11		1					12						1	-2	1	1	1		8	10
V. VIOLENT.																							
ACCIDENTAL		32		1		1	1	1	1	5	1	3	7	5	7	3	1		1			28	ā
HOMICIDAL																							
SUICIDAL	4	- 8											1		1		1	1			-	3	1
Other Violent Causes																				_			
W G										_	-			_									
UNENOWN CAUSES	3	2					1			1						1					1	1	2
TOTAL FROM ALL CAUSES	732	808	84	33	25	39	33	11	13		25	38	93	76	60	65	61	36	34	5	1	398	334
TOTAL FROM ZYMOTIC DISEASES	117	146	7	7	4	12		8	6	62	15		14	2	8	5	2	1	1			67	50
" " CONSTITUTIONAL DISEASES	189	196	24	3	6	4	5		1	43	5	17	37	38	12	15	13	5	3	1		90	99
" " LOCAL do	339	377	32	21	14	22	8	2	5	104	4	11	33	29	32	40	41	26	18	1		192	147
DEVELOPMENTAL GO	47	52	21	1	1					23		_	1	2	_	1	3	3	11	3		17	30
" " VIOLENT CAUSES	37	35		1		1	1	1	1	5	1	3	8	5	8	8	2	1	1			31	6

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of November, 1888, and for the corresponding month in 1887.

CASES REPORTED DURIN	G NOVEM	BER, 1888.	CASES REPORTED DURING NOVEMBER, 1887.										
	City.	Quarantine.	MANY 1	City.	Quarantine								
Diphtheria	156		Diphtheria	101									
Measles	85		Measles	30									
Small Pox			Small Pox										
Scarlatina	29		Scarlatina	322	****								
Typhoid Fever	131	1	Typhoid Fever	74									
Typhus Fever			Typhus Fever										
Yellow Fever			Yellow Fever										

For the month of November, 1888, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

Bar						
TO A CUTS	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILY	CENTRI) AV KREMO
DATE.	BAROMETER.	TEMPERATURE.	Исміріту.	OF WIND.	RAIN FALL.	GENERAL ITEMS.
1	30.26	57	66	s.W.	.00	Mean Barometer, 30.124.
2	30.08	38	74	8.W.	.00	Highest Barometer, 30.83, on the 18th.
3	29.83		72	W.	.03	Lowest Barometer, 29.44, on the 10th. Monthly Range of Barometer, 1.39.
						Mean Temperature, 43.1.
4	30.32	48	55	W.	.00	Highest Temperature, 74.0, on the 1st.
5	30.27	54	67	S. W.	.00	Lowest Temperature, 12.8, on the 23d. Monthly Range of Temperature, 61.2.
6	29,96	63	24	S.W.	T	Greatest Daily Range of Temperature, 24.2, on the 14th.
- 7	30.16	52	60	W.	2000	Least Daily Range of Temperature .5, on the 27th.
3	30.44	45	71	E.	.01	Mean Daily Range of Temperature, 14.7.
g	29.94	57	89	S.W.	.17	Mean Daily Dew-point, 34.8. Mean Daily Relative Humidity, 73.8.
10	29,66	46	98	N.E.	1.14	Prevailing Direction of Wind, S.W.
			60	W.		Total Movement of Wind, 10,060 Miles.
11	29.76	44			:02	Highest Velocity of Wind and Direction, 60 N.E. on the 26th. Number of Foggy Days, 0.
1:2	30.19	40	45	\\`.	.00,	" Clear " 8.
13	30.55	-54	62	W.	.003	" Fair " 9.
14	30.36	45	70	S.W.	,010	Number of Cloudy " 13. Total Number of Days on which Rain or Snow fell, 14.
15	30.34	52	87	N.W.	.47	Depth of unmelted Snow on ground at end of month, 0.
16	29.85	46	82	W.	T	Dates of Auroras, 0.
17	30.34	35	60	N.W.	.11	Dates of Solar Halos, 0. Dates of Lunar Halos, 14th.
18	30.50	32	63	W.	.00	Thunder storm, 0.
						Dates of Frosts, 12th, 13th.
19	30.26	45	55	Ν.	,30	Mean Max. Temp., 43.8. Mean Min. Temp., 43.8.
20	30,40	392	58	N.W.	.04	COMPARATIVE TEMPERATURE.
21	30.58	22	65	N.	,(B)	1871
22	30,50	24	72	N.W.	T	1872
23	30.70	20	78	N.	T	1873
24	30.55	190	70	N.W.	,00	1874
25	30.06	34		N.E.	.38	1876
26	29.48	44	92	N.E.	1.42	1877
						1879
27	29.47	46	×0	8.	.72	
28	29.75	11	79	\\\·.	.01	COMPARATIVE PRECIPITATIONS.
29	29.70	40	**	N.	.14	Inches. Inches. 2,30
30	29.70	+1	744	S.W.	.01	1872 3.66 1881 3.70
						1870
======						1874 2.85 1883 2.00 1875 5.47 1884 4.46
TOTALS						1876
						1877 9.62 1886 3.59
MEANS	30.124	46.1	7.1.8		,166	1875
					, 1000	1000

Statement of Mortality for the month of December, 1888.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of December, 1888, Population estimated at 415,000.	Pata non a serial 13	
	Rate per 1,000 inhabitants, 22	.5
Total number	NATIVITY.	
SEX.	United States	15
Males	Ireland	64
Females	England ,	17
CONDITION.	Scotland	1
Married	Germany	11
Single	D 1/2 1 A	₁ 7
Widows		20
	IT-law	6
Widowers		1)
Unknown 3	PARENTAGE.	
COLOR.	United States	6
White	Irish	4
Colored	English ,	8
	Scotch	4
(Under 1 year 134	German	7
	British American	9
Total deaths of children Under 2 years 167	Other Countries	.)
(Under 5 years 233	Mixed 6	
(Under 1 year 3	T7 1	
Diarrhœal diseases Under 2 years	Unknown 6	9
Under 5 years 3		
(All ages 3	Still-births during the month	ī

	7 for 888.	101 /	.100										G:											SE	EX.
CAUSES OF DEATH. I. ZYMOTICS.	Total Mortality for December, 1888.	Total Mortality fo	December, 10	Under 3 mos.	under 6 mos.	under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under Su yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Мајев.	Females.
ALCOHOLISM	8	9												1	3	3	1							3	
CROUP	15	12				-	1	3	5	1	10	5												7	
CARBUNCLE				-																					
CHOLERA MORBUS																-									
CHOLERA INFANTUM	1	3		-1		1					1													1	
CEREBRO-SPINAL MENINGITIS	1													1										1	
Congestive Fever						-															-				
DIARRHŒA	2	5		2							2														
YSENTERY		3																							
DIPHTHERIA	53	45			1	1	5	12	12	6	87	9	5	1	1						7			26	- 52
ERYSIPELAS	1	7				-	1				1														
NTERMITTENT FEVER																				-					
NFLUENZA																									-
MEASLES	5	1	. 11			1	1	1	1	1	5									1				1	
*CRPCRA	1					-												1							
PUERPERAL FEVER	1	4			-									1											
	. 1	1 1				-	-												1	1					
LEMITTENT FEVER																									
THEUMATISM	1 1	4																1						1	
SCARLATINA	1	43						1			1				•										
SHARY DOW																									_
SYPHILIS (CONGENITAL)		1																							
Syphilis	. 2	1		1	1	1					2													1	
SEPTICÆMIA		1																							
Tonsillitis,	1	2					1				1	-													
TYPHOID FEVER.	18	9										3	2	4	6	1	1		1	1				8	1
Typhus Fever												-													
WHOOPING COUGH	3	7		1			2				3														
YELLOW FEVER																									
OTHER ZYMOTIC DISEASES	. 3				1						1			2										3	
OTHER ZIMOHE DISEASES													-			-									
II, CONSTITUTIONAL.		1																							
CANCER	20			-										0	-	0	9	0		5				7.1	
IVDROCEPHALUS AND TUBERC. MENINGITIS	-	25		1	0	0 1	-	0.1			11			2	1	3	6	3	9	0				11	
MARASMUS, SCROPULA AND TABES MESENTERICA	11	11		1		2		3			11													4	-
'HTHISIS PULMONALIS	20	1 18	-10	9		2		1			20		10	4.	0.5									10	1
THE TOTAL PROPERTY OF THE PROP	135	123	- -		1		1	-			2	3	16	44	35	20	8	4	1	1	1			68	
OTHER CONSTITUTIONAL DISEASES	13	10	1	1		1	1	1	1		4	2	1	2	1	2					1		1	7	

of December, Classified by Cause, Age and Sex.

	for 88.	ity for 1887.									A	G	E.			-		-				S	EX,
CAUSES OF DEATH.	Total Mortality for December, 1888.	Total Mortality for December, 1887.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 80 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 vrs.	100 years and over.	Males,	Femules.
1 many my	24						-	-		=													
APOPLEXT	11	21											2		1	5	5	8	2	1		18	6
Bronchitis	41	53	2	2	10	3				17		1	1	1	4	3	3 7	1	1 2			6	5
HEART DISEASE	59	60			-	-	1	1		2				6	5	9	14	7	5			19	22
MENINGITIS	18	23	1	1	4	3		1	2	12		1		3	1	V	1.5	10				8	10
Nephritis	10	19								-		_	4	3		1	1	1				3	10
PLEURISY	2	3													1	1						1	1
PNEUMONIA	80	89	9	5	7	2	5	2		30	1		4	- 8	12	7	7	6	4		1	33	47
Other Local Diseases	114	131	11	8	1	4	3			27	1	9	8	13	13	11	14	9	8	1		54	60
IV. DEVELOPMENTAL.																							
CYANOSIS	1	3	1							1						-						7	
INANITION	6	4	6							6												3	3
OLD AGE	25	23														1	1	6	15	2		12	13
PREMATURE BIRTH	20	14	20							20												13	7
PUERP'L DISEASES (not including Puerp'l Fever)	2	3											1	1									2
OTHER DEVELOPMENTAL DISEASES	20	17	8		2	2				12			2	1		1	1	2	1			9	11
V. VIOLENT.						-																	
ACCIDENTAL	27	18	1			1	1		1	4		4	3	5	4	4	8					17	10
HOMICIDAL		2																					
SUICIDAL	2	7														1			1			1	1
OTHER VIOLENT CAUSES		1										Ì											
UNKNOWN CAUSES	2		1			-				1					1							2	
TOTAL FROM ALL CAUSES	781	872	74	27	33	33	32	23	11 2	33	24	41	90	88	71	65	65	58	41	4	1	379	402
TOTAL FROM ZYMOTIC DISEASES	118	158	4	2	4	11	17	18	8	64	17	7	10	10	4	2	2	2			II	52	16
" " Constitutional Diseases	199	187	10	9	5	7	5	1		37	5	17	48	37	25	15	7	6	2			100	- 99
" " LOCAL do	359	435	23	16	22	12	9	4	2	98	2	13	26	34	37	41	51	42	22	2	1	170	189
" " DEVELOPMENTAL do :	74	64	35		2	2				39			3	2		2	2	8	16	2		37	37
" " VIOLENT CAUSES	29	28	1			1	1		1	4		4	3	5	4	5	3		1			18	11

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1888, and for the corresponding month in 1887.

CASES REPORTED DURIN	G DECEMI	BER, 1888.	CASES REPORTED DURING DECEMBER, 1887.									
	City.	Quarantine.		City.	Quarantine.							
Diphtheria	174		Diphtheria	130	~							
Measles	160	1	Measles	41	****							
Small Pox			Small Pox	1 1	****							
Scarlatina	40		Scarlatina	269	****							
Typhoid Fever	67		Typhoid Fever	38	****							
Typhus Fever			Typins Fever									
Yellow Fever			Yellow Fever									

For the month of December, 1888, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

=	DAILY MEAN	DAILY MEAN	Trans Marca	l'REVAILING	1	
DATE.		TEMPERATURE.		DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.80	36.0	64.5	w.	, T	Mean Barometer, 29.979.
						Highest Barometer, 30.57, on the 30th.
2	29.98	32.0	63.5	W.	.00	Lowest Barometer, 28.85, on the 18th.
8	29.96	35.0	61.5	W.	*00	Monthly Range of Barometer, 1.72.
4	29.78	34.0	61.0	W. `	T	Mean Temperature, 33.9. Highest Temperature, 60.5, on the 25th.
5	29.70	39.5	64.0	s.w.	Т	Lowest Temperature, 5.3, on the 22d.
6	[] 29.82	33.0	80.5	N.W.	.01	Monthly Range of Temperature, 55.2. Greatest Daily Range of Temperature, 31.6, on the 23d and 24th.
7	30.01	30.5	56,0	8.W.	,00	Least Daily Range of Temperature, 5.2, on the 4th and 9th.
8"	30.11	39.0	67.0	S.E.	.00	Mean Daily Range of Temperature, 13.6.
9	30.02	36.5	89.0	N.E.	.42	Mean Daily Dew-point, 23.6. Mean Daily Relative Humidity, 67.6.
	30,10	35.5	86 5	W.	.02	Prevailing Direction of Wind, W.
10						Total Movement of Wind, 10,510 Miles.
11	29.56	40.0	90.0	N.	.68	Highest Velocity of Wind and Direction, 48 S.W. on the 28th. Number of Foggy Days, 0.
12	29.62	29.0	64.0	W.	.04	" Clear " 9.
13	29.84	20.0	44.5	W	.00	" Fair " 11.
14	29.94	12.6	53.0	N.W.	.00	Number of Cloudy " 11. Total Number of Days on which Rain or Snow fell, 8.
15	30.38	23.0	. 65.5	S.W.	.00	Depth of unmelted 8now on ground at end of month, 0.
16	30.12	44.0	60.0	s.w.	.00	Dates of Auroras, none observed. Dates of Solar Halos, none observed.
17	29.56	55.0	92.5	s.w.	2.24	Dates of Lunar Halos, 16th.
18	29.17	31.5	77.5	w.	.74	Thunder storm, 0.
19	29.88	23.5	71.5	N.W.	.00	Dates of Frosts, 0. Mean Max. Temp , 41.4.
20	30.22	19.0	78,5	s.w.	,00	Mean Min. Temp., 27.7.
21	29.82	27.0	86.0	W.	.00	COMPARATIVE TEMPERATURE.
						1871
22	30.41	11.0	61.0	N.W.	T	1872 24 1881
23	30.38	29.0	40.5	s.w.	.00	1874
24	30.23	39.0	47.0	S.W.	.00	1875
25	30.14	46.0	54.5	8.W.	.00	1876
26	30,20	45.5	77.0	S.W.	00	1878
2"	29,65	52,0	88.5	s.	.21	1879
28	29.97	35,5	70.5	W.	.02	COMPARATIVE PRECIPITATIONS.
29	30.44	35.5	56.0	N.W.	.00	Inches. Inches.
30	00,50	37.0	52.5	S.W.	.(0	1871
21	30,03	44.5	63.0	W.	,00	1873 5,64 1882 2,65
	,					1874 2.14 1883 3.71
TOTALS		1050,0			4.38	1875 . 0.75 1884 . 4.46 1876 . 3.71 1885 . 2.09 1877 . 1.32 1886 . 3.66
						1878 6.76 1887 2.71
MEANS	29.98	33.9	67.6	W.	.141	1879 5.36 1888 4.38

SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1888. Compared with those of 1887.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

17511

,					
	1888.	1887.		1888.	1887.
Total No. of deaths from all causes	10,197	10,073	Erysipelas	41	34
Population (estimated)	415,000	400,000	Intermittent Fever	1	diaman
Annual death rate per 1000 inhabitants	24.57	25.18	Measles	27	119
Total No. from Zymotic diseases	1,841	1,993	Purpura	4	4
Percentage of deaths from Zymotic dis-			Puerperal Fever	18	23
eases to total mortality	18.0	19.7	Pyæmia	10	14
Total No. of Still-births	552	534	Remittent Fever	2	
Total deaths of children under 1 year .	2,281	2,312	Rheumatism	28	44
" " 2 years .	2,878	2,993	Scarlatina	65	195
" 5 years .	3,599	3,662	Small Pox	2	motores
Percentage of deaths under 5 years to			Syphilis (congenital)	26	27
total mortality	35.2	36.3	Syphilis	4	8
Total No. of deaths from diarrhœal dis-			Septicæmia	17	23
eases, under 5 years	574	646	Tonsillitis	7	5
Total No. of deaths from diarrheal dis-			Typhoid Fever	170	183
eases, all ages	669	734	Typhus Fever	1	
Percentage of deaths from diarrheal dis-			Whooping Cough	74	82
eases to total mortality	6.5	7.2	Yellow Fever		
Alcoholism	53	59	Other Zymotic Diseases	14	11
Croup	119	94	Cancer	279	324
Carbuncle		-	Phthisis Pulmonalis	1,464	1,526
Cholera Morbus	27	26	Bright's Disease	170	149
Cholera Infantum	440	492	Bronchitis	474	483
Cerebro Spinal Meningitis	19	16	Heart Disease	668	619
Diarrhœa	154	159	Pneumonia	990	795
Dysentery	48	59	Old age	240	316
Diphtheria	470	316	Violent Deaths	. 414	412



Statement of Mortality for the month of January, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of January, 1889, .	
Population estimated at 415,000.	Rate per 1,000 inhabitants, 23.5
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	Italy
Single	British America 51
Widows	Other Countries
Widowers	Unknown
Unknown 4	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 163	Italian
Total deaths of children Under 2 years 199	British American
Under 5 years 261	Other Countries 68
(Under 1 year 6	Mixed
Under 2 years	Unknown
Diarrhœal diseases Under 5 years	
(All ages 12	Still-births during the month 43

	y for	y for	. -			_					A	G	E.								-	S	EX.
CAUSES OF DEATH.	Total Mortality for January, 1889.	Total Mortality	January, 1888.	3 mos. and	months and under 1 year.	l year and under 2 yrs.	years and under 3 yrs.	5 years and under 4 yrs.	4 years and under 5 yrs.	tal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	50 years and under 90 yrs.	90 years and under 100 yrs.	years and over.	Males.	Femules.
				00 1	9 -	-	C3	:0 =	+	T.	0	01 -	05 12			09	00 m	10 To	08 m	95	100	N.	
Ассономям	3			_		-								2	1							1	
CROUP	12	1	5	_	-	4	1	3	1	9	3											11	
Carbuncle		-	- -	-	-																		
CHOLERA MORBUS			- -	-	-								_										
CHOLERA INFANTUM	2		-	1				-		2													
CEREBRO-SPINAL MENINGITIS	2			1		1				2								-				2	l
Congestive Fever		-		_	-													~					
DIARRHŒA	8	10		3 1	_	1				5		_					2		1			5	
Dysentery	2														_		1	1					
DIPHTHERIA	59	38			2	7	7	16	2	34	18	5	1	1			_					27	3
ERYSIPELAS	6	5	1	1						2					1	1	2					5	
INTERMITTENT FEVER																6							
NFLUENZA	1	1																					
MEASLES	5	8		1	1	1	1		1	5												5	
PURPURA																							,
PUERPERAL FEVER	2	4												2									
PYÆMIA	1		[]										1										
REMITTENT FEVER																							
RHEUMATISM	3	1 8												1	1			1				1	_
SCARLATINA		24												-									
SMALL POX		-	-																				
SYPHILIS (CONGENITAL)	3				1					2	1	-		-					-	-		1	
SYPHILIS	1			_	-		!						1										
Septicæmia	1 1	1 8								i		-		1					-				
Tonsillitis,				-		-											-		-				
Typhoid Fever	6	. 1		-	-						-		2	3			1	-				3	
		-									_			_								3	1
TYPHUS FEVER	4	10		2	-	_		_		4													_
WHOOPING COUGH					-	1	1									_		-				1	
YELLOW FEVER		-		-	-							_											
OTHER ZYMOTIC DISEASES				_			_								_			_					
II COVERYMENT ON A																							
II. CONSTITUTIONAL.																							
CANCER	33	30			-								. 1	4	7	6	10	5				11	2
Typrocephalus and Tuberc, Meningitis	13	11		3	1	1		3	1	9	2		1	1								5	
MABASMUS, SCROFULA AND TABES MESENTERICA	20	23	10	5	4					19							1					7	1
PHTHISIS PULMONALIS	132	139		1					1	2	1	16	43	37	17	9	6	1				59	7
OTHER CONSTITUTIONAL DISEASES	10	12		2			2	1		5			4)	2			1					5	

of January, Classified by Cause, Age and Sex.

	- E	for .									A	G:	E.									SI	ex,
CAUSES OF DEATH.	Total Mortality for January, 1889.	Total Mortality f	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	27	35			1					1		===	1	2	3	2	7	5	5	1		13	14
BRIGHT'S DISEASE	16	21												3	3	6	2	2				10	6
Bronchitis	32	62	4	4	4	6		1		19			1	1	2	2	2	4	1			15	17
HEART DISEASE	63	60										3	7	9	9	11	16	6	2		-	33	30
MENINGITIS	23	23	4	1	6	3	5			19				2		2						16	7
Nephritis	15	12			-								2	2	4	2	5					8	7
PLEURISY	3	3														2	1					1	2
PNEUMONIA	95	192	5	5	10	8	5	2	2	37	2	4	5	15	7	5	11	6	8			53	42
OTHER LOCAL DISEASES	100	153	15	6	6		1		1	29	1	4	8	8	8	12	13	12	5			56	44
IV. DEVELOPMENTAL.		,																					
CYANOSIS	1	7	1					-	-	1					-	-	-		}		-	1	
Inanition	10	5	8	1					-	9								1				7	8
OLD AGE	22	33																7	11	4		9	13
PREMATURE BIRTH	20	21	19	1						20												11	9
PUERP'L DISEASES (not including Puerp'l Fever)	2	4				-							2										2
OTHER DEVELOPMENTAL DISEASES	20	25	15		1	2			1	18							1		1			14	6
									1														
V. VIOLENT,																							
ACCIDENTAL	29	33	1			1	2	1	1	6	-	3	11	3	4		1	I				23	6
Homicidal	1	2	1		-	-				1		-	-			-			-				1
SUICIDAL	+	2										-	1	1	1	1			1		-	4	
Other Violent Causes									_														
						-						-	-										
Unknown Causes	2	4	1		-	-				1							1		1	1	-	1	1
TOTAL FROM ALL CAUSES	813	1043	89	36	38	36	25	27	10	261	28	35	90	100	68	61	84	52	29	5		424	389
Total from Zemotic Diseases	120	131	5	7	5	15	10	19	4	65	22	5	5	10	3	1	6	2	1			62	58
" Constitutional Diseases	208	215	10	11	5	1	2	4	2	35	3	16	47	44	24	15	18	6				87	121
" LOCAL do	374	561	28	16	27	17	11	3	3	105	3	11	24	42	36	44	57	35	16	1		205	169
66 DEVELOPMENTAL do	75	95	43	2	1	2				48			2		-		1	8	12	4		42	33
" " VIOLENT CAUSES	34	87	2	-	-	1	2	1	1	7	1	3	12	4	5	1	1	.1	-			27	7

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1889, and for the corresponding month in 1888.

CASES REPORTED DURI	NG JANUA	RY, 1889.	CASES REPORTED DURIN	G JANUA	RY, 1888.
	City.	Quarantine.		City.	Quarantine
Diphtheria	179		Diphtheria	113	****
Measles	172		Measles	67	
Small Pox			Small Pox	****	****
Scarlatina	48		Scarlatina	146	****
Typhoid Fever	31	1	Typhoid Fever	29	****
Typhus Fever		15	Typhus Fever		****
Yellow Fever	****		Yellow Fever		****

For the month of January, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.89	36.5	60.5	W.	.00	Mean Barometer, 30,006.
2	29.92	38.0	56.0	N.W.	.00	Highest Barometer, 30.65, on the 20th.
3	30.16	38.0	59.5	w.	.00	Lowest Barometer, 29.13, on the 28th. Monthly Range of Barometer, 1.50.
4	30.18	40.0	74.0	w.	,00	Mean Temperature, 35.0.
5	30.26	39.5	85,5	N.E.	.00	Highest Temperature, 60.0, on the 9th. Lowest Temperature, 9.0, on the 20th.
a	29.84	40.0	96.0	N. E.		Monthly Range of Temperature, 51.
	i				1.76	Greatest Daily Range of Temperature, 24, on the 9th.
7	29.42	41.0	92.0	N.	.90	Least Daily Range of Temperature, 3, on the 7th. Mean Daily Range of Temperature, 12.5.
8	29.77	42.5	65.0	N.W.	.02	Mean Daily Dew-point, 26.1.
9	29.62	50.0	0.88	s.	.20	Mean Daily Relative Humidity, 71.2.
10	29.68	38.5	56.5	S.W.	.01	Prevailing Direction of Wind, W. Total Movement of Wind, 9,552 Miles,
11	30.08	34.5	58.5	w.	.00	Highest Velocity of Wind and Direction, 54 S.E. on the 21st.
12	30,28	31,0	69.0	w.	.00	Number of Foggy Days, 0.
13	30.37	30.0	78.0	s.w.	.00	" Clear " 7. " Fair " 12.
.14	30.35	28.5	86,5	N.W.	.00	Number of Cloudy " 12.
15	30,40	27.5	65.0			Total Number of Days on which Rain or Snow fell, 11.
16				N.W.	.00	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, none observed.
	30.26	36,5	, 75.0	s.w.	.00	Dates of Solar Halos, none observed.
17	29.69	54.5	73.5	s.w.	.35	Dates of Lunar Halos, none observed.
18	29.90	37.0	74.0	w.	.00	Mean Max. Temp., 42.0. Mean Min. Temp., 29.5. Thunder storm, 0. Dates of Frosts, 0.
19	30,34	21.5	58.5	N.W.	.00	COMPARATIVE TEMPERATURE.
20	30.52	18.5	61.0	S.E.	.00	1871
21	29.50	34.5	75.0	w.	.38	1872
22	30.29	23.5	49.0	w.	.00	1873
28	30,58	28.0	67.0	8.	.00	1874
24	30.30	40,5	74.0		т	1876
25	30.16			s.w.		1877
		37.0	65.0	. W.	Т	1879
26	30.01	39.0	58.0	W.	.00	1889
27	29.54	36.5	91.0	N.E.	.39	COMPARATIVE PRECIPITATIONS.
28	29.24	37.5	69.5	S.W.	.10	Inches. Inches.
29	29.51	24.0	69.0	w.	T	1871 2.67 1880 3.72
30	30.11	22.5	65.5	w.	.00	1872 2.11 1881 7.21 1873 5.76 1882 3.68
31	30.01	37.5	81.5	8.E.	т	1874 4.32 1883 3.59
						1875 3.68 1884 6.27
TALS		1084.0			4.11	1876 1.87 1885 5.83 1877 3.33 1886 7.08 1878 7.60 1887 4.86
ANS	30.006	35.0	71.2	w.	.133	1879 2.79 1888 2.26

Statement of Mortality for the month of February, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

		Guairman.
Deaths during the month of Febru	arv. 1880	
Population estimated at 415,000.		Rate per 1,000 inhabitants, 21.68
7		reace per 1,000 innabitants, 21.00
Total number	. 750	NATIVITY.
SEX.		United States
Males	. 369	Ireland
Females	. 381	England
CONDITION.		Scotland
Married	983	Germany
		British America
Single	. 402	Italy
Widows	. 78	Other Countries
Widowers	. 33	Unknown
Unknown	. 4	PARENTAGE.
COLOR.		United States
White	. 731	Irish
Colored	. 19	English
	1	Scotch
,		German
Under 1 year	. 147	British American
Total deaths of children Under 2 years	. 185	Italian
Under 5 years	. 233	Other Countries 60
(Under 1 year		Mixed
Under 2 years		Unknown
Diarrhœal diseases Under 5 years		
(All ages	7	Still-births during the month 51

	for .	for	of I									A	G :	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for February, 1889.	Total Mortality	February, 1888.	Under 3 mos.	se. and	6 months and under I year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Fotal under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and	100 years and over.	. A.	Females.
I. ZYMOTICS.	Tota	Tota	Fel	Und	3 mc	9 mu	l ye	2 ye	3 ye	4 ye	Tota	o ye	10 y	20 y	30 y	40 y	50 y	60 y	70 y	80 y	90 y	100 a	Malea	Fem
ALCOHOLISM	5		3											1	1	2	1			-			5	
CROUP ,	12	1	14		1	1	4	1		1	8	4								_			7	5
CARBUNCLE																								
CHOLERA MORBUS			1																_					
CHOLERA INFANTUM			1																					
CEREBRO-SPINAL MENINGITIS	2		1		1	1					2									_			1	1
Congestive Fever	}		_																					
DIABRHŒA	5		2	. 3	1						4							1				1	2	3
Dysentery	2		2				1				1								1	-			1	1
DIPHTHERIA	42	2	203				6	6	8	, ti	26	12	3	1									18	24
ERYSIPELAS	1		6											1									1	
INTERMITTENT FEVER																								
INFLUENZA			1									-												
MEASLES	10	_	1			3	3		3	_ 1	10												6	4
PURPURA								1	-															
PUERPERAL FEVER	2		2													2								2
Рұжміа,	1	!	2			1 -									1									1
REMITTENT FEVER	1														!									
RHEUMATISM	4		7											2	_		2		-				2	2
SCARLATINA	2	1	11					1			1	1									1		2	
SMALL POX								1																
Syphilis (Congenital)	2		1	2							2												2	
SYPHILIS	1		1				1							1 1		1							1	
SEPTICÆMIA	8							1						1	2	į		1	1					3
Tonsillitis,																								
TYPHOID FEVER	7		5									1	1	2	2	1							4	3
Typhus Fever																								
WHOOPING COUGH	5		5	1	3		1	i			5											1	4	1
YELLOW FEVER																								
OTHER ZYMOTIC DISEASES																_								
								1																
II. CONSTITUTIONAL.																						1		
Cancer	20		36											. 1	1 2	4	6	- 3	4				4	16
Hydrocephalus and Tuberc. Meningitis	12		13		1	- 2	- ;;		1		8	2				I	. 1		-				4	8
MARASMUS, SCROPULA AND TABES MESENTERICA	2"		21	13	6	3		1	-	-	23	-	2			-	-	1	-		-	-	13	14
PHTHISIS PULMONALIS	118	1	10	-	1		1	1	-		3		12	29	34	12		5	1			00	57	61
OTHER CONSTITUTIONAL DISEASES	-	1-		-	H	-	-	-	1			-	-	-		H	-		-			-		
OTHER CONSTITUTIONAL DISEASES	8	1 2	22	2					1		3		1		5			1			1		1 4	+

of February, Classified by Cause, Age and Sex.

	for 9.	for 8.									A.	G :	E.									81	EX.
CAUSES OF DEATH.	Total Mortality for February, 1889.	Total Mortality for February, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	19	33														5	5	6	1	1	1	8	11
Bright's Disease	23	12			-	-						-	3	1	6	4	6	3			-	13	10
Bronchitis	38	61	4	6	6	6	****	1	-	23	1		1	Access to	2	3	5	2	1		-	19	19
HEART DISEASE	56	57			-	-					1	4	5	8	9	10	11	5	3			29	2
MENINGITIS	15	38	1		5	2		2	2	12		1					1	1				6	
NEPHRITIS	4	7			-								1	1	1		1					2	
PLEURISY	3	1		-							-		2		1					-		2	
PNEUMONIA	78	153	7	2	6	5	9	1	1	31	3	3	9	5	7	1	10	6	2	1		39	- 39
OTHER LOCAL DISEASES	125	112	11	7	3	6	1	1		29	4	1	7	17	14	18	12	20	3			57	68
				-																			
IV. DEVELOPMENTAL.				The state of the s																			
CYANOSIS	1	3	1	-						1			-		pr								
INANITION	13	5	13							13							November					7	
OLD AGE	28	24															2	14	11	1		12	1
PREMATURE BIRTH	14	9	14			-				14			-				-	-				9	-
PUERP'L DISEASES (not including Puerp'l Fever)	2	3				-		-					1	-	1								
OTHER DEVELOPMENTAL DISEASES	15	19	11							11			1		1	1		1				8	-
					_																		
v. VIOLENT.																							
A DATE DAVIN	10		-									_											
ACCIDENTAL	19	22	2							2	2	3	1	2	5	2.	1	1				16	
SUICIDAL	3	1	1		_			_		1	-	1	1		_							1	
OTHER VIOLENT CAUSES	2				-								1		A700 a 10.000	1						2	
OTHER VIOLENT CAUSES										~~~	-												
Unknown Causes		· .			-																		-
Proposition of the Control of the Co															-	1 }						1	
TOTAL FROM ALL CAUSES	750	852		29		38 [18			33			-			64	6.5	21	3	1	069	383
TOTAL FROM ZEMOTIC DISEASES	106	88	6	6	5	15	8	11	8	59	18	4	9	6	5	3	1	1				56	50
" CONSTITUTIONAL DISEASES	185	202	15	8	7	4	1	2		37	4	14	40	41	17	18	9	5				82	103
" LOCAL do	361	474	23	15	20	19	10	5	3	95	9	9	28	32	40	41	51	43	10	2	1	175	180
" " DEVELOPMENTAL do	73	63	39		_				turnserer.	39			2		2	1	2		11	1		36	3
" VIOLENT CAUSES	24	24	3							3	2	4	3	2	5	3	1	1				19	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1889, and for the corresponding month in 1888.

CASES REPORTED DURI	NG FEBRU.	ARY, 1889.	CASES REPORTED DURIN	G FEBRUA	ARY, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	150	1	Diphtheria	80	
Measles	395		Measles	115	1
Small Pox		****	Small Pox		1 2
Scarlatina	29		Searlatina	119	
Typhoid Fever	29		Typhoid Fever	26	****
Typhus Fever		1	Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of February, 1889. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.75	29.5	73.5	N.W.	.02	Mean Barometer, 30,08,
2	29,76	26.5	71.5	w.	.00	Highest Barometer, 30.86, on the 26th.
8	29.76	27.5	71.5	w.	T	Lowest Barometer, 29.30, on the 6th. Monthly Range of Barometer, 1.56.
4	30.00	18.5	76.0	N.W.	.00	Mean Temperature, 25.4.
5	29,66	39,5				Highest Temperature, 50.0, on the 17th.
Đ			83.0	S.E.	.40	Lowest Temperature,-1, on the 24th. Monthly Range of Temperature, 51.
б	29.47	27.0	77.5	S.W.	.02	Greatest Daily Range of Temperature, 33, on the 6th.
7	29.84	16.0	70,0	8.W.	.00	Least Daily Range of Temperature, 4, on the 18th.
8.	30.13	23.0	82.5	S.W.	.00	Mean Daily Range of Temperature, 14.0. Mean Daily Dew-point, 17.2.
9	29.96	30.0	87.0	w.	.12	Mean Daily Relative Humidity, 72.1.
10	30.10	27.5	61.0	w.	0	Prevailing Direction of Wind, W.
11	30.02	26,5	84.5	N.	.03	Total Movement of Wind, 8,106 Miles. Highest Velocity of Wind and Direction, 38 S.W. on the 6th and 7th.
12	29.64	25,5	84.5			Number of Foggy Days, 0.
				W.	.21	" Clear " 6.
18	29.62	13.0	69.5	W.	.00	" Fair " 13.
14	29.85	21.0	66.0	W.	.00	Number of Cloudy " 9. Total Number of Days on which Rain or Snow fell, 16.
15	30.25	26.0	61.5	N.W.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	30.32	28.5	79.5	E.	T	Dates of Auroras, none observed.
17	29.77	42.0	92.5	W.	.32	Dates of Solar Halos, 16th and 25th. Dates of Lunar Halos, none observed.
18	29,61	37.5	89.5	N. E.	.37	Mean Max. Temp., 33.0. Mean Min. Temp., 19.0.
19	29,88	30.0	50,0	W.	.03	Thunder storm, 0. Dates of Frosts, 0.
20	30,39	24.5	51.5			COMPARATIVE TEMPERATURE.
				w.	.00	1871 28.6 1880 32.0 1872 28.1 1881
21	30.64	25.0	49.5	w.	.00	1873
22	30,20	33.	66.5	s.w.	.00	1874
28	30,45	6.0	47.0	N.W.	.00	1875
24	30.76	8.5	69.5	N.W.	.00	1876
25	30.68	17.0	60.0	N.W.	.01	1878
26	30.83	20,0	85.5	N.	- · T	1879 23.6 1888 28.4 1889 25.4
27	30.61	30,5	79.5	E.	T	
28	30.56	32.5	79.5	N.	.01	COMPARATIVE PRECIPITATIONS.
			10.0	П,	.01	Inches
POTALS		712.5			1.54	1876 . 4.54 1885 . 3.00 1877 . 0.45 1886 . 7.04 1878 . 4.40 1887 . 3.69
MEANS	30.08	25.4	72.1	W.	.051	1879

Statement of Mortality for the month of March, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	9
Deaths during the month of March, 1889, Population estimated at 415,000.	Rate per 1,000 inhabitants, 25.27
Total number 874	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 4
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch 6
	German
Under 1 year 180	British American 41
Total deaths of children Under 2 years 235	Italian
Under 5 years	Other Countries
(Under 1 year	Mixed
Under 2 years	Unknown
All ages 10	Still-births during the month 49

	for	for									A	G	E.									S	EX.
CAUSES OF DEATH.	Total Mortality March, 1889.	Total Mortality March, 1888,	Under 3 mos.	3 mos. and under 6 mos.	months and	year and	year	years	4 years and under 5 'rs.	Total under 5 vears.	5 years and under 10 vrs.	10 years and under 20 vrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and	years and	100 years and over.	Males,	Femules,
ALCOHOLISM	6	4	=	00	9	-	\$1 ===	00 -	4	T	9	3			94			20	8 .	06 In	10		
Cnown	14	14	-	1	5	4				70	-		2	1		2	1		-			2	4
CARBUNCLE		14	-	-	-		-	-		10	3	1	-								-	6	8
Ones and Manage		·	-	-	-							-	-										
CHOLERA INFANTUM	1	1	1	-						1	-	-	-				,		-				
CEREBRO-SPINAL MENINGITIS	3	2				2			1	3					-							1	
		- 4								3		-	-						-			2	1
Congestive Fever	7	8	-		1	-			ļ		-	-				_						;	
	2		1	2	-					4						1	1	1				5	2
DYSENTERY		1										-		1			1					1	1
DIPHTHERIA	40	37	1	1	1	7	10	5	3	28	9	3			_							22	18
ERYSIPELAS	3	6	1		1					2	_			_	1							2	1
INTERMITTENT FEVER												-					* ***						
INPLUENZA																							
MEASLES	9	1			4	2	2			8	1											5	4
PURPURA												_											
PUERPERAL FEVER	2	2											1	1									2
PYÆMIA		1																					
REMITTENT FEVER																						-	
RHEUMATISM	3	4										1	1				1				-	1	2
SCARLATINA	7	10		1		1			2	3	3	1								E		2	5
SMALL POX		1																					
SYPHILIS (CONGENITAL)	- 1	3	1																				1
SYPHILIS	1											-				1						I	
SEPTICÆMIA	1	2									-			1									1
Tonsillitis,	1	1	1								1		-					-		-			
TYPHOID FEVER	7	5					1	-	1	2		1	- 3				1					5	2
Typhus Fever														-			-						2
WHOOPING COUGH	4	10	2	1	1					4													
YELLOW FEVER			-										- 1							-	-	1	3
													-										
OTHER ZYMOTIC DISEASES		1												-									
						!	1																
	,					1																	
FI CONSTRUCTION OF A						ĺ											-						
II. CONSTITUTIONAL.																					_		
CANCER	30	22											I	2 .	9	ā	5	5				11	19
HYDROCEPHALUS AND TUBERC. MENINGITIS	13	17	2	1		3		3	1	10	2		1									10	3
MARASMUS, SCROPULA AND TABES MESENTERICA	24	25	14	4	3	1				22	1					1						13	11
PHTHISIS PULMONALIS	138	138		1	1					2	ő	10	46	35	24	11	à					78	60
OTHER CONSTITUTIONAL DISEASES	7	16				-2				2		1	2		1	1						3	4

of March, Classified by Cause, Age and Sex.

	for	Por		-				-			A	G:	E.			_						SE	X.
CAUSES OF DEATH.	Total Mortality I March, 1889.	Total Mortality i	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	30	28				-								1	4	7	7	8	8			13	17
BRIGHT'S DISEASE	9	10										1	2	2	1	3						5	4
BRONCHITIS	56	57	7	7	10	8	5	1	1	39		1		2	3	1	3	5	2			19	37
HEART DISEASE	61	70										5	10	5	3	10	12	12	4			24	37
MENINGITIS	20	23	3		4	7	2			16			2	2								10	10
Nephritis	15	17	1		1	1	1			4	1	2	3		2		2	1				6	9
PLEURISY		б																					
PNEUMONIA	126	126	6	6	8	9	3	4	1	37	4	1	7	14	14	13	20	9	5	2		55	71
OTHER LOCAL DISEASES	126	122	15	11	6	7	1	2		42	3	2	14	10	12	15	11	12	4	1		59	67
IV. DEVELOPMENTAL.		!																					
		ļ	-	-															_	_		3	
CYANOSIS	3		3	_			_			3	-	_						-		_		3	2
INANITION	5	5	5							5							_					6	12
(OLD AGE	18	27													1		1	7	-7	1	1	10	3
PREMATURE BIRTH	13	10	13							13			_									10	7
PUERP'L DISEASES (not including Puerp'l Fever)	7	8											3	2	2					_		15	10
OTHER DEVELOPMENTAL DISEASES	25	24	19	1	1	1				22	-		_			1	1		1			15	
v. violent.																							
ACCIDENTAL	33	19	1			-	1	1		3	3		6	6	8	7						22	11
Homicidal		1																					
SUICIDAL	1	7											1									1	
OTHER VIOLENT CAUSES		2								-													
								.)															
Unknown Causes	2	1	1							1				1			1					2	
TOTAL FROM ALL CAUSES	874	895	97	36	47	55	26	16	10	287	36	30	105	86	85	79	75	60	26	4	1	425	449
TOTAL FROM ZYMOTIC DISEASES	112	114	7	5	13	16	13	5	7	66	17	7	7	4	1	4	5	1				57	55
" Constitutional Diseases	212	218	16	6	4	6		3	1	36	8	11	50	37	34	18	13	5				115	97
65 66 LOCAL do	443	459	32	24	29	32	12	7	2	138	8	12	38	36	39	49	55	47	18	3		191	252
46 46 DEVELOPMENTAL do	71	74	40	1	1	1				43			3	2	3	1,	2	7	8	1	1	37	34
44 VIOLENT CAUSES	34	29	1				1	1		3	3		7	6	8	7						23	11

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1889, and for the corresponding month in 1888.

CASES REPORTED DUR	RING MARC	H, 1889.	CASES REPORTED DURING MARCH, 1888.													
· ex =	City.	Quarantine.		City.	Quarantine											
Diphsheria	193		Diphtheria	105	****											
deasles	5F0		Measles	252												
mall Pox			Small Pox	1												
cariatina	77		Scarlatina	110	****											
Cyphoid Fever	35		Typhoid Fever	18												
'yphus Fever			Typhus Fever		****											
Yellow Fever		1	Yellow Fever		****											

For the month of March, 1889. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.44	34.0	69	N.W.	.00	Mean Barometer, 29.876.
2	30.26	37.5	68	E.	.00	Highest Barometer, 30.49, on the 1st.
3	30,07	41.5	65	s.	.00	Lowest Barometer, 28.96, on the 7th. Monthly Range of Barometer, 1.53.
4	29.90	38.5	88	N.E.	.00	Mean Temperature, 37.4.
5	29.47	38,0	90	N.	.32	Highest Temperature, 64, on the 23d and 24th. Lowest Temperature, -22, on the 26th.
6	29.06	37.0	98	N.W.	.25	Monthly Range of Temperature, 42.
7	29.08	36.0	68	W.	.07	Greatest Daily Range of Temperature, 27, on the 23d. Least Daily Range of Temperature, 3, on the 17th.
- 0						Mean Daily Range of Temperature, 3, on the 17th.
8	29,35	30.5	56	W.	.00	Mean Daily Dew-point, 26.6.
9	29.44	30.5	64	M.	Т	Mean Daily Relative Humidity, 67.7. Prevailing Direction of Wind, W.
10	29.66	31.5	60	N.W.	.00	Total Movement of Wind, 10,665 Miles.
11	29,86	31.5	64	N.W.	.00	Highest Velocity of Wind and Direction, 46 N.E. on the 16th.
12	30.00	37.0	57	w ·	.00	Number of Foggy Days, 0. " Clear " 7.
13	29.96	47.5	52	W.	.00	" Fair " 10.
14	30.28	33.5	44	N.W.	.00	Number of Cloudy " 14. Total Number of Days on which Rain or Snow fell, 9.
15	30.21	35.5	72	N.E.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	29.96	37.0	82	N.E.	.02	Dates of Auroras, none observed.
17	29.90	35.0	93	N.E.	.19	Dates of Solar Halos, 31st. Dates of Lunar Halos, 10th.
18	29.88	35.5	91	N.	T	Mean Max. Temp., 44.3. Mean Min. Temp., 32.1.
19	29.84	37.5	87	N.E.		Thunder storm, 0. Dates of Frosts, 0.
20	29.86				.01	COMPARATIVE TEMPERATURE.
		36.5	76	N.E.	Т	1871
21	29.90	36.0	84	N.E.	T	1873
22	30.16	40.0	50	E.	.00	1874
23	29.99	48.0	38	W.	.00	1875
24	29.72	51.5	35	W.	.00	1877
25	29.70	40.0	52	N.	.00	1878
26	30.04	30.5	60	s.	.00	1889
27	30.01	43.5	64	8.	.00	
28	29.78	46.0	80	s.w.	.12	COMPARATIVE PRECIPITATIONS. Inches.
29	29.95	38,5	62	w.	.00	1871
30	30.24	31.5	52	N.W.	.01	1872 4.05 1881 9.68
31	30.16	32.5	82	Е.	.20	1873 3,76 1882
				331		1875 5.04 1 1884 4.56
YTALS					1.19	1876 7.19 1885 1.15 1877 9.79 1886 5.29 1878 6.74 1887 1.32
ANS	29.88	37.4	67.7	w.	.038	1879 3.90 1888

Statement of Mortality for the month of April, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological 070.1 Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of April, 1889, Population estimated at 415,000.	Rate per 1,000 inhabitants, 27.41
Total number	NATIVITY.
SEX.	United States 619
Males	Ireland
Females	England
CONDITION.	Scotland
	Germany
AZGITION .	British America 44
Single	Italy
Widows	Other Countries 17
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 177	British American
Total deaths of children Under 2 years 244	Italian
Under 5 years 320	Other Countries
(Under 1 year	Mixed
Under 2 years	Unknown 66
Diarrhœal diseases Under 5 years	
All ages 10	Still-births during the month 54

	y for	y for	1									G	E.									SI	ex.
CAUSES OF DEATH.	Total Mortality April, 1889.	Total Mortality April, 1888.	Under 3 mos.	mos. and inder 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	80 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
			É	000	9	10	63	83	4	To	, o	10 n				09 n	98 n	07 u	80	06	100		
Аьсоноызм ,	7	4											1	4	2							4	
CROUP	13	8	-		1	4	6	1	1	13												5	
CARBUNCLE																							
CHOLERA MORBUS																							ш
CHOLERA INFANTUM	1	2			1					1												1	_
CEREBRO-SPINAL MENINGITIS	2	2					1	1		2												1	
Congestive Fever				.—																			
DIARRHŒA	7	5	5							6									1			2	
DYSENTERY	2	2													1	1							
DIPHTHERIA	54	43	1		3	5	11	12	2	34	12	4	3		1							27	2
Erysipelas	8	6	3							3				1		2	1		1			3	
NTERMITTENT FEVER																							
NPLUENZA																							
SEASLES	10	5			2	5	2			9	1											7	
URPURA	1	1	1							1													
UERPERAL FEVER	2	3											1	1									
YÆMIA																							
REMITTENT FEVER																							
RHEUMATISM	' 7	3											2		1	2		1	1			3	
CARLATINA	2	9					1			1	1											1	
MALL Pox																							-
SYPHILIS (CONGENITAL)		1																					
Syphilis	1													1								1	
SEPTICÆMIA	4	4						1		1		1	1					1				1	
Consillitis,																							
TYPHOID FEVER	7	11										2	2		3							6	
TYPHUS FEVER																							
Francis Cours	10	6	1	4			1																
YELLOW FEVER			-																				
OTHER ZYMOTIC DISEASES	1	2	1							1													
OTHER ZYMOTIC DISEASES		4								^													
II. CONSTITUTIONAL.																							
ANCER					_																		
YDROCEPHALUS AND TUBERC. MENINGITIS	30	25				_								6	8	8	6	1	1			10	2
ARASMUS, SCROPULA AND TABES MESENTERICA	17	27			3			1	1		1	2										9	
	31	20			3					26				1	1			1	2			16	1
PHTHISIS PULMONALIS	134	141			1					9	3	11	42	30	16	14	6	3				80	5-
OTHER CONSTITUTIONAL DISEASES	14	10	1	1	+)	1	1			6	1			5	1		1					12	

of April, Classified by Cause, Age and Sex.

	for	for	1								A	Gł:	E.									SI	ex.
CAUSES OF DEATH.	Total Mortality April, 1889.	Total Mortality	er.	3 mos. and under 6 mos.	mos.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	31	26												2	1	5	8	10	5			12	19
Bright's Disease	10	16											1	1	1	3	2	2				4	6
Bronchitis	61	48	4	9	12	10	2	1	1	39	3				2	8	4	2	3			34	27
HEART DISEASE	70	50				1				1	1	3	8	9	12	7	13	14	2			35	35
Meningitis	23	28			3	5	3			11	3	2	3	3	1							10	13
Nephritis	14	13		2						2			2	1		6	3					9	5
PLEURISY	2	1				1				1				1								1	1
PNEUMONIA	122	106		4	9	14	5	4	5	41	5	8	9	12	13	15	8	6	5			57	65
Other Local Diseases	136	132	9	4	9	10	4		2	38	ő	3	13	11	12	13	17	19	5			65	71
IV. DEVELOPMENTAL.																			1				
CYANOSIS	2	2	2							2												1	1
Inanition	4	1	2	1		1				4												1	3
OLD AGE	25	20															1	9	13	2		6	19
PREMATURE BIRTH	20	17	19	1						20												8	12
PUERP'L DISEASES (not including Puerp'l Fever)	4	3											2	2									4
OTHER DEVELOPMENTAL DISEASES	26	20	18	2	2					22					1	1	1		1			13	13
v. VIOLENT.																					1		
Accidental	26	30	1							1	2	3	3	5	4	4	3		1			24	2
HOMICIDAL	1	2	1		-					1												1	
SUICIDAL	4	3												3			1					3	1
OTHER VIOLENT CAUSES	1																		1			1	
Unknown Causes	1	2													1							1	
TOTAL FROM ALL CAUSES	948	860	82	39	56	67	43	21	12	320	38	39	93	99	82	89	75	69	42	2		482	466
TOTAL FROM ZYMOTIC DISEASES	139	117	12	4	12	14	22	15	3	82	14	7	10	7	8	5	1	2	3			69	70
" " CONSTITUTIONAL DISEASES	226	223	14	12	9	11	7	1	1	55	ő	13	42	42	26	2:2	13	5	3			127	99
" LOCAL do	469	420	13	19	33	41	14	5	8	133	17	16	36	40	42	57		53	20			227	242
66 66 DEVELOPMENTAL do	81	63	41	4	2	1				48			2	2	1	1	2	9	14	2		29	52
44 VIOLENT CAUSES	32	35	2							2	2	3	3	8	, 4	4	4		2		1	29	3

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1889, and for the corresponding month in 1888.

CASES REPORTED DUE	RING APRI	L, 1889.	CASES REPORTED DUR	ING APRI	L, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	205		Diphtheria	109	
Measles	571		Measles	185	3
Small Pox			Small Pox	1	
Scarlatina	59		Scarlatina	75	
Typhoid Fever	33	2	Typhoid Fever	30	
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever		****

For the month of April, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.91	35.5	90	N.E.	.66	Mean Barometer, 29,99,
2	29.75	38.5	82	N.	.32	Highest Barometer, 30.48, on the 7th.
3	29.78	41.5	84	w.	.05	Lowest Barometer, 29.41, on the 27th. Monthly Range of Barometer, 1.07.
4	29.88	43.0	87			Mean Temperature, 47.7.
5	30.08			N.W.	.00	Highest Temperature, 81.0, on the 20th.
D		39.5	74	N.E.	T	Lowest Temperature, 32.0, on the 7th and 8th. Monthly Range of Temperature, 49.0.
6	30.32	39.5	88	N.E.	T	Greatest Daily Range of Temperature, 45.0, on the 20th.
7	30.44	37.5	89	N.E.	.00	Least Daily Range of Temperature, 4.0, on the 1st.
8	30.20	41.5	80	N.E.	.00	Mean Daily Range of Temperature, 14.1. Mean Daily Dew-point, 38.3.
9	29.84	47.0	36	N.	.00	Mean Daily Relative Humidity, 72.1,
10	29.88	47.5	38	N.W.	.00	Prevailing Direction of Wind, N.E. and N.W.
11	29.93	51.0	43	W	.00	Total Movement of Wind, 8,457 Miles. Highest Velocity of Wind and Direction, 36 N.E. on the 26th.
12	29,60	58.5	80	W.	.04	Number of Foggy Days, 0.
13	29.77	41.5	58			" Clear " 10. " Fair " 12.
14	30.12			N.W.	.15	" Fair " 12. Number of Cloudy " 8.
		43.5	44	N.W.	.00	Total Number of Days on which Rain or Snow fell, 12.
15	30.42	44.5	51	N.W.	.00	Depth of unmelted 8now on ground at end of month, 0.
16	30.42	45.0	ı 5ŏ	E.	.00	Dates of Auroras, none observed. Dates of Solar Halos, 16th.
17	30.18	45.0	82	N.E.	.40	Dates of Lunar Halos, 11th and 16th.
18	30.06	50.0	90	N. E.	.17	Mean Max. Temp., 54.9. Mean Min. Temp., 40.8.
19	30.11	55.5	85	N.	T	Thunder storm, 20th and 21st. Dates of Frosts, 0.
20	80.04	62.5	75	S.W.	.05	COMPARATIVE TEMPERATURE. 1871 47.0 1880 46.5
21	29.90	59.0	77	w.	.13	1872
22	30.18	45.5	64	W.	.00	1873 47.1 1882 42.0
23	30,42	44,0	50	N.W.		1874
24					•00	1876
	30.32	54.5	60	s.	.00	1877 43.9 1886
25	30.12	61.5	76 .	s.	T	1878 47.2 1887 43.4 1879
26	29.84	51.0	92	N.E.	.47	1889 47.7
27	29.51	49.5	97	E.	.60	COMPARAMINE DESCRIPTION OF THE PROPERTY OF THE
28	29.52	53.5	84	s.	Т	COMPARATIVE PRECIPITATIONS. Inches. Inches
29	29,56	53.5	86	S.W.	.03	1871 3.79 1880 2.83
30	29.72	51.5	76	w.	T	1872 · · · · · · 1.31 1881 · · · · · 1.66
						1873 3.83 1882 2.50 1874 7.99 1883 2.83
						1875 4.92 1884 4.76
ALS					3.07	1876
NS	29,99	47.7	72.1	N.E. & N.W.	.102	1879 6.54 1888 2.04

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of May, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of May, 1889, Population estimated at 415,000.	Rate per 1,000 inhabitants, 24.23
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 153	British American
Total deaths of children Under 2 years 213	Italian
Under 5 years	Other Countries 69
(Under 1 year 10	Mixed
Under 2 years	Unknown
Diarrhœal diseases Under 5 years	
All ages	Still-births during the month 61

	7 for	for										G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality May, 1889.	Total Mortality May, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 80 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	ob years and under 70 yrs.	To years and under 80 yrs.	0 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Pemales.
ALCOHOLISM		2	=			=			4	1	Ö		2	00	4	10	=	10-		5. 2	= !	- 1	
Crove		11	1			1		1	1	7	2				-							5	
CARBUNCLE			-																				
CHOLERA MORBUS	- 1									7					-		1					1	-
CHOLERA INFANTUM	3	1				2				2	1											2	1
CEREBRO-SPINAL MENINGITIS	2	1	1							1		1					-					1	1
Congestive Fever	-			- 1											-				-				
Diarriga	10)	5	3	-						10							-					4	1
Dysentery	4	2				-	1			1	1		1	1								r	2
DIPHTHERIA	(i)	58			1	7	9		6	29	19	2											28
ERYSIPELAS	3	s	2	1			H			3		train!				-						2	1
Intermittent Fever						-																	
Influenza																							-
MEASLES	7				1 .	- 3		3		7												3	-
PURPURA		-						-							-				-				-
Puerperal Fever.	1	1											1									_	
Ружма						-																	-
REMITTENT FEVER	-								-														_
RHEUMATISM	1								-					1		-							1
SCARLATINA	1	4					1			1	2				1				-	-		1	- 3
Desary Dow		1								-									-	-			
Syphilis (Congenital)	1	2				1				1		-							-				
	1	1													1								1
SYPHILIS	- 4												2	1									-
TONSILLITIS,		2														_							-
		3					-						4	1		-							
Typnotd Fever													*			-						3	=
WHOOPING COUGH			1			2				7						-		-					-
		- '	1			2				1		-										3	-
YELLOW FEVER																			-				
OTHER ZYMOTIC DISEASES														_									
II. CONSTITUTIONAL.																							
TANCER	07										-		H	-									-
IYDROCEPHALUS AND TUBERC. MENINGITIS	27	18								1-1			1		7	*}	-	4	3			10	17
MARASMUS, SCROPULA AND TABES MESENTERICA	27		2	3	5			1 .		17		2	1		1						-	14	13
PHTHISIS PULMONALIS	18	33		6	2 ,		1	1		15			H									9	9
THE TOTAL STREET	93	134		1	2	1	1		1	6	2	11	21	28	16	-	4	2	1			51	42
OTHER CONSTITUTIONAL DISEASES	14	12			3	1	1			5	1	1	. 4		3							7	7

of May, Classified by Cause, Age and Sex.

	for	for							-		A	G :	E.									SI	ex.
CAUSES OF DEATH.	Total Mortality f	Total Mortality f	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	22	26										-		3	6	2	4	6	1			16	6
Bright's Disease	11	19			_								1	1	5		3	1				7	4
Bronchitis	40	42	4	4	13	11	3			35	1				2	1		1				22	18
HEART DISEASE	77	68	1							1	1	4	11	6	8	16	14	12	4			37	40
MENINGITIS	25	24		2	7	5	3		1	18	1	2	1	1	1				1			14	11
Nephritis	8	17											1	5		1	1					5	3
PLEURISY	2	2		1				1		2													2
PNEUMONIA	101	78	4	3	77	20	4	2		40	1		4	7	11	17	12	6	2	1		56	45
Other Local Diseases	150	106	17	3	4	3	1	4		32	4	6	15	9	23	22	22	12	5			79	71
IV. DEVELOPMENTAL.																							
CYANOSIS	3	2	3			-				3												3	
INANITION	4	5	3		1					4		_										2	2
OLD AGE	30	18														1		9	17	3		10	20
PREMATURE BIRTH	12	17	12							12												8	4
PUERP'L DISEASES (not including Puerp'l Fever)	1	3											1										1
Other Developmental Diseases	11	31	5	1	2					8								1	2			7	4
v. violent.																							
ACCIDENTAL	33	33			1		1	1		3	2	2	11	2	7	2	2	1	1	-		25	- 8
Homicidal									_			_											
Suicidal	5	1											2		1	2		_				2	3
Other Violent Causes		1																	-	-	-		
				-															-		-		
UNKNOWN CAUSES	5	2	2				-			2			1		2							3	2
Total From all Causes	838	820	68	33	an ,	60	32	20	10	275	44	34	83	61	916	79	70	55	37	4		436	402
TOTAL FROM ZYMOTIC DISEASES	119	108	8	8	6	16	14	10	7	69	25	6	8	4	3	3	1			1	1 1	49	70
" Constitutional Diseases	179	217	9	10	12	5	6	2	2	46	9	14	27	23	27	12	11	6	4			91	88
		000	. 26	13	31	39	11	7	1	128	8	12	33	32	56	59	56	38	13	1		236	200
" " Local do	436	382	. 20																				
" LOCAL do	61	76	23	1	3			-		27			1			1		10	19	3		30	31

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1889, and for the corresponding month in 1888.

CASES REPORTED DU	RING MAY	r, 1889.	CASES REPORTED DU	RING MAY	, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	191		Diphtheria	142	
Measles	434	****	Measles	367	4
Small Pox			Small Pox	4	1
Scarlatina	53		Scarlatina	70	***
Typhoid Fever	60		Typhoid Fever	31	****
Typhus Fever			Typhus Fever	4 - 7	
Yellow Fever			Yellow Fever		****

For the month of May, 1889. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING DIRECTION	DAILY	
DAIL.	BAROMETER.	TEMPERATURE.	HUMIDITY.	of WIND.	RAIN FALL.	GENERAL ITEMS.
1	29.92	50.0	62	w.	.00	Mean Barometer, 29.96.
2	29.88	51,5	68	w.	,00	Highest Barometer, 30.32, on the 18th. Lowest Barometer, 29.59, on the 10th.
8	29.82	51.0	68 .	X.W.	. T	Monthly Range of Barometer, 0.73.
4	29.92	53.5	65	N.W.	.00	Mean Temperature, 60.50.
5	29,96	66,0	60	w.	.00	Highest Temperature, 91.0, on the 10th. Lowest Temperature, 41.0, on the 1st and 2d.
6	30.08	59.0	66	N.	.00	Monthly Range of Temperature, 50.0.
7	30.09	47.0	89	E.	.00	Greatest Daily Range of Temperature, 36.0, on the 9th. Least Daily Range of Temperature, 6.0, on the 26th.
,	29.98					Mean Daily Range of Temperature, 18.4.
8		56.5	70	8.W.	.00	Mean Daily Dew-point, 52.0.
9	29,92	69,5	62	S.	.00	Mean Daily Relative Humidity, 74.0.
10	29,66	73.5	66	S.W.	.08	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,034 Miles.
11	29.69	61.5	68	S.E.	.06	Highest Velocity of Wind and Direction, W. 36 on the 10th.
12	29.84	61,0	75	s.w.	.02	Number of Foggy Days, 0. "Clear "9.
18	29.96	55.0	84	E.	.03	" Fair " 14.
14	29.76	61.5	88	s.w.	.04	Number of Cloudy " 8.
15	30.00	63.0	, 80	к.	r	Total Number of Days on which Rain or Snow fell, 12. Depth of unmelted Snow on ground at end of month, 0.
						Dates of Auroras, 0.
16	30.15	63.5	76	S.	.00	Dates of Solar Halos, 22d.
37	30.28	64.0	80	s.w.	.00	Dates of Lunar Halos, 0.
18	30.30	73.5	68	8.W.	.00	Mean Max. Temp., 69.5. Mean Min. Temp., 51.1. Thunder storm, 10th and 25th. Dates of Frosts, 0.
19	30.24	69.0	78	s.	.00	COMPARATIVE TEMPERATURE.
20	29,99	67.0	91	S.E.	.59	1871
21	29.70	66.5	90	8.	2.24	1872
22	29.75	63.5	78	8.W.	.00	1873
28	29,84	58.5	76	Σ.	.01	1875 57.8 1884
24	29.85	61.5	62	W.	.00	1876 54.5 1885
25	29.89	61.5	70	N.W.	.41	1878
26	30.06	49.0	86	N.E.	.22	1879 59.9 1888
27				E.		1889 60.5
	29.95	51.0	82			COMPARATIVE PRECIPITATIONS.
28	29.79	58.0	76	s.w.	.07	Inches. Inches
29	30.18	54.0	66	W.	.00	1871 4.34 1872 3.29 1881 4.16
30	30,24	62,5	84	s.w.	.02	1878 5.16 1882 6.05
31	30.20	73.0	74	8.	.01	1874 3.70 1883 5.11
						1875 3.76 1894
POTALS					4.15	1877 3.38 1886 3.08
						1878 1.03 1887 1.67
MEANS	29,96	60.5	74			1879

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of June, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of June, 1889, Population estimated at 415,000.	Rate per 1,000 inhabitants, 21.86
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England 21
CONDITION.	Scotland
Married	Germany 6
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown 8
Unknown 5	PARENTAGE.
COLOR.	United States 200
White	Irish
Colored	English
	Scotch
(German
Under 1 year 163	British American 44
Total deaths of children Under 2 years 204	Italian
Under 5 years 250	Other Countries
(Under 1 year	Mixed 67
Under 2 years	Unknown
Diarrheal diseases Under 5 years 39	
(All ages 45	Still-births during the month 59

	for	for	Ĩ'							1000	A	G	E.									S	EX.
CAUSES OF DEATH.	lotal Mortality for June, 1880.	Fotal Mortality	Under 3 mos.	mos, and	6 months and under I year.	1 year and under 2 yrs.	years and	3 years and	4 years and under 5 yrs.	Total under 5 years.	b years and under 10 vrs.	10 years and under 20 vrs.	20 years and under 30 yrs.	30 years and	40 years and under 50 yrs.	50 years and under 60 vrs.	60 years and under 70 yes.	70 years and under 80 vis.	years and	years and	100 years and over.	Males.	Females.
	6		= =	00	9 -		61	100	+	To	0	100	1			20	99 -	12-	98	106	2	N 21	GE.
ALCOHOLISM	6	8			1 1	1	1	-		3	3	-											4
CARBUNCLE		-				1	1			0	3		-							-		5	1
CHOLERA MORBUS	-	1											-		-								-
CHOLERA INFANTUM	28	6	6	9	10	3				28			-		-							15	13
CEREBRO-SPINAL MENINGITIS	1	3	-	1						1					-							-	1
Congestive Fever												-		-									
Diarrhea	14	10	4	5	1					10	1		-			1		2				8	6
Dysentery	3	1			-					1					ļ		1	1				1	2
Dipatheria	57	37			3	3	7	4	9	26	26	2	2	1								34	23
ERYSIPELAS		3										-	-										
INTERMITTENT FEVER											-	-			-								
INPLUENZA																							-
Measles	3	2			1	1			1	3					-							3	-
PURPURA		1				-																	
PUERPERAL FEVER	-	1								-										-			
Ружміа	2	1				-			1	1		1										2	
REMITTENT FEVER																							
RHEUMATISM	. 7	1									1			1		2		1				4	3
SCARLATINA		1		-																		-	-
SMALL Pox						-													-				
SYPHILIS (CONGENITAL)	2		1				1			2													2
Syphilis										-													,
Septicæmia	1	1											1									,	1
Tonsielitis,																			-				
Typhoid Fever	12	11									1	2	5		1	1	2					7	5
Typhus Fever														-		-						-	
WHOOPING COUGH	13	6	1	2	2	5		1		11	2					-						5	S
YELLOW FEVER																				-			
OTHER ZYMOTIC DISEASES		2																					
																				1		1	
II. CONSTITUTIONAL.																							
CANCER	19	33		_											4	4	7	4				2	17
HYDROCEPHALUS AND TUBERC. MENINGITIS	15	23	1		2	5	2		2		1		1	1							-	8	7
MARASMUS, SCROPULA AND TABES MESENTERICA	32	22	12	9	2	3		1		27		1			2				2			13	19
PHTHISIS PULMONALIS	108	92				1	2		2	5	2	15	40	22	11	8	5					38	70
OTHER CONSTITUTIONAL DISEASES	13	11			2	1	1		1	3	2	2	2	1	1	2	1			1		7	6

of June, Classified by Cause, Age and Sex.

	for	for									A	G:	E.			-						8	EX.
CAUSES OF DEATH.	Total Mortality June, 1889.	Total Mortality June, 1888.	Under 5 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	Syears and	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	21	15											1	2	2	6	3	4	3			11	10
Bright's Disease	10	15											1	1	1	5		2				4	6
Bronchitis	20	38	2		6	3	2	1		14	1				2		2		1		-	12	8
HEART DISEASE	49	, 55	1	1						2	3	5	2	8	5	9	8	5	2			26	23
MENINGITIS	18	24		1	5	4	1			11	2	1	1	1	1		1					9	9
NEPHRITIS	16	9											2	1	5	2	1	5				8	8
PLEURISY		4																					
PNEUMONIA	42	51	3		4	4	1	1		13	2		3	8	2		9	3	2			22	20
OTHER LOCAL DISEASES	130	151	7	8	10	5	2	1		33	4	9	16	10	13	16	15	10	3	1		62	68
IV. DEVELOPMENTAL.																							
Cyanosis	2	1	2							2													2
INANITION	9	2	7	2						9												6	3
OLD AGE	20	14															2	8	6	4		10	10
PREMATURE BIRTH	14	12	14							14												8	6
PUERP'L DISEASES (not including Puerp'l Fever)	2	1											1	1							1		2
OTHER DEVELOPMENTAL DISEASES	18	21	13				1	1		15		1				1				1		8	10
V. VIOLENT.																							
Accidental	37	37			1	1		1		3	1	8	5	9	3	4	2	2		- Tanapater		33	4
Homicidal	1	1											1									1	
SUICIDAL	1	4											1										1
OTHER VIOLENT CAUSES																							
Unknown Causes	4	4	1							1			2	1		1							4
Total from all Causes	756	740	75	38	50	41	20	11	15 2	50	52	47	88	70	55	61	61	47	19	6		374	382
TOTAL FROM ZYMOTIC DISEASES "	155	100	12	17	18	14	9	5	11	86	34	5	9	4	4	4	5	4				86	69
" CONSTITUTIONAL DISEASES	187	181	13	9	6	10	4	1	4	47	5	18	43	24	17	14	13	4	2			68	119
66 66 LOCAL do	306	362	13	10	25	16	6	3		73	12	15	26	31	31	38	39	29	11	1		154	152
66 68 DEVELOPMENTAL do	65	51	36	2			1	1		40		1	1	1		1	2	8	6	5		32	33
" " VIOLENT CAUSES	39	42			1	1		1		3	1	8	7	9	, 3	4	2	2				34	5

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1889, and for the corresponding month in 1888.

CASES REPORTED DU	RING JUN	E, 1889.	CASES REPORTED DUI	RING JUNE	E, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	165		Diphtheria	111	
Measles	187		Measles	183	5
Small Pox			Small Pox	1	1
Scarlatina	36		Scarlatina	20	***
Typhoid Fever	26		Typhoid Fever	41	****
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever		****

For the month of June, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.09	71.5	80	s.	.00	Mean Barometer, 30.014.
2	30.02	65.5	87	s.	1.23	Highest Barometer, 30.46, on the 25th. Lowest Barometer, 29.56, on the 5th and 6th.
8 -	30.00	63.5	87	s.w.	,05	Monthly Range of Barometer, 0.90.
4	29.71	60.5	95	s.w.	.30	Mean Temperature, 67.7. Highest Temperature, 87.0, on the 15th.
5	29.57	63.5	81	s.w.	.60	Lowest Temperature, 50.0, on the 7th.
6	29.62	60.5	. 70	w.	· T .	Monthly Range of Temperature, 37.0. Greatest Daily Range of Temperature, 28.0, on the 20th.
.7	29.88	62,5	53	w.	.00	Least Daily Range of Temperature, 3.0, on the 20th.
8	29,88	65.5	78	s.w.	.09	Mean Daily Range of Temperature, 15.7.
9	30.01	67.0	89	s.w.	T	Mean Daily Dew-point, 60.8. Mean Daily Relative Humidity, 79.3.
,				S.	. 05	Prevailing Direction of Wind, S.W.
10	30,06	69.5	92		T	Total Movement of Wind, 7,047 Miles. Highest Velocity of Wind and Direction, S. 32 on the 1st.
11	30.04	72.0	90	S.W.	T	Number of Foggy Days, 0.
12	30.10	67.5	86	W.		" Clear " 4. " Fair " 14.
13	30.08	70.0	78	S.W.	.00	" Fair " 14. Number of Cloudy " 12.
14	30.14	73.5	73	S.W.	.00	Total Number of Days on which Rain or Snow fell, 10.
15	30.04	70.0	' 86	s.w.	.04	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, none observed.
16	30.00	75.0	88	s.w.	00	Dates of Solar Halos, 14th.
37	29.80	70.0	84	W.	,30	Dates of Lunar Halos, 9th and 16th.
18	30.10	57.0	80	N.E.	.00	Mean Max. Temp., 77.0. Mean Min. Temp., 61.3. Thunder storm, 5th and 25th. Dates of Frosts, 0.
19	29.94	58.0	79	N.E.	Т	COMPARATIVE TEMPERATURE.
20	29.80	71.0	70	w	.00	1871 65.9 1880
21	29.93	72.5	68	w.	.00	1872 68.2 1881 60.6 1873 67.8 1882 65.9
22	29,80	69.0	80	s.w.	T	1874
23	30.16	65.0	70	w.	.00	1875
24	30.42	66.5	62	W.	00	1876
25	30.43	64.5	66	s.	.00	1878 64.1 1887 64.5
26	30.26	67.5	. 84	8.	T	1879
27	30.11	74.5	81	s.w.	т	
28	30.16	73.5	84	8.W.	T	COMPARATIVE PRECIPITATIONS.
29	30.10	69.5	87	S.E.	.11	Inches. Luches. Luches. 1871 5.47 1880 0.75
		74.0	79	8.E.	.00	1872 4.87
30	30.16	74.0	19	15:44	.00	1873 0.54 1882 1.03 1874 3.94 1883 2.07
						1875 7.25
TOTALS					2.77	1876 1.72 1885 3.70 1877 3.21 1886 1.34 1878 3.28 1887 1.98
MEANS	30.014	67.7	79.3	s.w.	0.092	1879 6.24 1888 2.60

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of July, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of July, 1889, Population estimated at 415,000.	Rate per 1,000 inhabitants, 30.18
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America 50
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 9	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colorett	Scotch
	German
(Under 1 year 403	British American
Total deaths of children Under 2 years 470	Italian
Under 5 years 536	Other Countries
	Mixed
Under 1 year	Unknown
Diarrhoal diseases Under 5 years	
All ages	Still-births during the month

	for	for									A	G:	E.									SI	EX.
CAUSES OF DEATH. 1. ZYNOTICS.	Total Mortality July, 1889.	Total Mortality July, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Fennles.
ALCOHOLISM		4											1	2	2							4	1
CROUP	4	2	1		i	1	1	1		3	1		-			-					-	3	1
CARBUNCLE	1		-				-		-		-		-	-			1					1	
CHOLERA MORBUS	8	9			1			_		1		_		-	2	2	2	1				4	4
CHOLERA INFANTUM	200	130	37	51	80	25	4	1	 	198	2		_			-	_	-	-		-	105	95
CEREBRO-SPINAL MENINGITIS	2				1					1			.1			-		-				2	
Congestive Fever				-					1											-			
DIARRHŒA	41	21	11	11	12	1	1		<u> </u>	36	1		-	1		1		1	1			21	20
DYSENTERY	11	10			1	1			1	3	1		2		1		1	3		-		1	10
DIPHTHERIA	32	29			3	5	4	8	3	23	8	1								-		15	17
ERYSIPELAS	1	2	1	1				-		1			-	-					-	-		1	
INTERMITTENT FEVER						-												-					-
INFLUENZA		·						_					-				-			_			
MEASLES	2	2	-		_			1	-	1	1				_				_			1	1
PURPURA						_		-	_							-							
l'uerperal Fever	1				-			_					1		_					-			1
Ружміа	1	1	i –	-								-			_				_				
REMITTENT FEVER					-											-			_	_			
RHEUMATISM	1															_	1		-			1	
SCARLATINA	1	1		-				1		1										i			1
SMALL POX																				_			
SYPHILIS (CONGENITAL)	1	6	1							1								_					.1
SYPHILIS	1	1											1										1
SEPTICÆMIA																							
TONSILLITIS,																							
TYPHOID FEVER	17	11	-	-			1			1		6	3	2	2	2	1	_				10	7
TYPHUS FEVER																		_					
WHOOPING COUGH	14	10	3	1	4	4	1	1		14												6	8
YELLOW FEVER																							
Other Zymotic Diseases		1																					
II. CONSTITUTIONAL.		1																					
CANCER	19	19												4		5	5	5	1			4	15
HYDROCEPHALUS AND TUBERC. MENINGITIS	20	12		4	4	6	1		1	16	2	2						-				10	. 10
MARASMUS, SCROFULA AND TABES MESENTERICA	70	36	24	26	10	2		1	1	64	1			1		1	1		2			49	21
PHTHISIS PULMONALIS	113	115		1	1	2	1	1	2	8	3	9	33	24	15	11	-8	2				59	54
		-																-					

of July, Classified by Cause, Age and Sex.

	for	for				-				-	A	Gł:	E.									S]	EX,
CAUSES OF DEATH.	Total Mortallig f July, 1889.	Total Mortality f	Under 3 mos.	3 mos. and under 6 mos.	nos, and nder 1 year.	1 year and under 2 yrs.	ears and mder 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	years and	90 years and under 100 yrs.	years and over.	Males.	Females.
III. LOCAL.	To	To	dn	3 n	6 111	1 3	2 3	25	4 7 3	To	y č	10	20 un	30	05 101	0g	90 m	02	08 I	90 un	100	Ms	E E
APOPLEXT	18	19											2	2	2		7	5				11	7
BRIGHT'S DISEASE	8	14											2				4	1	1			2	6
BEONCHITIS	24	17	3	1	2	1	1	4		12			2			3	3	3	1			11	13
HEART DISEASE	70	54	1	3	1		1	1		7	2	1	5	6	8	11	12	11	7			33	37
MENINGITIS	23	19		1	9	4	2	1	3	20	2					1						14	9
Nephritis	9	6											1	2		3	2		1			3	6
PLEURISY		1																					
PNEUMONIA	36	23	1		3	3	3	1	2	13	2	1	2	6	4	5	2	1				20	16
OTHER LOCAL DISEASES	165	143	20	14	19	10	3	1	3	70	2	8	7	8	19	21	17	8	5			100	65
IV. DEVELOPMENTAL.																							
CYANOSIS		1				-		-	-														
Inanition	8	11	4	1	2			1		8												4	4
OLD AGE	25	17							_								3	9	10	3		8	17
PREMATURE BIRTH	11	9	11							11												7	4
PUERP'L DISEASES (not including Puerp'l Fever)	1	3			_								1										1
OTHER DEVELOPMENTAL DISEASES	20	19	10		1	1	1			13					1		2	2	2			9	11
V. VIOLENT.			1																				
ACCIDENTAL	39	35		2	1			1		4	1	5	5	9	3	9	1	1	1			29	10
Homicidal	2	2	1							1					1							2	
SUICIDAL	4	3					-	_					2	1				1				2	2
OTHER VIOLENT CAUSES	1		-				_				-							1				1	
			-		-										_		-			_			
UNKNOWN CAUSES	2	2	1	-						1					1				_			1	1
TOTAL PROM ALL CAUSES	1044	830	128	118	157	67	25	25	16	536	29	36	72	70	61	77	73	56	31	3		562	482
TOTAL FROM ZYMOTIC DISEASES	343	240	52	64	102	37	12	13	4	284	14	7	9	5	7	5	6	5	1			175	168
" CONSTITUTIONAL DISEASES	235	192	21	32	17	11	2	2	4	92	6	14	34	31	15	19	14	8	2			130	105
66 66 LOCAL do	353	296	25	19	34	18	10	8	8	122	8	10	21	24	33	44	47	29	15			194	159
66 66 DEVELOPMENTAL do	65	60	25	1	3	1	1	1		32			1		1		5	11	12	3		28	37
66 66 VIOLENT CAUSES	46	40	1	2	1			1	~	5	1	5	7	10	4	9	1	3	1			34	12
			-					1									7.7	7.4					

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1889, and for the corresponding month in 1888.

CASES REPORTED DU	RING JUL	Y, 1889.	CASES REPORTED DUI	RING JULY	, 1888.
	City.	Quarantine.		City.	Quarantine
Diphtheria	93		Diphtheria	97	
Measles	50		Measles	63	****
mall Pox	****		Small Pox	****	
Scarlatina	15		Scarlatina	19	****
Typhoid Fever	97		Typhoid Fever	34	
Typhus Fever			Typhus Fever	****	****
Yellow Fever			Yellow Fever	****	***

For the month of July, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.29	72	80	s.w.	T	Mean Barometer, 29.986.
2	30.28	68	92	s.	.05	Highest Barometer, 30.325, on the 2d. Lowest Barometer, 29,705, on the 20th.
3	\$0.09	73	95	s.w.	.48	Monthly Range of Barometer, 0.620.
4	29.87	71	90	N.	.10	Mean Temperature, 69.0.
5	\$0.02	70	81		.00	Highest Temperature, 86.0, on the 13th. Lowest Temperature, 55.0, on the 16th.
				77.77		Monthly Range of Temperature, 31.0.
6	30.18	70	76	S.W.	.00	Greatest Daily Range of Temperature, 25.0, on the 29th.
7	30.07	70	70	W.	T	Least Daily Range of Temperature, 3.0, on the 27th. Mean Daily Range of Temperature, 13.2.
8	29.91	72	82	E.	.00	Mean Daily Dew-point, 62.7.
9	30.06	62	88	S.E.	.00	Mean Daily Relative Humidity, 82.0.
10	\$0.07	62	86	E.	т	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,318 Miles.
11	23.98	64	92	s.w.	.04	Highest Velocity of Wind, 7,318 Miles. Highest Velocity of Wind and Direction, 36 S.W. on the 30th.
12	29.98	67	86	S.	.00	Number of Foggy Days, 0.
13	29.90	76	90		,60	" Cloudless " 8. " Partly cloudy " 13.
	20.73		77	s.w.		Number of Cloudy "10.
14		73		7.11.	.00	Total Number of Days on which Rain or Snow fell, 13.
15	180	(3.3	92	N.E.	.59	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, none observed.
16	2 - 80	07	1,-5	777.	(69)	Dates of Solar Halos, none observed.
17	27	71	7.0	S.W.	.15	Dates of Lunar Halos, none observed.
18	20.04	67	75	E.	.(1)	Mean Max. Temp., 76.0. Mean Min. Temp., 63.0. Thunder storm, 23d. Dates of Frosts, 0.
19	500(6)	71	78	S.	.99	
20	20,70	74	88	.W.	.68	COMPARATIVE TEMPERATURE.
21	20,56	7-1	97	N.W.	,00	1872
22	12.5	67	×1	N.E.	(0)	1870
23	20.77	72	5.3		.20	1874
				. W.S		1876
24	25.50	63	64	. N.W.	T	1877
25	0.006	63	. s	717.	,(*)	1879
26	30.15	0.3	75	E.	,() ()	1889
27	10.73	6.2	100	N.E.	1.75	COMPARATIVE PRECIPITATIONS.
28	30,02	62	(12	s E.	.66	Inches. Inches.
29	20,32	7.2	89	SW.	.49	1871 3.24 1880 6,86
30	50.11	78	(10)	S.W.	.15	1872 4.00 1881 2.90
31	1, ,18	75	(20)	S.W.	.76	1873 3,84 1882 3,61 1874 3,47 1883 2,73
	1					1875 3.93 1884 4.25
OTALS	BANK TRANSPORT TOTAL OF THE CONTRACT				5.80	1876 5.86 1883 1.44 1877 2.27 1886 1.81 1878 4.68 1887 3.60
1EANS	20,086	60,4	52.2	s.w.	.187	1879 3.09 1888 1.79

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of August, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of August, 1889, Population estimated at 420,000.	Rate per 1,000 inhabitants, 27.8
Total number	NATIVITY.
SEX.	United States 648
Males 510	Ireland 200
Females	England
CONDITION.	Scotland
Married	Germany
ALICE TO A STATE OF THE STATE O	British America
Single 607	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
/	German
Under 1 year 304	British American
Total deaths of children Under 2 years	Italian
Under 5 years 413	Other Countries
(Under 1 year 124	Mixed
Under 2 years	Unknown
Diarrhoad diseases Under 5 years 153	
All ages 188	Still-births during the month 50

	for	for	1								A	G :	E.								1	SI	EX.
CAUSES OF DEATH.	Total Mortality for	Total Mortality August, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and nuder 5 yrs.	Total under 5 years.	o years and under 10 yrs.	mider 20 yrs.	years and meder 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.) years and	years and mder 80 yrs.	years and meler 90 yrs.	90 years and under 100 yrs.	o years	Males.	Females.
	4	1 7	10	0	9	-	67	es	7	77	0	=		2	4	2	96	12	80	96	10	- 21 N	2
ALCOHOLISM	2	1 8		-		-	1	1	-	- 2	-	-			-								1
CROUP	·							-											-			1	
CARBUNCLE	10	15	-		-						2	1		1	3	2	- 1					5	
CHOLERA MORBUS	. 124	192		- 96		19	5			124												61	(50)
CHOLERA INFANTUM	3	3	1 21	20	1	10		1		2		-1											1
CEREBRO-SPINAL MENINGITIS								1				_										2	
CONGESTIVE FEVER	29	35	11.44	6	6					23			1		1	1		3					
DIARRHŒA	25		11	-	-	_							-						-			13	10
Dysentery	36	16		-	1	2	3			6	0	1		1	3	3	5	4	2			13	10
DIPHTHERIA	90	27		1		5	6	6	4	22	9	3	1		1								17
ERYSIPELAS																							
INTERMITTENT FEVER		1		-					-		-			-									-
INFLUENZA					_																		
Measles	2				2					2												1	1
PURPURA							_	ш	_		_				_								
PUERPERAL FEVER	1	1											. 1						-				1
PYANIA	1	1													1				_			1	
REMITTENT FEVER		1										-											
RHEUMATISM	1	3															1						1
SCARLATINA	1	1				1		_			1												1
SMALL POX																							
Syphilis (Congenital)	1	3			1			1_		1												1	
Symmus																							
SEPTICÆMIA	1	2											1										1
Tonsialitis,										, ,													
TYPHOID FEVER	35	19						1	11	1 1		5	16	1 7	-5	3	1					20	9
Typhus Fever																							
WHOOPING COUGH	15	8	1	3	3	5	3			15												7	3
YELLOW FEVER														1-			-						
OTHER ZYMOTIC DISEASES		1																					
II. CONSTITUTIONAL.																							
CANCER	32	17			-		-	-				1	-	3	4	7	5	9	3			18	21
HYDROCEPHALUS AND TUBERC. MENINGITIS	15		1			4	1	2	1	12	1				2							10	
MARASMUS, SCROPULA AND TABES MESENTERICA		51			13		1			48		1	1		1		1						
PHTHISIS PULMONALIS	100	117		1				1								7	6	1					1.
Other Constitutional Diseases	2:2	10	1	1	2	1	1			6			1 7		4	1		1				10	1:

of August, Classified by Cause, Age and Sex.

	for .	for						_		-	A	G:	E.	-								SI	EX.
CAUSES OF DEATH.	Total Mortality August, 1880.	Total Mortality August, 1888	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Malos.	Females.
APOPLEXY	26	29											1	2	5	1	5	6	6			16	10
BRIGHT'S DISEASE	11	17										1	_	1	2	5		2				8	3
BRONCHITIS	25	21	2	1	2	3	2			10			2	4	3	1	3	1	1	_		11	14
HEART DISEASE	66	39				1	=			1		. 6	4	4	14	13	7	12	5		-	33	33
MENINGITIS	15	30	1	4	4	1	2			12	2	-	-	1								9	6
Nephritis	10	9					_					1		1	3	3		2				6	4
PLEURISY																							
PNEUMONIA	34	17	1		4	1	3	2	2	13	2	1	3	2	2	3	6	1	1			23	11
OTHER LOCAL DISEASES	160	147	34	6	16	9	2			67	2	4	8	16	22	14	5	16	ő	1		67	93
IV. DEVELOPMENTAL.																							
CYANOSIS	1	3	1							1	-		-	_	-					_	-		1
INANITION	17	7	13	2	1				1	17												6	11
OLD AGE	24	21															1	8	12	1	2	11	13
PREMATURE BIRTH	12	13	12							12												7	5
PUERP'L DISEASES (not including Puerp'l Fever)		2																					
OTHER DEVELOPMENTAL DISEASES	12	21	3	1		1				5				1	1	1	2	2				3	9
v. violent.																							
ACCIDENTAL	38	32	2	1	1		1			5	2	4	8	6	6	5		2			-	33	. 5
Homicidal		2																					
SUICIDAL	3	6						-						1		1	1					3	
OTHER VIOLENT CAUSES	1													1									1
																			1				
UNKNOWN CAUSES	6	6	3		1			1		4					1		1					3	3
Total from all Causes	973	983	129	62	113	55	31	14	9	413	21	40	92	79	96	72	51	70	35	2	2	510	463
TOTAL FROM ZYMOTIC DISEASES	291	346	. 33	36	67	31	18	8	5	198	12	11	20	11	12	10	8	7	2	-		152	139
" " CONSTITUTIONAL DISEASES	221	217	. 24	11	18	8	3	3	1	68	1	12	46	28		15	12	11	3			119	102
" " LOCAL do	347	309	38	11	26	15	9	2	2	103	6	13	18	31	51	40	26	40	18	1		173	174
" " DEVELOPMENTAL do	66	70		3	1	1			1	35				1	1	1	3	10	12	1	2	27	39
" " VIOLENT CAUSES	42	40	2	1	1		1			5	2	4	8	8	61	6	1	2				36	6
CONTROL OF CONTROL OF THE PARTY				-					-		4 -	-		-			-	-	1	-	-		-

Comparative Statement of Cases of Contagious Disease reported to the Board of Realth for the month of August, 1889, and for the corresponding month in 1888.

CASES REPORTED DUR	ING AUGU	ST, 1889.	CASES REPORTED DUR	ING AUGU	ST, 1888.
	City.	Quarantine.		City.	Quarantine
Diphtheria	99		Diphtheria	94	
Measles	10		Measles		
Small Pox			Small Pox		
Scarlatina	15		Searlatina	1.1	****
Typhoid Fever	211		Typhoid Fever	54	
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever		

For the month of August, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.14	! 76	89	s.w.	1.50	Mean Barometer, 30.074.
2	30.04	78	86	s.w.	.00	Highest Barometer, 30.403, on the 27th.
3	30.00	74	90	s.w.	.24	Lowest Barometer, 29.788, on the 14th. Monthly Range of Barometer, 0.611.
						Mean Temperature, 67.4.
4	30.07	75	70	S.W.	.00	Highest Temperature, 84.0, on the 2d.
5	30.09	66	90	s.w.	.12	Lowest Temperature, 52.0, on the 28th.
6	11 30.18	64	79	N.W.	1 .00	Monthly Range of Temperature, 32.0. Greatest Daily Range of Temperature, 20.0, on the 17th.
7	30.11	68	74	N.W.	.00	Least Daily Range of Temperature, 5.0, on the 15th.
8	30.18	64	66	N.E.	.00	Mean Daily Range of Temperature, 12.9.
9	30.04	70	84	s.w.	Т	Mean Daily Dew-point, 59.0.
						Mean Daily Relative Humidity, 79.0. Prevailing Direction of Wind, S.W.
10	29.88	72	76	s.w.	.22	Total Movement of Wind, 6,267 Miles.
11	[] 29.94	68	68	W.	.60	Highest Velocity of Wind and Direction, 38 miles 8. on the 1st.
12	30.08	64	72	N.W.	.00	Number of Foggy Days, 0. " Clear " 17.
13	30.14	64	80	s.w.	т	Fair " 6.
14	29.90	64	94	N.E.	1.48	Number of Cloudy " 8.
						Total Number of Days on which Rain or Snow fell, 6.
15	29.83	58	92	N.E.	T	Depth of unmelted Snow on ground at end of month, 0. Dates of Auroras, none observed.
16	29.91	65	72	W.	.00	Dates of Solar Halos, none observed.
17	29.99	67	68	W.	.00	Dates of Lunar Halos, none observed.
18	30.06	67 .	71	w.	.00	Mean Max. Temp, 73.8. Mean Min. Temp., 60.9.
19	30.03	68	73	W.	.00	Thunder storm, 1st, 2d, 14th. Dates of Frosts, 0.
20	29.94	72	77	S.E.	.00	COMPARATIVE TEMPERATURE.
21	29.93	71	68	N.W.	Т	1872
						1873 69 1882 70
22	29.88	76	64	W.	.00	1874
23	30.04	70	67	W.	.00	1875
24	30.12	65	98	N.E.	.39	1877
25	30.24	64	86	E.	.00	1878
26	30.36	64	84	N.E.	.00	1879
27	30.36	60	83	N.E.	.00	
28	30,28	58	69	N.E.	.00	COMPARATIVE PRECIPITATIONS.
29		60	88	Ε.	.00	Inches. Inches. Inches. 1871 3.06 1880 2.90
						1872 3.70 1881 1.23
30	30.12	65	86	X.W. 1	.00	1873 6,21 1882 1,46
31	30.19	70	75	E.	.00	1874 6.67 1883 0.39 1875 3.50 1894 5.01
-						1875 3.50 1894 5.01 1876 1.23 1885 7.64
TOTALS					3.95	1877 4.49 1886 3.64
			SOCIONOS CONTRACTOR DE CONTRAC	The second section of the section of th		1878 7.66 1887 3.05
MEANS	30.074	67.4	78.6	s.w.	.127	1879 6.71 1888 6.53

-1001

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of September, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of September, Population estimated at 420,000.	Rate per 1,000 inhabitants, 23.91
Total number	NATIVITY.
SEX.	United Stares 549
Males 4	21 Ireland
Females 4	England
CONDITION.	Scotland
Married	Germany
Single	British America 47
	Italy
Widows	73 Other Countries
Widowers	22 Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	
Colored	
	Scotch
	German
Under 1 year 2	British American
Total deaths of children Under 2 years 29	99 Italian
Under 5 years 3	Other Countries
(Under 1 year	71 Mixed
Under 2 years	
Diarrhœal diseases Under 5 years	35
(All ages 10	Still-births during the month 46

	or .	for 18.									A	G I	€.									SE	x.
CAUSES OF DEATH.	Potal Mortality for September, 1889.	Total Mortality for Puptember, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	year and under 2 yrs.	2 years and under 3 yrs.	years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	b years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	So years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
	- 6	2						-		=			1	1	3		1					6	
ALCOHOLISM	11				1	4	2	2	1	10	1							****				7	4
OROUP	80										-					J.	e1.					2	
CARBUNCLE		1																					
CHOLERA MORBUS	68	84	11	11	34	10	2			68												36	32
CHOLERA INFANTUM	2								1	1	1											1	1
				-																			
CONGESTIVE FEVER	18	31	5	3	7	1			-	16							2					6	12
DIARRHŒA	15	8				1				1	,			 1		2	4	4	3			4	11
Dysentery	44	31		-	2	5	8	6	6	27	13	2		1	1							22	22
DIPHTHERIA				-				-				-											
ERYSIPELAS					-																		
INTERMITTENT FEVER							_			-			-										
INFLUENZA			-			-												-					
MEASLES	1				1		-																1
Purpura		1						-						-		-					-		
Puerperal Fever		-		-																			
PYÆMIA		-	-	-				-					_	_	-		i						
REMITTENT FEVER		1					-								1							1	
RHEUMATISM	1	- 3		_			-				-		-		-	-	-	-					
SCARLATINA		1	-				-				-			_	-					-	-		-
SMALL POX			-			1				2				-					_			2	
Syphilis (Congenital)	2	4	1																-	-			
SYPHILIS		1	-						-		-				-						-		
SEPTICÆMIA		1	<u> -</u>					1	. —	-	-		-	-	-	-					-		-
Tonsillitis,		_					-		!		-									-	-	19	14
TYPHOID FEVER	33	21				-					1	9	14	6	3						-	10	
TYPHUS FEVER	-	_ 1		-		-		_				-	-		-	_		-		-	-	7	4
WHOOPING COUGH	11	7	4	3	1	2		1		11								-		1	-		
YELLOW FEVER			-		-							_											
OTHER ZYMOTIC DISEASES		2	-					!							-								
		,																					
								1	1														
II. CONSTITUTIONAL.										-			-						-				
CANCER	17	17		1	1	-		1						1	3	4	5	3	1			5	12
HYDROCEPHALUS AND TUBERC. MENINGITIS	16	13	2	2	6	3	1	1	1	16												9	7
MARASMUS, SCROFULA AND TABES MESENTERICA	47	63	13	21	5	4			1	44			1					2			-	24	23
PHTHISIS PULMONALIS	115	107			1	3			1	5	1	9	39	28	18	6	5	3	1	1		55	60
	8	10	11 -				1			1	1		2	3			1		1			6	, 2

of September, Classified by Cause, Age and Sex.

1	. S	<u> </u>			CAMBE, 1979		-		-	-	A	G+:	E.						_	-		SE	X.
CAUSES OF DEATH. HI. LOCAL.	Total Mortality for September, 1889.	Total Mortality for September, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	S years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	nd) yrs.	and 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	To years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
Apoplexy	27	23													5		7	12	3			16	11
Bright's Disease	11	8											3		3	1	3	1				5	6
Bronchitis	32	18	2	1	3	4	5	1	1	17			1		1	5	4	3	1			19	13
HEART DISEASE	56	45	2							2	2	3	3	4	12	10	13	5	1	1		27	29
Meningitis	20	14	2	4	5	3	1		1	16	2					1		1			i	11	9
NEPHRITIS	7	12						1		1			1		1	3		1				3	4
PLEURISY																							
PNEUMONIA	33	39	3	4	2	3			2	14	1	1		5	2	4	4	2				20	13
OTHER LOCAL DISEASES	126	158	18	5	14	7	2		*********	46	1	3	5	11	16	15	19	7	2	1		49	77
IV. DEVELOPMENTAL.																							
CTANOSIS			2		-	-				2												2	
INANITION	18	5	15		2			-		17						1	-	~		- Second		7	11
OLD AGE	22	16															2	4	10	6		10	12
Premature Birth	14	12	14							14												5	9
PUERP'L DISEASES (not including Puerp'l Fever)	1	1	-								-		1										1
OTHER DEVELOPMENTAL DISEASES	19	28	12			1				13				2	3		1					10	9
			1																				
v. violent.																							
Accidental	24	33				1	1	2	1	5	2		4	3	4	2	3		1			19	5
Homicidal	2					-					-		2						-			1	1
SUICIDAL	3	3						-	_									1				3	
OTHER VIOLENT CAUSES								-			-	-											
OTHER VIOLENT ONCOLD TO THE				-	-			-		-	-	_						_					
Unknown Causes	3	2	1		_		-	_		1		-		1	_		-		1	_	-	2	1
	837		108	5.1	84	53	90	14	16	351	26	27	77	67	78	55	74	49	25	8		421	416
TOTAL FROM ALL CAUSES	214	204	21			24	12	9			16		15	9	8	3	8	4	3		-	113	101
TOTAL FROM ZYMOTIC DISEASES	203	210	16	23	12	10	1	1	3	66	2	9	42	32	21	10	10	8	3			99	104
CONSTITUTIONAL DISEASE	312	317	27	14	24	17	- 8	2	4	96	6	7	13	20	40	39	50	32	7	2		150	162
" " Local do	76	62	43	1.4	2	1		-		46	-		1	2	3	1	3	4	10	-6		34	42
" DEVELOPMENTAL do	29	36	30			1	1	2	1	5	2		-6	3	6	2	3	1	1			23	6
VIOLENT CAUSES	23	- 00			1	1			-			4.1		_	3			-					

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1889, and for the corresponding month in 1888.

CASES REPORTED DURIN	G SEPTEM	BER, 1889.	CASES REPORTED DURING	SEPTEMB	ER, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	99		Diphtheria	95	
Measles	4	****	Measles	13	****
Small Pox			Small Pox		
Scarlatina	17		Scarlatina	16	****
Typhoid Fever	216		Typhoid Fever	245	1
Typhus Fever			Typhus Fever	1	
Yellow Fever			Yellow Fever	••••	+

For the month of September, 1889. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.		DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.35	66	83	E. '	, .00	Mean Barometer, 30.066.
2	11 30.26	66	86	8.W.	.00	Highest Barometer, 30.351, on the 1st.
_	30.16	71	83	8.W.	.00	Lowest Barometer, 29.425, on the 21st. Monthly Range of Barometer, 0.926.
	- Company	72	88	s.w.	,00	Mean Temperature, 62.8.
4						Highest Temperature, 83.0, on the 6th.
5	30.16	70	88	s.	.01	Lowest Temperature, 43.0, on the 23d. Monthly Range of Temperature, 40.0.
6	30.12	77	86	! S.	.00	Greatest Daily Range of Temperature, 23.0, on the 4th.
7	30.19	68	95	N.	.00	Least Daily Range of Temperature, 5.0, on the 12th.
* 8	30.21	64	92	N.E.	.00	Mean Daily Range of Temperature, 12.3. Mean Daily Dew-point, 56.0.
9	30.22	62	94	N.E.	T	Mean. Daily Relative Humidity, 83.2.
10	30.18	63	86	N.E.	Т	Prevailing Direction of Wind, S.W.
	30.12	61	92	N.E.	.30	Total Movement of Wind, 8,205 Miles. Highest Velocity of Wind and Direction, 36 miles N.E. on the 10th.
11				N.E.	.40	Number of Foggy Days, 0.
12	30.17	64	94			" Clear " 8.
13	30.29	62	88		.00	" Fair " 8. Number of Cloudy " 14.
14	30.29	65	92	N.E.	.44	Total Number of Days on which Rain or Snow fell, 10.
15	[] 30.18	67	90	s.	.05	Depth of unmelted Snow on ground at end of month, 0.
16	30.06	73	88	S.W.	.05	Dates of Auroras, none observed. Dates of Solar Halos, none observed.
17	29.98	73	90	s.w.	T	Dates of Lunar Halos, none observed.
18	29.86	66	94	N.W.	.77	Mean Max. Temp., 69.0. Mean Min. Temp., 56.7.
19	11 29,56	56	85	s.w.	.74	Thunder storm, 21st. Dates of Frosts, 0.
	29.58	58	72	S.W.	ı T	COMPARATIVE TEMPERATURE.
20						1871
21	29.57	59	72	w	.26	1873 62.8 1882 62.7
22	29.85	52	66	W.	.00	1874 64.3 1883 59.3
23	30.04	54	57	W.	.00	187 0 59.3 1884 65.8 1876 58.8 1885 59.6
24	30.12	57	72	8.W.	.00	1877 63.9 1886 62.7
25	30.13	58	89	E.	T	1878 63.1 1887 59.6
26	29.89	64	94	W	17	1879
2"	29.97	56	58	w.	.00	
	30.11	52	78	N.W.	Т Т	COMPARATIVE PRECIPITATIONS.
28				s.w.		Inches. Inches. 1871 1.30 1880 2.36
29	30.22	52	58		.00	1872 6.04 1881 2.50
30	[] 30.09	62	86	8.	.00	1873 2,91 1882 10.93
						1874
	=====					1876 3.84 1885 , 1.70
COTALS					3.19	1877 0.60 1886 2.73
	1			-		1878 3.47
SEANS	. j 30.066	62.8	83.2	s.w.	1.06	1889

3761.9

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of October, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of October, 1889, Population estimated at 420,000.	Rate per 1,000 inhabitants, 22.97
Total number 804	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 6
Married	Germany
Ct.,).	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Seotch
/	German
Under 1 year 160	British American 42
Total deaths of children Under 2 years 210	Italian
Under 5 years 259	Other Countries
(Under 1 year 14	Mixed
Under 2 years	Unknown
Diarrheal diseases Under 5 years 28	
(All ages 30	Still-births during the month 51

	for 9.	for .									A	G:	E.									SE	EX.
CAUSES OF DEATH.	October, 1889.	Fotal Mortality fo	nder tim	nos. and	nonths and ider I year.	car and	rears and inder 3 yrs.	years and under 4 yrs.	under 5 yrs.	otal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	years and nder 40 yrs.	40 years and under 50 yrs.	years and	years and ider 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mades.	Females.
I. ZYMOTICS.	Testal Oct	12	T.n	3 m	6 n	l y	2 2 2	8 y	A A	101	K e	10	20	30 m	40	50 u1	09	70 I	80 m	96	100	M	Kei
ALCOHOLISM	4													3	1							2	2
CROUP	11	5			3		1	1		`	3											5	6
CARBUNCLE	1															1						6	1
CHOLERA MORBUS																						0	
CHOLERA INFANTUM	T6	16		1	5	7				16												12	+
CEREBRO-SPINAL MENINGITIS	1	4									1												1
Congestive Fever																							
DIARRIGA	15	9	1			2				3						2	1					- 4	2
Dysentery	7	5	. 2		2					4		1			1			1					7
DIPHTHERIA	49	51	1		1	`	9	7	5	31	14	2		1	1							21	28
ERYSIPELAS		2																					
INTERMITTENT FEVER																							
INFLUENZA																						-	
MEASLES		2																					
Purpura																							
PUERPERAL FEVER		2																					
PYÆMIA		2																					
REMITTENT FEVER																							
RHEUMATISM	1	2														1					,		1
SCARLATINA	2	1		1			1			2												1	1
SMALL POX																							
STPHILIS (CONGENITAL)	7	1		2		2				7												4	
Syphilis	2	1											7		1							1	1
SEPTICÆMIA	2	i											2										2
Tonsillitis,																							
TYPHOID FEVER	20	42										2	14	2	::	1		1				14	91
Typhus Fever																							
WHOOPING COUGH	7	::		1	1	2	1	2		7												-	7
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	**														1			1				2	
II. CONSTITUTIONAL.																							
ANCER	20	25										1	2		â	4	2	1	2			3	17
LYDROCEPHALUS AND TUBERC. MENINGITIS	1.3	24	1	1		2	2	1	1	11	2											5	`
Marasmus, Scrofula and Tabes Mesenterica	(0	l.,	15	`	13		1			42	2		1				1					28	15
PHTHISIS PULMONALIS	120	124				2	1			6.	3	11	87	25	16	î	10	5				- 4	1515
Other Constitutional Diseases	16	30		1	1	1			1	1		.;										1	4

of October, Classified by Cause, Age and Sex.

	for .	for	,							-	A	G :	E.									S	ex,
CAUSES OF DEATH. HI. LOCAL.	Total Mortality for Occober, 1889.	Total Mortality October, 1888.		3 mos. and under 6 mos.	. 55	1 year and under 2 yrs.	2 year- and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years	Males.	Females.
APOPLEXY	19	17											1	2	2	1	3		4			6	13
Bright's Disease	17	10										2	1	3	2	7	1	1				10	7
Bronchitis	41	38	4	5	3	3	3	1		19		1	1			7	5	5				21	20
HEART DISEASE	79	, 57	2		1					3	1	7	6	-6	11	11	13	14	6	1		32	47
MENINGITIS	15	13	3	1	5	1	1			11	2	1				1						6	9
NEPHRITIS	13	1 17										1	5		1	1	4		1			7	6
PLEURISY		, 1																					
PNEUMONIA		62	4	5	3	4	3	1		20	2	1	3	6	7	5	5	4	1	1		34	21
OTHER LOCAL DISEASES	112	143	9	6	7	7	2	2		33	5	2	7	17	12	10	17	8	1			59	
IV. DEVELOPMENTAL.																							
CYANOSIS		1																					
INANITION	5	7	4			1				5												2	3
OLD AGE	28	10															2	12	12	2		11	17
PREMATURE BIRTH	11	11	10			1				11												8	3
PUERP'L DISEASES (not including Puerp'l Fever)	7	1										1	+	1	1								7
OTHER DEVELOPMENTAL DISEASES	19	22	8	2	1	1			1	13		1						4	1			10	, 9
V. VIOLENT.																							
ACCIDENTAL	25	27	1					1		2	1		4	1	5	10	1		1			17	8
HOMICIDAL	1												1									1	
SUICIDAL	4	2											1	2		1						- 4	
Other Violent Causes	1	1														1						1	
UNKNOWN CAUSES	2	1		1						1		1											2
TOTAL FROM ALL CAUSES	801	N25	74	35	51	50	25	16	S	259	36	38	914	(30)	70	71	11-11	this	32	4		591	418
TOTAL FROM ZYMOTIC DISEASES	141	158	10	5	12	24	12	10	5	78	18	5	17	6	8	5	1	3				66	7.0
·· " Constitutional Diseases	209	226	19	10	19	8	4	1	2	63	7	1ô	43	25	21	11	13	9	1)			96	113
" " Local do	351	358	22	17	19	15	9	4		86	10		24	34	35	43	48		16	2		175	176
« " DEVELOPMENTAL do	70	52	, 22	2	1	3			1	29		2	4	1	1		2	16	13	2			39
" " VIOLENT CAUSES	31	30	1					1		2	1		6	3	5	12	1		1		- !	23	8

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1889, and for the corresponding month in 1888.

CASES REPORTED DURIN	G OCTOR	ER, 1889.	CASES REPORTED DURIN	G OCTOBE	R, 1888.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	137		Diphtheria	146	
deasles	1	2	Measles	17	
Small Pox	7		Small Pox		
Searlatina	32		Scarlatina	52	
Cyphoid Fever	209		Typhoid Fever	196	2
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		
		100			

For the month of October, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.		DAILY MEAN TEMPERATURE.		DIRECTION	DAILY RAIN FALL.	GENERAL ITEMS.
		, and bleat clear	110.441)1111.	OF WIND.		
1	29.64	64	87	s.w. '	.31	Mean Barometer, 30.042.
2	29.80	58	68	W.	.00	Highest Barometer, 30.454, on the 23d. Lowest Barometer, 29.569, on the 1st.
3	30.08	50	68	N.W.	.00	Monthly Range of Barometer, 0.885.
4	30.08	-60	72	s.W.	.02	Mean Temperature, 48.5.
5	30.14		76	N.	.00	Highest Temperature, 74.0, on the 20th. Lowest Temperature, 32.0, on the 24th.
6	29.98		90	S.E.	т	Monthly Range of Temperature, 42.0.
7	1 29.75		86	N.W.	.63	Greatest Daily Range of Temperature, 25.0, on the 19th. Least Daily Range of Temperature, 5.0, on the 31st.
						Mean Daily Range of Temperature, 3.0, on the 51st.
^ 8	29.97	46	67	W.	.00	Mean Daily Dew-point, 39.6.
	20.94	50	62		.00	Mean Daily Relative Humidity, 74.0. Prevailing Direction of Wind, N.
10	29.86	50	62	W.	T	Total Movement of Wind, 8,244 Miles.
11	29,99	48	64	s.	.00	Highest Venerity of Wind and Direction, 56 miles 8.W. on the 1st.
12		48	82	N.	Т	Number of Foggy Days, 0. " Clear " 8.
13	30.10	44	77	N.E.	1.12	" Fair " 10.
14	29.99	43	88	N.	.14	Number of Cloudy " 13. Total Number of Days on which Rain or Snow fell, 10.
15	30.01	48	68	N.	.10	Depth of unmelted Snow on ground at end of month, 0.
16		44	64	N.		Dates of Auroras, none observed.
17	30.67	43	78	N.W.		Dates of Solar Halos, none observed. Dates of Lunar Halos, none observed.
18	30.04		52	W.		Mean Max. Temp., 54.5. Mean Min. Temp., 42.5.
	30.15	52	70	W.		Thunder storm, none.
19						Dates of Frosts, light 8th, 9th, 12th, 16th, killing 17th, 22d, 24th. COMPARATIVE TEMPERATURE.
20	29.99	64	80	s.w.	.00	1871 54.0 1880
21	30,20	42	70	χ		1872
22	30.34	40	55	N.W.	.00	1878 52.8 1882 54.6 1874 53.1 1883
23	30,44	33	63	N.	.00	1875 49.2 1884
24			69	N.E.	.00	1876
25		44	81	N.E.	.00	1878 54,9 1887
26		49	82	W.	.00	1879
27	29,95		88	E.		1800
28	29.74		85	×.	.40	COMPARATIVE PRECIPITATIONS.
29	29.99	41	90	N.	.94	Inches. Inches. Inches. 1871
30	30.16	42	74		.00	1872 4.85 1881 2.84
31		44	76	s.w.		1873 5,33 1882 2,29 1874 1,39 1885 6,40
-01		4.5	10	D. 11 .		1875 4.99 1894 3.17
					0.01	1876 1.66 1885 5.71
OTALS					3.31	1877 8.84 1886
	20.012	19.6		7-	1.0=	1879 0.91 1888
EANS	30.042	48.6	74.0	72.	1.07	1889 3,31

. . .

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of November, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of November, 1889	,
Population estimated at 420,000.	Rate per 1,000 inhabitants, 20.05
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 6
Married	Germany
Single	British America
	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch 6
(German
Under 1 year 133	British American
Total deaths of children Under 2 years 171	Italian
Under 5 years 210	Other Countries
(Under 1 year	Mixed
Diarrheal diseases	Unknown
Under 5 years	
(All ages	Still-births during the month 44

	or .	S. S.				-					A	G:	E.									SE	X.
CAUSES OF DEATH.	Total Mortality for Nevember, 1889.	Fotal Mortality for November, 1888.	108.	d mos.	and year.	d yrk.	yrs.	nd yrs.	nd J f.B.	ears.	nd yrs.	20 yrs.	und yrs.	und yrs.	und yrs.	and yra.	und yrs.	und yrs.	und) yrs.	and yrs.	er.		
	l Mor	otal Mortali November,	Under 3 mos.	8 mos. and under 6 mc	6 months in der 15	her 2	years ar	years an	years at	Potes unde	5 years and under 10 yrs.	10 years and under 20 yrs	20 years and under 30 yr	30 years and under 40 yr	to years and under 50 yr	50 years an under 60 y	60 years runder 70	70 years r under 80	80 years an under 90 y	enrs ser 100	100 years and over.	ž	Females.
I. ZYMOTICS.	Total	Tot	Un	an an	6 m	1 year	2 5.	3 ye	4 70	Tota	y c un	10 0	20 0	30 y	40 3	100	60 y	02	80 y	90 7	100	Males.	F.
ALCOHOLISM	7	- 4												4	1	2						5	2
CROUP	8	13			1	1	5	1		8												4	4
CARBUNCEL																							
CHOLERA MORBUS	1												1									1	
CHOLERA INFANTUM	6	3	1	1	3	1				6												2	4
CEREBRO-SPINAL MENINGITIS		2																					
Congestive Fever																							
DIARRHŒA	9	16	8							1 8						1						3	6
DYSENTERY	2					1				1					1							1	1
DIPHTHERIA . ,	42	51			2	8		7	6	29	11	2										19	23
LEYSIPULAS																							
INTERMITTENT FEVER		i																					
INFLUENZA																							
MEASLES		1																					
l'urpura	1																1						1
Puerperal Fever						1																	
Гулемиа	j 2	1											1		1							1	1
REMITTENT FEVER																							
RHEUMATISM	1	1												1				1					1
SCARLATINA		1																					
SMALL POX	2			Ī	1					1			; 1									1	1
SYPHILIS (CONGENITAL)	1	1	1							1													1
SYPHOLIS	1														1								1
SEPTICÆMIA	1	2									1												1
TONSILLITIS																							
Typhoid Fever] 17	17			1 1					1		2	7	8	4							,	9
Typhus Frynk																							
WHOOPING COUGH ,	3	3		1	2	1				3	1											1	2
YEELOW FLYER					1																		
OTHER ZYMOTIC DISEASES	1	1												1								1	
						1																	
						1												1					
II. CONSTITUTIONAL.																							
CANCER	30	1- 17	1		-		1			1			1	1 5	7	10	, 3	3		-		11	19
Hydrocephalus and Tuberc. Meningitis	5	1 15	2	-	2			-	1				1						-			8	2
MARASMUS, SCROFULA AND TABES MESENTERICA	25	29	9					1	1	24	-		1		-							13	12
PHTHISIS PULMONALIS	115	112	1 1	1	1	1		-	1	4	1	14	-	27	18	! 8	6		1			54	61
				-	1				-	4	1					1						S	10
OTHER CONSTITUTIONAL DISEASES	18	16		1	1 1	1	1		1	4	1	1	. 3	6		- 1	1 3					1 3	. 10

of November, Classified by Cause, Age and Sex.

HIL LOCAL Fig. 2 1		for 89.	ity for 1888.									A	G	E.									11 8	BEX,
APPOPLEXT		Total Mortality November, 18	Mortall	Under 3 mos.	5 trons, and under 6 mos.	6 mos. a. d under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 50 yrs.	70 years and under So yrs.	80 years and under 200 yrs.	90 years ind under loopyre.	100 years and over.	Males.	Females.
BRIGHT'S DISEASE	APOPLEXY																			2			7	16
HEART DISEASE	Bright's Disease	17	17										1	2	1	4	2	2	4	1 1				
MENINGITIS	Bronchitis	2947	31	.;	ı "	4	5	2		1 1	22	1	+	1		2	1	2	3	4			14	
NEPHRITIS	HEART DISEASE	(5.)	51		1						1		1	ij	6	s	9	16	7				29	31
PREMINIST PREMINIST OTHER LOCAL DISCASES 05 127 18 7 2 0 7 2 12 12 12 0 11 10 5 3 1 43 6 6 17 1 3 3 3 1	MENINGITIS	14	17	1	, 1	3	3	1			11		1	1			1						12	2
PREIMONIA	Nephritis	12	4				1	1			2		1	1	3	2	3		i -	1 1			7	5
OTHER LOCAL DISEASES	PLEURISY									ì														
IV. DEVELOPMENTAL. CYANOSIS . 3 1 3 3 1 2 1 1 1 1 1 1 1 1	PNEUMONIA	64	63	5	4	1	4	1		3	18	3	1	3	9	8	10	6	5	1 1			33	31
CYANORIS 3	Other Local Diseases	96	127	18	1	2	6		1		28	1	2	12	12	9	11	10	5	3			43	50
CYANORIS 3																								
NANITION	IV. DEVELOPMENTAL.																							
PREMATURE BIRTH	CYANOSIS	8	1	3							3												2	- 1
PREMATURE BIRTH	INANITION	9	1	6	2						S					-	1 :						5	4
PUERP'L DISEASES (not including Puerp'i Fever) 3 3 OTHER DEVELOPMENTAL DISEASES. 8 18 6 6 6 1 1 1 4 4 4 V. VIOLENT. ACCIDENTAL	OLD AGE	16	15															2	2	12	-		7	9
OTHER DEVELOPMENTAL DISEASES S 18 6 6 1 1 1 1 4 4 4 4	PREMATURE BIRTH	11	9	11							11												7	4
V. VIOLENT. ACCIDENTAL. 26 33 2 1 3 1 2 6 HOMICIDAL 1 1, 1 1 3 3 2 6 OTHER VIOLENT CAUSES 2 1 3 1 1 1 3 3 2 UNKNOWN CAUSES 1 3 1 1 3 1 1 1 3 3 2 UNKNOWN CAUSES 1 3 1 1 3 1 1 1 3 3 3 2 UNKNOWN CAUSES 1 3 1 1 3 1 1 1 3 3 3 3 2 UNKNOWN CAUSES 1 3 1 1 1 1 3 3 3 3 2 UNKNOWN CAUSES 1 3 1 1 1 1 3 3 1 1 1 1 3 3 3 3 3 3 3	Puerp'i, Diseases (not including Puerp'i Fever)	3	3											2	1								-	3
ACCIDENTAL. 26 33 2 1 3 1 20 2 7 3 1 1 20 6 HOMICIDAL 1 1 1 1 3 3 20 6 HOMICIDAL 5 4 1 1 1 1 3 3 20 6 OTHER VIOLENT CAUSES 2 1 1 1 1 8 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	OTHER DEVELOPMENTAL DISEASES	8	18	6							6 .					1			1				4	4
ACCIDENTAL. 26 33 2 1 3 1 20 2 7 3 1 1 20 6 HOMICIDAL 1 1 1 1 3 3 20 6 HOMICIDAL 5 4 1 1 1 1 3 3 20 6 OTHER VIOLENT CAUSES 2 1 1 1 1 8 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2																								
HOMICIDAL	V. VIOLENT.		1				İ																	
Indicidal	Accidental	26	33	2						1	3			10	2	7	3	1					20	6
OTHER VIOLENT CAUSES 2 1 1 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Homicidal	1		, 1							1					-							1	
UNKNOWN CAUSES	SUICIDAL	5	4		-		-							1	1	3					=		3	2
TOTAL FROM ALL CAUSES	Other Violent Causes	2		,										1			1						2	
TOTAL FROM ALL CAUSES																								
TOTAL FROM ZYMOTIC DISEASES	Unknown Causes	1	3	1		-		1		-	1									-			1	
" CONSTITUTIONAL DISEASES	TOTAL FROM ALL CAUSES	702	702	79	25	20	38	18	9	12	10	18	25	93	51	80	68	62	35	30	1		337	365
" Local do 319 339 27 14 10 21 3 1 4 82 5 6 25 31 36 41 46 28 18 149 170 170 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 180 18	TOTAL FROM ZYMOTIC DISEASES	105	117	10	1	10	12	11	8	6	58	12	4	10	5	5 1	3	1	1	2000		11	47	58
" " DEVELOPMENTAL do 50 47 26 2 2 25 25	" " CONSTITUTIONAL DISEASES	193	189	12	8	9	5	2		1	37	1	15	43	38	25	19	12	3				89	104
25 2 1 1 1 2 3 12 1 23 25	" " LOCAL do	319	209	27	14	10	21	ā	1	4	82	5	6	26	31	36	41	46	28	18			149	170
" VIOLENT CAUSES. 24 27 2	" " DEVELOPMENTAL do	50	47	26	2						28		-	2	1	1	1	2	3	12			25	25
26 8	" " VIOLENT CAUSES	94	37	3						1	4			12	3	10	4	1	-			-	26	8

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of November, 1889, and for the corresponding month in 1888,

CASES REPORTED DURIN	IG NOVEM	BER, 1889.	CASES REPORTED DURING	3 NOVEME	BER, 1888.
	City.	Quarantine.		City.	Quarantine
Diphtheria	101		Diphtheria	156	1
Measles	4	2	Measles	85	
Small Pox	3		Small Pox		
Scarlatina	36		Scarlatina	29	
Typhoid Fever	64		Typhoid Fever	101	1
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of November, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.22	48	94	W.	.15	Mean Barometer, 30.067.
2	30.19	54	84	s.	Т	Highest Barometer, 30.64, on the 27th. Lowest Barometer, 29.30, on the 22d.
3	20.57	59	. S5	S.W	.38	Monthly Range of Barometer, 1.336.
4	30.15	49	60	W.	.00	Mean Temperature, 44.6.
5	30.17	44	57	W.	.00	Highest Temperature, 66.0, on the 3d. Lowest Temperature, 21.0, on the 16th.
	30.15	40	60	s.w.		Monthly Range of Temperature, 45.0.
6						Greatest Daily Range of Temperature, 23.0, on the 17th. Least Daily Range of Temperature, 5.0, on the 30th.
. 7	30.06	47	50	s.w.	.00	Mean Daily Range of Temperature, 11.5.
8	30.19	. 48	74	W.	.00	Mean Daily Dew-point, 35.4.
9 :	30.00	50	SS	N.	.02	Mean Daily Relative Humidity, 74.6. Prevailing Direction of Wind, W.
10	30.01	42	88	N.E.	.39	Total Movement of Wind, 8,501 Miles.
11	30.17	44	80	W.	T	Highest Velocity of Wind and Direction, 40 miles S.E. on the 28th.
12	30.21	50	85	s.w.	.02	Number of Foggy Days, 0. " Clear " 9.
13	29.86	51	92	N.E.	.30	" Fair " 4.
14	29.69	56	72	W.	.25	Number of Cloudy " 17. Total Number of Days on which Rain or Snow fell, 13.
15	30.11	34	. 64	N.W.	.00	Depth of unmelted Snow on ground at end of month, 0.
16	30.57	29	. 60	W.	,00	Dates of Auroras, none observed.
	30.41	36 .	50	s.w.	.00	Dates of Solar Halos, none observed. Dates of Lunar Halos, none observed.
17			63	N.E.	.00	Mean Max. Temp., 50.4. Mean Min. Temp., 58.9.
18 '	30.27	38				Thunder storm, none.
19 :	30.03	46	96	N.E.	.45	Dates of Frosts, none. COMPARATIVE TEMPERATURE.
20 '	29.75	52	88	s.w.	.85	1871
21	29.69	48	88	S.	.10	1872
22	29.36	47	84	N.W.	.30	1873
23	29.78	46	78	W.	.00	1875
24	30.16	45	. 66	s.W.	00	1876 40 1885
25 .	30,21	46	65	N.W.	.00	1878 40
26	30.58	31	61	N.W	.00	1879
27	30,45	35	94	N.E.	.07	1000
28	29.65	50	84	S.E.	1.63	COMPARATIVE PRECIPITATIONS. Inches. Inches.
29	29.84	40	65	8.W.	00	Inches. Inches. 1871 6.42 . 1880 2.30
		0.5	62	W.	.00	1872 3.66 1881 3.73
30	80.21	<i>0</i> 22	02	11.	00	1873 8.84 1882 1.20 1874 2.85 1883 2.08
						1875 5.47
-					1 01	1876
TOTALS					4.91	1878 8.94 1887 2.22
	20.007	44.6	74.6	W.	.164	1879 2.97 1888 4.97
WRYZe	30.067	성명·(t)	14.5		-104	1889 4.91

3761,9

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of December, 1889.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of December, 1889, Population estimated at 420,000.	Rate per 1,000 inhabitants, 26.25
Total number	NATIVITY.
SEX.	United States 592
Males 499	Ireland
Females 420	England
CONDITION.	Scotland
Married	Germany
	British America 51
Single	Italy 6
Widows	Other Countries
Widowers 42	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
,	German
Under 1 year 131	British American 50
Total deaths of children Under 2 years 178	Italian
Under 5 years 238	Other Countries 49
(Under 1 year 7	Mixed
Under 2 years 8	Unknown
Diarrhœal diseases Under 5 years 8	
All ages 11	Still-births during the month 44

	for .9.	for	1			-						A	Gł:	E.								ı	SE	X.
CAUSES OF DEATH.	Mortality mber, 188	Mortality	Thylor 2 mos	8. and	under 6 mos.	or 1 year.	1 year and under 2 yrs.	tre and der 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.		Femules.
I. ZYMOTICS.	Total	Total	Truck	3 mo	pun 9	nun	1 ye	2 yes	3 yes	4 yea	Total	o yea	10 ye	20 ye	30 ye	40 y	50 y	60 y	70 y	80 y	90 y	100 g	Males.	Fem
ALCOHOLISM	7	8												1	2	2	2						5	2
CROUP	17	15				_	2	3	4	5	14	3											8	9
CARBUNCLE																					_			
CHOLERA MORBUS				_ _	_ -										_									
CHOLEBA INFANTUM	1	1			_		1				1									_			1	
CEREBRO-SPINAL MENINGITIS	1	1				17							1										1	
Congestive Fever																								
DIARRHŒA	9	2		5	1						в					1		2					5	4
DYSENTERY	1			1							1								-				1	
DIPHTHERIA	59	58		1		1	8	8	10	8	36	16	3	3	1								33	26
ERYSIPELAS	2	1				1					1			1									1	1
INTERMITTENT FEVER																								
Inpluenza																								
MEASLES																								
PURPURA	1	1							-					1										1
PUERPERAL FEVER																								
Ружміа	1	1		- -	1						1		-	-							-		1	
REMITTENT FEVER				-					-															
RHEUMATISM	1	:		-	-				_									1		-			1	
SCARLATINA	4			- -	1		_	1	j		2				2								4	
SMALL POX		-	- -				_		_	-	-			-							-			
Syphilis (Congenital)	1	-	- -	1						-	1							-		-			1	
SYPHILIS	1		2								-	-	-	1				-		-	-		1	
SEPTICÆMIA			-	- -			—	-						-		-				-				
TONSILLITIS,		-			-				-		-	-		-	-			-	_	-	-			
	13	1		-		1	1				2	1	3	4	1	1	1				-		10	3
TYPHOID FEVER		-		- -	-		-			-				-	-	-					-	-		
TYPHUS FEVER	3	-	3	1	-	2		-	-	-	3	1	-	-	-	-	-		-		1		1	2
WHOOPING COUGH		-		-	-							1	-	-	-	-		-		-	-	-		
YELLOW FEVER	1	-	3	- -							-	 		-	-	-		1	-	-	-		1	
OTHER ZYMOTIC DISEASES		-	-	-			-			-	-	-	-	-	-	-	-		-	-	-			
					1																			
VI CONSTRUCTOR II			-																					
II. CONSTITUTIONAL.		-	-							-	-	-	-		6	5	8	8	1	1		-	8	21
CANCER	29	2	—jj-	-		_			-	4	10	-	.0		-		0		-	1			8	7
Hydrocephalus and Tuberc. Meningitis	15	1	—i -		_	2	5	3	1	1	-	-	2	-	1		-	-		-	-		11	9
MARASMUS, SCROPULA AND TABES MESENTERICA	i	2	—ii-	9	4	_	1	-	-	-	14		4.0		-	10	3	3	-	-		-	81	64
PHTHISIS PULMONALIS	145	13	5			1	2		1		4	3	16	54	24	15	8	13	7	1	-	-		
OTHER CONSTITUTIONAL DISEASES	17	1	3	1	.					-		3	1	4	8	1	1	1	1	-		1	9	8

of December, Classified by Cause, Age and Sex.

	70 °.	for S.	1								A	G:	E.									SE	ex,
CAUSES OF DEATH.	Total Mortality fo December, 1889.	Total Mortality fo December, 1888.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 50 yrs.	60 years and under 70 yrs.	70 years and under 80 yes.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	30	24		1						1			1		4	6	8	6	4			12	18
Bright's Disease	12	11						-				1	1	1	1	5	1	1	1			6	6
Bronchitis	43	41	10	4	3	4		-		21		1	1	3		5	3	4	5	_		27	16
HEART DISEASE	82	59	1	-				_		1	1	4	10	9	11	12	14	12	8			35	47
MENINGITIS	20	18	1	2	2	5	1		1	12	8	_	1	1	1	1			1			14	6
NEPHRITIS	8	10			1	_	-			1			1	2	1	2	1					5	3
PLEURISY		2							_														
PNEUMONIA	148	80	2	2	7	13	6		1	31	3	2	21	19	29	19	14	7	3			83	65
OTHER LOCAL DISEASES	102	114	9	4		4	2	1	1	21	1	6	11	10	12	14	12	9	6			57	45
					_	_		_	_			_	_										
IV. DEVELOPMENTAL.																							
CYANOSIS	5	1	5	-			-	-		5	-											1	4
INANITION	6	6	4	2	_					6								-				4	2
OLD AGE	24	25							-								2	6	11	4	1	12	12
PREMATURE BIRTH	21	20	21							21												12	9
PUERP'L DISEASES (not including Puerp'l Fever)	4	2											2	1	1								4
OTHER DEVELOPMENTAL DISEASES	24	20	15	1	1	1				18						1	2	1	2			8	16
v. violent.																							
ACCIDENTAL	32	27					1	1		2		1	4	12	4	5	2	2				26	6
Homicidal																							-
SUICIDAL	6	2												2	1	1	2					5	1
OTHER VIOLENT CAUSES	2												1			1							2
]															
UNKNOWN CAUSES	1	2									-		1										1
TOTAL FROM ALL CAUSES	919	781	86	23	22	47	25	18	17	238	34	40	124	105	89	94	90	57	43	4	1	499	420
TOTAL FROM ZYMOTIC DISEASES	123	118	9	3	5	12	12	14	13	68	20	7	17	6	4	3	4					75	48
" CONSTITUTIONAL DISEASES	226	199	9	4	8	8	3	2	1	30	6	18	58	39	20	19	25	9	2			117	109
46 44 LOCAL do	445	359	23	18	13	26	9	1	3	88	8	14	47	45	59	64	53	39	28			239	206
46 46 DEVELOPMENTAL do	84	74	45	3	1	1				50			2	1	1	1	4	7	13	4	1	37	47
" " VIOLENT CAUSES	40	29					1	1		2		1	5	14	5	7	4	2			-	31	9

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1889, and for the corresponding month in 1888.

CASES REPORTED DURIN	G DECEM	BER, 1889.	CASES REPORTED DURING DECEMBER, 1888.													
	City.	Quarantine.		City.	Quarantine.											
Diphtheria	174		Diphtheria	174												
Measles	9		Measles	160												
Small Pox			Small Pox													
Scarlatina	49	1	Scarlatina	40												
Typhoid Fever	64		Typhoid Fever	67												
Typhus Fever			Typhus Fever													
Yellow Fever			Yellow Fever													

For the month of December, 1889, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.40	35	54	w.	.00	Mean Barometer, 30.13.
2	30.02	43	47	SW.	.00	Highest Barometer, 30.96, on the 31st.
3	30.04	34	64	N.	.04	Lowest Barometer, 29.28, on the 26th. Monthly Range of Barometer, 1.67.
4	30.48	15	79			Mean Temperature, 38.0.
*				N	T	Highest Temperature, 65.0, on the 25th.
5	30.24	28	84	N.W.	.05	Lowest Temperature, 10.0, on the 4th. Monthly Range of Temperature, 55.0.
6	29.95	37	68	W.	.04	Greatest Daily Range of Temperature, 30.0, on the 29th.
7	30.04	38	68	s.w.	.00	Least Daily Range of Temperature, 5.0, on the 14th.
8	30.22	43	82	s.w.	T	Mean Daily Range of Temperature, 14.3.
- 9	30.11	55	82	s.w.	,25	Mean Daily Dew-point, 27.3. Mean Daily Relative Humidity, 69.2.
10	30.36	42	76	E.	.00	Prevailing Direction of Wind, W.
11	29.88	48	79	W.		Total Movement of Wind, 9,539 Miles.
					.22	Highest Velocity of Wind and Direction, 54 miles W. on the 26th. Number of Foggy Days, 0.
12	30.07	42	54	W.	.00	" Clear " 8.
13	29.94	44	58	s.w.	T	" Fair " 7.
14	30.21	22	77	N.	.20	Number of Cloudy " 14. Total Number of Days on which Rain or Snow fell, 19.
15	30.29	22	78	N.	.02	Depth of unmelted Snow on ground at end of month, 0.
16	30.28	30	78	W.	.00	Dates of Auroras, none observed.
17	30.28	36	79	S.W.	.00	Dates of Solar Halos, none observed. Dates of Lunar Halos, none observed.
18	30,29	43	95	E.		Mean Max. Temp., 45.1. Mean Min. Temp., 30.8.
					.05	Thunder storm, none.
19	29.92	46	85	W.	.37	Dates of Frosts, none. COMPARATIVE TEMPERATURE.
20	29.85	48	81	S.W.	.00	1871 28 1880 26
21	30.14	42	56	W.	Т	1872 24 1881
22	30.07	37	80	w.	.18	1873
23	30.30	40	52	N.W.	.00	1874
24	30.32	37	68	w.	т	1876
25	29,81	52	60	s.w.	.35	1877
26		1				1878
	29.43	46	. 52	W.	.02	1889
27	29.72	31	45	W.	.00	JONDADA DA DELLE DE DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CONTRA DE CON
28	30.04	36	66	W.	.00	COMPARATIVE PRECIPITATIONS. Inches.
29	30.11	41	84	S.E.	т	1871 3.38 1880 3.42
30	30.23	39	48	N.W.	.04	1872 2.95 1881 3.82 1873 5.64 1882 2.65
31	30.87	24	64	N.	.00	1873
						1875 0.75 1884 4.46
OTALS					1.83	1876 3.71 1885 2.09
V.220					1.50	1877 1.32 1886 3.66 1878 6.76 1887 2.71
	20.08	20.0	20.0	VII.		1879 5.36 1888 4.39
EANS	30,06	38.0	69,2	W.	.059	1889 1.83

SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1889. Compared with those of 1888.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	-			0700	without.
	1889.	1888.		1889.	1888.
Total No. of deaths from all causes	10,259	10,197	Erysipelas	24	41
Population (estimated)	420,000	415,000	Intermittent Fever	_	1
Annual death rate per 1000 inhabitants	24.42	24.57	Measles	48	27
Total No. from Zymotic diseases	1,968	1,841	Purpura	3	4
Percentage of deaths from Zymotic dis-			Puerperal Fever	12	18
eases to total mortality	19.18	18.0	Pyæmia	8	10
Total No. of Still-births	598	552	Remittent Fever		2
Total deaths of children under 1 year .	2,360	2,281	Rheumatism	31	28
" 2 years .	2,967	2,878	Scarlatina	23	65
" " 5 years .	3,633	3,599	Small Pox	2	2
Percentage of deaths under 5 years to			Syphilis (congenital)	22	26
total mortality	35.41	35.2	Syphilis	10	4
Total No. of deaths from diarrheal dis-			Septicæmia	18	17
eases, under 5 years	598	574	Tonsillitis	1	7
Total No. of deaths from diarrheal dis-		E CONTRACTOR DE	Typhoid Fever	186	170
eases, all ages	710	669	Typhus Fever	-	1
Percentage of deaths from diarrhoal dis-			Whooping Cough	96	74
eases to total mortality	6.92	6.5	Yellow Fever		
Alcoholism	62	53	Other Zymotic Diseases	5	14
Croup	119	119	Cancer	306	279
Carbuncle	2		Phthisis Pulmonalis	1,431	1,464
Cholera Morbus	22	. 27	Bright's Disease :	155	170
Cholera Infantum	450	440	Bronchitis	448	474
Cerebro Spinal Meningitis	21	19	Heart Disease	789	668
Diarrhœa	163	154	Pneumonia	934	990
Dysentery	76	48	Old age	282	240
Diphtheria	564	470	Violent Deaths	423	414



OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of January, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of January, 1890,	
Population estimated at 420,000.	Rate per 1,000 inhabitants, 37.4
Total number	NATIVITY.
SEX.	United States
Males 646	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 151	British American 69
Total deaths of children Under 2 years 208	Italian
Under 5 years 268	Other Countries
(Under 1 year	Mixed
Under 2 years 10	Unknown
Diarrhœal diseases Under 5 years 10	
All ages 14	Still-births during the month

	Tor	for				_	-			-	Α.	G:	E.	-			-			-		SE	X.
CAUSES OF DEATH.	Total Mortality for January, 1890.	Total Mortality January, 1889.	Under 3 mos.	3 mos. and under 6 mos.	months and under I year.	l year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Potal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yes.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.	Males.	Females.
I. ZYMOTICS.	Tol	To	Un	3 10	9 n	I n	. 2	8 E	4 7	Tot	n n	01 m	20	80	40	20		70	98 n	06 nn	100		
ALCOHOLISM	6	3			_			maket and a fin-				-	1	2	1	_	2					4_	2
CROUP	13	12	-	1	1	9	5		_	10	8	-										6	7
CARBUNCLE																_							_
CHOLERA MORBUS																							
CHOLERA INFANTUM	2	2		1		1				2								-			-		2
CEREBRO-SPINAL MENINGITIS		2																					
Congestive Fever																							
Diarrhea	10	8	4		2	2				8								2	-			4	6
DYSENTERY	2	2										1	_		_			1				1	1
Diphtheria	63	59	1			11	8	5	7	32	20	8	3									27	36
ERYSIPELAS	3	6	1							1			-		1		1					1	2
INTERMITTENT FEVER																							
INFLUENZA	13										1		_		1	3	3	3	2			6	ī
MEASLES		5																					
Purpura	1												1										1
Puerperal Fever		2	-	-																			
Ружміа	2	1													1	1						2	
REMITTENT FEVER																							
RHEUMATISM		3											-										
SCARLATINA	5		-		1	1	1			3		2										3	2
SMALL POX	-			i								-					-						-
Syphilis (Congenital)	2	3	1	-	1					2		_	-									2	
Syphilis		1	-			-																	
SEPTICÆMIA	1	1		1				. —					-		1				-				1
Tonsillitis,			-	-				-	Н		-		-										
Typhoid Fever	. 7	6		-	-		-					3	1	1	1	1						5	2
Typus Fever	!	-		-				-						-		-	-		-				
WHOOPING COUGH	5	4	-		1	4		_	-	5	-	-	-	-	-			-		-		2	3
			-	-													_		-				-
YELLOW FEVER	1	-	-			_						1							1				1
OTHER ZYMOTIC DISEASES	1		-			-			-					-	-			-		-	-		
II, CONSTITUTIONAL.			-			-	_	-		-				-			-	-	-	-			- 01
CANCER	-	33		-			_	-	1			1	1	3	7	9	7	5	-	1		10	24
Hydrocephalus and Tuberc. Meningitis	17	13	1	-	5	2	3	2	1	14	-		-	-	1		-	-	-	-	-	8	9
MARASMUS, SCROFULA AND TABES MESENTERICA	-	20	8	4	1		_	1		16	1		_	1		-		1	1	1		10	11
PHTHISIS PULMONALIS	213	132		1	4		1		-	6	-	13	63	61	41	12	9	4	4	_	-	98	115
OTHER CONSTITUTIONAL DISEASES	25	10		1						1	1	1	6	5	7	2	2	1				15	10

of January, Classified by Cause, Age and Sex.

	or	for					-			_	A	G :	E.									S	EX,
CAUSES OF DEATH.	Total Mortality f	Total Mortality	Under 3 mos.	3 mos, and under 6 mos.	6 mes. and	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	25	27		1									F	1	6		11	3	4			13	12
BRIGHT'S DISEASE	22	16					-					1	1	5	1	1	-6	7			1	8	14
Bronchitis	81	32	7	1	7	11		2		28	2	4	1	3	3	10	12	10	8			35	46
HEART DISEASE	84	63	1	1	1	1	1			3	2	4	12	9	8	11	15	14	5	1		36	48
Meningitis	17	23	4	2	3	2		1		12	3		1		1							11	6
Nephritis	18	15						-					1	3	1	3	4	6				7	11
PLEURISY		3					!			:													
PNEUMONIA	332	95	1 8	3	10	12	7	3	3	41	6	14	42	45	56	47	43	24	12	1	1	175	157
Other Local Diseases	167	100	21		5	4	4	1	2	37	5	8	14	16	19	23	21	16	8			95	72
IV. DEVELOPMENTAL.																					! !		
CYANOSIS	2	1	1		1					2												1	1
INANITION	6	10	5							5							1					4	2
OLD AGE	28	22															1	9	16	2		7	21
PREMATURE BIRTH	16	20	16							16												11	5
PUERP'L DISEASES (not including Puerp'l Fever)	4	2											1	3									4
OTHER DEVELOPMENTAL DISEASES	26	20	15		1	1		1	_	18					1	4	1	2	!			17	9
V. VIOLENT.			-					1															
ACCIDENTAL	29		3			1	1		-	5		3	5	6	4	3	2	1				20	9
Homicidal	1	1											1									1	
SUICIDAL	1	4										1											1
OTHER VIOLENT CAUSES	1			_							-		1									1	
				_							_												
UNENOWN CAUSES	3	2	1							1			1				1						3
TOTAL FROM ALL CAUSES	1309	813	93	14	44	57	31	16	13			65	157	164	162	130	142	108	60	6	1	646	663
Total from Zymotic Diseases	136	120	7	2	6	22	14	5	7	ļ	24	15	6	8	6	5	6	6	2			63	73
" " CONSTITUTIONAL DISEASES	310	208	9	6	10	4	4	3	1	37	4	15	70	70	56	23	18	10	5	2		141	169
" " LOCAL do	746	374	36			29	12	7	5	121	18	31	72	82	95	95		80		2	1	380	366
" DEVELOPMENTAL do	82	75	37	-	2	1		1		41			1	3	1	4	3	11	16	2		40	42
" " VIOLENT CAUSES	32	34	3			1	1			5		4	7	6	. 4	3	2	1				22	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of January, 1890, and for the corresponding month in 1889.

CASES REPORTED DURIN	NG JANUA	RY, 1890.	CASES REPORTED DURING	G JANUAI	RY, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	200		Diphtheria	179	
Measles	14		Measles	172	
Small Pox			Small Pox		
Scarlatina	98		Scarlatina	48	
Typhoid Fever	87		Typhoid Fever	31	1
Typhus Fever			Typhus Fever	****	****
Yellow Fever	****		Yellow Fever	****	

For the month of January, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING	DAILT	ODNOVAT MIENO
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.	DIRECTION OF WIND.	RAIN FALL.	GENERAL ITEMS.
1	30.75	36	76	S.E.	.00	Mean Barometer, 30.170.
2	30.27	56	74	s.w.	.00	Highest Barometer, 30.894, on the 1st. Lowest Barometer, 29.388, on the 8th.
3	30.51	38	62	w, .	.00	Monthly Range of Barometer, 1.506.
4	30,55	30	52	S-W.	.00	Mean Temperature, 32.4.
6			96		.12	Highest Temperature, 66, on the 2nd. Lowest Temperature, 8 on the 11th.
,		34		S.		Monthly Range of Temperature, 58.0.
6	29.74	46	84	N.W.	.01	Greatest Daily Range of Temperature, 34.0, on the 12th.
7	29.99	38	70	W.	.00	Least Daily Range of Temperature, 8.0, on the 24th. Mean Daily Range of Temperature, 17.
8	29.61	34	73	W.	.00	Mean Daily Dew-point, 24.0.
9	29.91	19	72	w.	.00	Mean Daily Relative Humidity, 73.3.
10	30.12	12	86	N.W.	.08	Prevailing Direction of Wind, W. Total Movement of Wind, 9,593 Miles.
11	30.28	19	92	N.W.	.26	Highest Velocity of Wind and Direction, 44 miles N.W. on the 22nd.
12		41	88	S.E.	.04	Number of Foggy Days, 0.
13		48	72	s.	.02	" Clear " 6. " Fair " 10.
i					,00	Number of Cloudy " 15.
14	30.62	32	46	N.W.		Total Number of Days on which Rain or Snow fell, 13. Depth of unmelted Snow on ground at end of month, T.
15	30.24	32	83	s.w.	.32	Depth of unmerted show on ground at end of month, 1.
16	29.73	45	76	s.w.	.38	Dates of Solar Halos, none observed.
17	30.51	20 .	5 6	N.W.	.00	Dates of Lunar Halos, 26th, 29th.
18	30.45	32-	73	W.	.00	Mean Max. Temp., 41.0. Mean Min. Temp., 23.8. Thunder storm, none.
19	30.32	32	80	w.	.00	Dates of Frosts, none.
20	29.73	48	82	s.w.	.02	COMPARATIVE TEMPERATURE. 1871
21	29.92	38	72	W.	.00	1872
22	30.25	20	62	N.W.	T	1873
23	30.30	17	70	W.	.05	1874
1	1				Т	1876
24	30.15	23	72	N.W.		1877
25	30.06	28	64	S.W.	.00	1878 28 1888
26	29.85	42	56	N.E.	.00	1880
27	29.94	31	92	N.	.49	COMPARATIVE PRECIPITATIONS.
28	30.53	18	59	N.W.	.00	Inches. Inches.
29	30.23	34	54	s.w.	.00	1871 2.67 1881 7.21
30	30.31	32	90	N.	.20	1872 2.11 1882 3.68 1873 5,76 1883 3.59
31	30.29	30	90	w.	.01	1874 4.32 1884 6.27
						1875
TOTALS					2.00	1876 1.87 1886 7.08
I OIALS					2.00	1878 7.60 1888 2.26
MEANS	30.170	32.4	73.3	W.	.065	1879 2.79 1889 4.11
MEANS	00.110	02.4	10.0		.000	1880 3.72 1890 2.00

3/4: 1

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of February, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of February, 1890, . Population estimated at 420,000.	Rate per 1,000 inhabitants, 21.2
Total number	
	NATIVITY.
SEX.	United States 478
Males	Ireland
Females	England ,
CONDITION.	Scotland 4
Married 244	Germany 9
Single	British America 50
	Italy
Widows	Other Countries
Widowers 28	Unknown
Unknown 4	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 139	British American
Total deaths of children Under 2 years 176	Italian
Under 5 years	Other Countries
(Under 1 year 4	Mixed
Under 2 years 4	Unknown
Diarrhoeal diseases Under 5 years 4	
All ages	Still-births during the month 40

	for 0.	for	9.									A	G:	E.									SE	x.
CAUSES OF DEATH.	Total Mortality f February, 1890.	Potal Mortality	February, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 3 rs.	Fotal under 5 years.	o years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mates.	Penndes.
Production of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Con	11	1		0	00	9 -			0 -	-	3.1	0	=	20	#	3		1	=	30	5 2	=		= = 3
ALCOHOLISM	5		12		1		1				4	1		-			_						3	
CROUP			12				-				-	1 _												
CHOLERA MORBES		_															-		_		-			_
	1	-		1	_	_					1												- 1	
Cerebro-spinal Meningitis]	-	2	-	1				-		1												1	
Congestive Fever						-																		
DIARRHŒA	4	_	5	1	2				-	-	3				1	-							2	2
			2				-										-			-				
DYSENTERY	49		42			2	5	9	10	-3	31	13	2	2			-			-	-		28	21
DIPHTHERIA	3						-0		12	-	1	10				1	1		1	-			1	21
ERYSIPELAS	-		1								1	-				1			1	-				
INTERMITTENT FEVER							-				-	<u></u>					1		_			-		3
INFLUENZA	3						1				1			-		1				-	-			9
MEASLES			10														i			- -	-1			
Purpura																		-			_	-		
PUERPERAL FEVER	5		2												4				_	-	-			5
Ружміа	2	-	1	1							1			1					-	-	-	-	1	1
REMITTENT FEVER																				-				
RHEUMATISM	4	- -	4		-											1		2	1	\ <u>_</u>	-		1	3
SCARLATINA	3		2	-				1			1	2											1	2
SMALL POX									1	1							į		1	_				
SYPHILIS (CONGENITAL)	3	1	2	2	1						3												2	1
Syphilis	1		1	11											1								1	
SEPTICÆMIA			3																					
Tonsillitis,	1	1																			1			
TYPHOID FEVER	5		7								<u> </u>	11	2		2	1							4	1
Typhus Fever																								
WHOOPING COUGH	6		5	2		1	1	1	1		6												3	3
YELLOW FEVER		1																						
OTHER ZYMOTIC DISEASES		1																						
																						1		
II. CONSTITUTIONAL.				1.	1																			
CANCER	23		20		1	1									5	4	4	6	2	2			3	20
Hydrocephalus and Tuberc. Meningitis	13		12	2	2	6	2			1	13	-	1	1	1							1	s	5
Marasmus, Scrofula and Tabes Mesenterica	A 15	T	27	1 8	1	1	3			-	13		1			1	1		1		1		6	9
PHTHISIS PULMONALIS	125	1	118		-		4				5	1	7	51	24	16	13	5	2	1			64	61
OTHER CONSTITUTIONAL DISEASES .		-				-					2		1 7	0	1	1			1				4	3
OTHER CONSTITUTIONAL DISEASES .	7		8		1	[2			1	2		1 1	3	1								1	,

of February, Classified by Cause, Age and Sex.

	for .	i j	1		_			_			A	G	E.									8	EX,
CAUSES OF DEATH.	Total Mortality f. February, 1890.	Total Mortality f. February, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males,	Females.
APOPLEXY	28	19											1	1	4	3	4	12	3			17	11
Bright's Disease	9	23			-						-		1	-	2	1	4	1	-			6	3
Bronchitis	48	38	10	7	8	6	4			35		2		1	2	1	1	4	1	1		25	23
HEART DISEASE	65	56	1						1	1		2	2	6	9	23	9	10	3		-	34	31
MENINGITIS	21	15	2	3	5	4	1		1	16		2	1		2						1	11	10
Nephritis	7	4		-		_							2			1	1	2	1			4	3
PLEURISY		3																					
PNEUMONIA	85	78	6	4	3	4	4	2		23	3	2	7	6	15	15	11	3				43	42
Other Local Diseases ,	87	125	12	4	2	2	3			23	1	5	9	10	11	10	8	8	2			39	48
IV. DEVELOPMENTAL.																							
CYANOSIS		1		_																			
INANITION	8	13	6			1	1			8		1										7	2
OLD AGE	21	28															2	8	11			7	14
PREMATURE BIRTH	13	14	12]						13			·						!			9	4
PUERP'L DISEASES (not including Puerp'l Fever)	4	2											1	3							[]		4
OTHER DEVELOPMENTAL DISEASES	21	15	11			1				12				1	1		6	1				13	8
V. VIOLENT.																							
ACCIDENTAL	27	19	5		1		_			7	1	1	2	8	3	4			1!			15	12
Homicidal		3					_						_	,			_						
SUICIDAL	3	2		-				1						3								2	1
OTHER VIOLENT CAUSES	2					_		_		_					1			_	1			1	1
UNKNOWN CAUSES	3	1					-				-		2		1			_	}			3	
TOTAL FROM ALL CAUSES	742	750	81	27	31	37	25	15	8	224	22	28	88	81	77	79	60	55	26	2		378	361
TOTAL FROM ZYMOTIC DISEASES	106	106	7	5	4	8	12	13	4	53	16	4	6	12	6	4	3	2				57	49
" " Constitutional Diseases	183	185	10	3	8	11			1	33	1	9	54	30	20	17	11	4	3	1		85	98
" " LOCAL do	350	261	30	18	18	16	12	2	2	98	4	13	23	24	45	54	38	40	10	1		179	171
" " DEVELOPMENTAL do	68	73	29	1		2	1			33		1	1	4	1		8	9	11		- 11	36	32
" " VIOLENT CAUSES	32	24	5		1				1	7	1	1	2	11	4	4			2			18	14

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of February, 1890, and for the corresponding month in 1889.

CASES REPORTED DURIN	G FEBRU.	ARY, 1890.	CASES REPORTED DURING	FEBRU.	ARY, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	189		Diphtheria	150	
Measles	16		Measles	395	
Small Pox			Small Pox		
Scarlatina	103	i	Scarlatina	29	1
Typhoid Fever	26	1	Typhoid Fever	29	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of February, 1890. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION	DAILY RAIN FALL.	GENERAL ITEMS.
	BAROMETER.	TEMPERATURE.	HUMIDITY.	OF WIND.	NAIN FALL.	
1	30.43	47	62	W.	.00	Mean Barometer, 30.10.
2	30.56	36	77	E.	T	Highest Barometer, 30.70, on the 2nd.
3	30.00	49	86	S.W.	,08	Lowest Barometer, 29.35, on the 5th. Monthly Range of Barometer, 1.34.
ŏ						Mean Temperature, 33.2.
4	30.10	40	72	N.W.	.05	Highest Temperature, 64, on the 5th.
5	30.52	64	66	s.w.	.05	Lowest Temperature, 5 on the 22nd.
6	30.29	28	60	N.W.	.00	Monthly Range of Temperature, 59.0. Greatest Daily Range of Temperature, 37.0, on the 8th.
	30.63	28	71	S.E.	T	Least Daily Range of Temperature, 3.0, on the 28th.
e	29.78	63	93	S.	.47	Mean Daily Range of Temperature, 15.9.
,						Mean Daily Dew-point, 24.5. Mean Daily Relative Humidity, 74.3.
9	30.31	35	57	N.W.	.02	Prevailing Direction of Wind, W.
10	30.62	28	83	N.	.04	Total Movement of Wind, 9,088 Miles.
11	30.49	36	78	N.W.	T	Highest Velocity of Wind and Direction, 48 miles W. on the 5th.
12	30.04	49	66	s.w.	.00	Number of Foggy Days, 0. "Clear "8.
13	30.13	52	58	w.	.00	" Fair " 6.
14	29.78	56	88	s.w.	.15	Number of Cloudy " 14.
						Total Number of Days on which Rain or Snow fell, 14. Depth of unmelted Snow on ground at end of month, .00.
15	29.65	51	. 61	W.	.03	Depth of unmerted show on ground at end of month, .00. Dates of Auroras, none observed.
16	30.18	39	48	N.W.	.00	Dates of Solar Halos, none observed.
17	30.11	41	67	E.	.00	Dates of Lunar Halos, 1st, 3rd, 6th.
18	29.83	41	97	N.	.18	Mean Max. Temp., 41.2. Mean Min. Temp., 25.3. Thunder storm, 18th.
19	30.11	31	74	N.W.	т	Dates of Frosts,
20	29.67	37	82	W.	.69	COMPARATIVE TEMPERATURE.
						1871 28.7 1881
21	29.94	18	48	w.	.00	1872 28.6 1882 30 1873 27.2 1883 29
22	30.07	20	42	W.	.00	1874
23	30.08	42	65	W.	.00	1875
24	30.05	47	88	w.	.01	1876
25	30.02	44	96	E.	.40	1878 29.1 1888
26	29,90	58	94	N.E.	.08	1879
					T	1880
27	30.24	40	96	N.E.		COMPARATIVE PRECIPITATIONS.
28	30.04	40	93	E.	.04	Inches. Inch
						1871 2.87 1881 4.4
						1872 2.31 1882 4. 1873 2.
						1874
						1875 3.74
ALS				-	2.00	1876 4.54 1886 7.4 1877
ALS		l I			2.29	1877 0.45 1887 3.6
	00.000					1879 4.35 1889 1.4
ANS	30.099	41.2	74.3	W.	.081	1880 4.11 1890 2.

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of March, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

	06
Deaths during the month of man on a series	
Population estimated at 420,000.	Rate per 1,000 inhabitants, 24.57
Total number 860	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 6
Married	Germany
	British America 40
Single	Italy 6
Widows	Other Countries
Widowers	Unknown
Unknown 4	PARENTAGE.
COLOR.	United States
White 836	Irish
Colored 24	English
	Scotch
	German 21
Under 1 year 186	British American 45
Total deaths of children Under 2 years 232	Italian 20
Under 5 years 277	Other Countries
(Under 1 year 10	Mixed
Under 2 years	Unknown 84
Diarrhœal diseases Under 5 years	
(All ages 15	Still-births during the month 52

	for	for									A	G :	E.									SI	EX.
CAUSES OF DEATH. 1. ZYMOTICS.	Total Mortality March, 1890.	Total Mortality March, 1889.	Under 3 mos.	8 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
ALCOHOLISM	2	6								-			1	1								2	
CROUP	8	14				3	3	1		7						1	_					2	6
CARBUNCLE			-																				
CHOLERA MORBUS																							-
CHOLERA INFANTUM	1	1				1				1												1	
CEREBRO-SPINAL MENINGITIS		3																				-	
Congestive Fever																							
DIARRHŒA	11	7	6	1	1	1				9						1	1					5	6
DYSENTERY	3			2						2						1	_					2	1
DIPHTHERIA	41	40	1		1	8	6	5	6	27	10	4		-								16	25
ERYSIPELAS	7	3	3							3			1	1		1	1					7	
INTERMITTENT FEVER												_											
Influenza	3										1						1	1				2	1
MEASLES		9																					
Purpura								-												-			
Puerperal Fever	5	2											1	4	_		_						5
Ружміа	1												1									1	-
REMITTENT FEVER																				_			
RHEUMATISM	3	3													1	1	1				-	1	2
SCARLATINA	6	7						1		1	1	4										4	2
SMALL POX																				-			
SYPHILIS (CONGRESITAL)	4	1	3	1						4												- 2	2
STPHILIS		1																					
Septicæmia	2	1											1			1							2
Tonsillitis		1																					
Typhoid Fev	7	7											2	4			1					- 5	2
Typhus Fever																			-				
WHOOPING COUGH	6	4	-	4	1			1		6									-				4
YELLOW FEVER																						-	
OTHER ZYMOTIC DISEASES												_											-
Canal Mandell Probability												-							8				-
II. CONSTITUTIONAL.																							
II. CONSTITUTIONAL.	20	30	-										1	2		-4	4	7	-			10	10
Hydrocephalus and Tuberc. Meningitis	19	13	ī		7	- 5		2		15	2			2		*	4					8	11
MARASMUS, SCROFULA AND TABES MESENTERICA				-		3					2		7	4									13
PHTHISIS PULMONALIS	133	i	20	6	8		2			32	1	7	1	27	20	10						20 62	71
	133	138	1		2	2	2			7	1	-	37		20		11				-		71
OTHER CONSTITUTIONAL DISEASES .	11	7		2						2		1	1	4		3						7	4

of March, Classified by Cause, Age and Sex.

	for.	for									A.	G	E.									SI	EX,
CAUSES OF DEATH. III. LOCAL.	Total Mortality March, 1890.	Total Mortality March, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	36	30	1							1			1	1	5	5	10	9	4			17	19
Brieht's Disease	11	9			1			-		1			1	1		1	3	2	2			5	6
Bronchitis	51	56	4	13	3	5	2	4	1	31	3	1	1	1	3	1	5	3	1	1		22	29
HEART DISEASE	67	61	1			1				1		3	5	13	6	14	12	9	4			27	40
MENINGITIS	. 19	20	2	4	4	2	1	1		14		-	1		2	1	1					8	11
NEPHRITIS	12	15	2						-	2			1	-	1	4	1	2	1			7	5
PLEURISY	1															1				-			1
PNEUMONIA	111	126	2	3	10	11	3	1	1	31	1	4	12	15	11	15	5	12	4	1		62	49
OTHER LOCAL DISEASES	128	126	16	5	5	4	2	1	1	34	6	13	10	16	1.1	11	10	14	3			61	64
IV. DEVELOPMENTAL.																							
Cyanosis	4	3	4							4	-	-		-	_				_			2	2
INANITION	9	5	7	1						8					1							5	4
OLD AGE	19	18																7	10	1	1	10	9
PREMATURE BIRTH	12	13	12							12												6	6
PUERP'L DISEASES (not including Puerp'l Fever)	2	7												1	1								2
Other Developmental Diseases	20	25	14	1	2					17			1				1	1				12	8
V. VIOLENT.																			1				
ACCIDENTAL	17		2			1	1			. 4		1	4	3	1	3			1			13	4
Homicidal	1													1									1
Suicidal	8	1											2	2		2	1	1				ő	3
OTHER VIOLENT CAUSES	2													2									2
UNKNOWN CAUSES	4	2	1							1				2	1							1	3
TOTAL FROM ALL CAUSES	860	874	103	43	40	46	20	17	8 2	77	25	38	86	113	66	84	69	63	30	3	1	425	435
TOTAL FROM ZYMOTIC DISEASES	110	112	13	8	3	13	9	8	6	60	12	8	7	10	1	6	5	1			- 11	52	58
" " Constitutional Diseases	216	212	22	8	12	10	2	2		56	3	8	40	45	22	20	15	7				107	109
" " LOCAL do	436	443	28	25	23	22	8	7	2	115	10	21	32	47	39	53	47	51	19	2		212	224
" " DEVELOPMENTAL do	66	71	37	2	2	-				41			1	1	2		1	8	10	1	- 1	35	31
66 66 VIOLENT CAUSES	28	34	2		-	1	1			4		1	6	8	1	5	1	1	1			18	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of March, 1890, and for the corresponding month in 1889.

CASES REPORTED DUR	ING MARC	CH, 1890.	CASES REPORTED DURI	NG MARC	EH, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	154		Diphtheria	193	
Measles	25		Measles	560	
Small Pox			Small Pox		****
Scarlatina	105		Scarlatina	77	
Typhoid Fever	3.2		Typhoid Fever	25	****
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever		

For the month of March, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.		PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.80	42	92	N.W.	.35	Mean Barometer, 29.992.
2	29.81	22	87	N.W.	.12	Highest Barometer, 30.562, on the 25th. Lowest Barometer, 29.426, on the 16th.
8	30.05	22	61	N.W.	.86	Monthly Range of Barometer, 0.00.
	30.06	26	68	S.	,00	Mean Temperature, 34.9.
4		1				Highest Temperature, 68, on the 12th. Lowest Temperature, 4, on the 7th.
5	20101	36	71	S.	Т	Monthly Range of Temperature, 00.0.
6	29.93	24	86	N.	.40	Greatest Daily Range of Temperature, 29.0, on the 10th.
7	30.09	14	54	N.W.	T	Least Daily Range of Temperature, 3.0, on the 15th.
8	30.14	22	56	N.W.	,00	Mean Daily Range of Temperature, 00.0. Mean Daily Dew-point, 25.1.
9	30,30	26	38	.W.Z.	.00	Mean Daily Relative Humidity, 71.6.
10		34	49	S.W.	.00	Prevailing Direction of Wind, N.W.
	1	. 01		8.W.		Total Movement of Wind, 10,003 Miles. Highest Velocity of Wind and Direction, 36 miles E. on the 28th.
11	1		76		.04	Number of Foggy Days, 0.
12	29.99	54	62	S.W.	.01	" Clear " 10.
13	30.00	58	86	S.W.	.00	" Fair " 8.
14	29.84	40	89	N.E.	.50	Number of Cloudy " 13. Total Number of Days on which Rain or Snow fell, 17.
15	29.62	34	93	N.	.64	Depth of unmelted Snow on ground at end of month, .00.
16	29.34	34	67	N.W.	.02	Dates of Auroras,
				W		Dates of Solar Halos, 4th, 8th, 20th. Dates of Lunar Halos, 5th.
17	29.38	29	61		.00	Mean Max. Temp., 42.2. Mean Min. Temp., 27.6.
18	29.53	40	54	W.	.00	Thunder storm,
19	29.65	26	57	N.E.	.50	Dates of Frosts,
20	29.90	34	73	S.W.	T	COMPARATIVE TEMPERATURE. 1871
21	29.56	47 1	88	S.W.	.01	1872 26.8 1882
22	29.65	44	85	N.W.	.53	1873
23	29.71	37	79	N.W.	.69	1874
						1876
24	30.29	34	62	N.W.	.00	1877 34.4 1887
25	30.24	32	73	8.	T	1878 39.4 1888 32.6 1879
26	29.55	50	69	W.	.00	1880
27	29.73	42	100	₩.	,00	
28	29.53	34	77	N.E.	.80	COMPARATIVE PRECIPITATIONS.
201	29,44	35	78	W.	.04	Inches. Inches. 1871 4.55 1881 9.86
20	29.80	35	55	77	.01	1872 4.05
						1873 3,76 1983 2,38
81	30.18	36	57	W	.116)	1874 1.60 1884 4.86
					=	1876 7.17 1886 3.20
OTALS					5,88	1877 9.77
	and the same of the same	-				1878 6.14 1888 3.32 1879 3.90 1889 1.19
EANS	29.992	34.9	71.6	N.W.	.189	1880 3.25 1890 5.88

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of April, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of April, 1890, . Population estimated at 420,000.	Rate per 1,000 inhabitants, 22.42
Total number	NATIVITY.
SEX.	United States 502
Males	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
	British America 49
Single 427	Italy
Widows	Other Countries
Widowers	Unknown 8
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 142	British American
Total deaths of children Under 2 years 177	Italian
Under 5 years 233	Other Countries 67
(Under 1 year 5	Mixed
Under 2 years 5	Unknown
Diarrhœal diseases Under 5 years 5	
All ages 9	Still-births during the month

	for	for				_					A	G+:	E.	-								SE	x.
CAUSES OF DEATH.	Total Mortality April, 1890.	Total Mortality April, 1889.	Under 3 mos.	8 mos. and under 6 mos.	months and under 1 year.	year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 3 rs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	0 years and over.	Males.	Females.
			Þ	- 2	9	m P	63		4	To	ů,	01			=			07 u	08 n	90	100		
Alcoholism	9	7								_			1	4	2	1	1			-	-	8	3
CROUP	6	13	_		_		3	2	1	-6	_							_	_	-		1	5
Carbuncle	1									_			_	-									
CHOLERA MORBUS		7										_						1					1
CHOLERA INFANTUM	2	1 2						_		1	1				_	_						1	
CEREBRO-SPINAL MENINGITIS	1				,					1	1		·	-				1					1
Congestive Fever	7	7	3		2		_	-		5							1		1				3
Diarrhea	1	2	- 0					-			-								-			4	1
DYSENTERY	40	54	1	-	3	5	7	4		27	9	2	2	_		-				-		26	14
DIPHTHERIA	7	8		_	-	-				1	3		1			1		1	1			3	4
ERYSIPELAS			1		_						-	_					1		1			3	4
INTERMITTENT FEVER	1							_			-			_	_			1				1	
INFLUENZA		10							-				-	_	_		-		-				
MEASLES	2		-	_		_				1	-		-	1	-							2	
PURPURA	4	1 2		1	_			_					1	2				_	-	-			4
	1					_	_			-			-	1		-	-			-		1	
REMITTENT FEVER									-				-		_		_	-	_	-			
RHEUMATISM	. 3	7	-	·	_			_	_		1		-	1	_		1			-	-	1	2
SCARLATINA	4	2	-	1			_			2	2			-			_	-		-		2	
SMALL POX			-					-								-		-	-	-			
Syphilis (Conganital)	4	-	3	1			-			4			-	-					-	-	-	2	
SYPHILE		1				-				_	_												
SEPTICÆMIA	1	4												1				_					
Tonsillitis,				-	***************************************		_																
Typhoid Fever	7	7		-	1				-	1	-	1	2	2		1	-	-		-		5	2
Typhus Fever	<u> </u>			_						_	-									-			
WHOOPING COUGH	2	10	-	-	1	-	1	_		2	-				_					-	-	1	1
YELLOW FEVER				-	-	_		-			-			-		-		-	-				
OTHER ZYMOTIC DISEASES		1	-	-				-			-		-					-	-	-			
		-	-	-	_	-			_					-				-					
II, CONSTITUTIONAL.																							
CANCER	36	30	-	-	-	-	-	-	-	-	-		2	5	-6	9	7	7				11	25
Hydrocephalus and Tuberc. Meningitis	18	17	-	1	3	5	3	1		13	3	1	1		_	-			-	-		11	7
Marasmus, Scropula and Tabes Mesenterica		31	8	5	3		2	i			1		2	-				-	-	-		10	11
PHTHISIS PULMONALIS	114	134		-	1	1	-	-		2	1	12	-	26	17	 6	6	3	-			61	58
OTHER CONSTITUTIONAL DISEASES .	12	14		-	-	1		1	-	2		1	5	1	2	1	-	1			}	8	9
OTHER CONSTITUTIONAL DISEASES .	12	1 14				1 1		1		4		1 1	1 3	1	2	1		1	-	1	1	0 1	

of April, Classified by Cause, Age and Sex.

	. <u>.</u> 2	اق							~		A	G :	E.									SE	ix.
CAUSES OF DEATH.	Total Mortality April, 1890.	Total Mortality April, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Malos.	Females.
APOPLEXT	27	31.												3	3	5	9	4	3			10	17
Bright's Disease	10	10	-											4	1	4	-	1				3	7
Bronchitis	41	61	5	4	7	8	1	-		25				1	1	1	4	7	1	1		15	26
HEART DISEASE	56	70	2	1	-	1		1		5	1		 5	-6	11	4	10	10	4			24	32
Meningitis	19	23	1	1	4	6	2	1		15	1	1	1	1				-				11	8
Nephritis	19	14		_	-	-	1	-		1	1		1	1	3	3	8	1				10	9
PLEURISY	3	2										_	1	1	1								3
PNEUMONIA	114	122	8	4	11	-6	5	2	2	38	2 -	3	4	14	16	12	14	8	3			59	55
OTHER LOCAL DISEASES	106	136	12	5	4	2	3	2	2	30	5	2	11	9	14	7	14	11	3			51	55
								_															
IV. DEVELOPMENTAL.																							
Cyanosis		2	-		_			-				_	_	-		_							
INANITION	10	4	10		_		_			10												9	1
OLD AGE	15	25					-	-				_	-			-	2	4	6	2	1	5	10
Premature Birth	11	20	11	-			_			11		_			_							8	3
PUERP'L DISEASES (not including Puerp'l Fever)	1	4					_	-	_					1									1
OTHER DEVELOPMENTAL DISEASES	13	26	8		1					9					1	1	1	1				6	7
			-													-							
V. VIOLENT.																							
ACCIDENTAL	24	26	2	 				1		3	3		2	7	4	2	1		2			19	5
Homicidal		1		-	<u> </u>	_		-				_		-									
Suicidal	9	4	-	-	_								2	2	2	3						7	2
OTHER VIOLENT CAUSES	1	1							_						1								1
				-				_												Т			
UNKNOWN CAUSES	2	1	1		-					1				-		1						1	1
TOTAL FROM ALL CAUSES	785	948	76	24	42	35	28	15	13	233	31	23	85	94	88	62	80	61	24	3	1	390	395
TOTAL FROM ZYMOTIC DISEASES	103	139	8	3	8	5	11	6	9	50	13	3	7	12	5	3	4	4	2			56	47
" CONSTITUTIONAL DISEASES	201	226	8	6	7	7	5	2		35	5	14	51	32	25	16	13	10				96	105
" " LOCAL do	395	469	28	15	26	23	12	6	4	114	10	6	23	40	50	36	59	42	14	1		183	212
" " DEVELOPMENTAL do	50	81	29		1					30			-	1	1	1	3	5	6	2	.1	28	22
22122023221212																							

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of April, 1890, and for the corresponding month in 1889.

CASES REPORTED DUF	RING APRI	L, 1890.	CASES REPORTED DUR	ING APRI	L, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	164		Diphtheria	205	****
Measles	34		Measles	571	****
Small Pox		7	Small Pox		****
Scarlatina	122		Scarlatina	59	****
Typhoid Fever	25	****	Typhoid Fever	33	2
Typhus Fever	****	****	Typhus Fever		
Yellow Fever			Yellow Fever		
Leprosy		. 1			

For the month of April, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.25	37	66	N.W.	.04	Mean Barometer, 30,088.
2]] 30.40	38	43	W.	.00	Highest Barometer, 30.536, on the 2nd.
3	30.17	53	58	W.	.00	Lowest Barometer, 29.504, on the 4th. Monthly Range of Barometer,
4						Mean Temperature, 46.3.
-	29.66	57	85	s.w.	.00	Highest Temperature, 72, on the 24th.
5	29.93	38	60	N.W.	.12	Lowest Temperature, 26, on the 19th.
6	30.17	45	45	W.	.00	Monthly Range of Temperature, Greatest Daily Range of Temperature, 30.0, on the 6th.
7	29.87	42	81	N.	,38	Least Daily Range of Temperature, 3.0, on the 9th.
8	29.97	46	80	W.	.10	Mean Daily Range of Temperature,
* 9	29.63	38	96	w.	.63	Mean Daily Dew-point, 32.1. Mean Daily Relative Humidity, 63.3.
10	29.63	45	66	N.E.	.02	Prevailing Direction of Wind, N.W.
11	29.93	44	62	N.W.		Total Movement of Wind, 8,887 Miles.
12					.00	Highest Velocity of Wind and Direction, 40 miles N.W. on the 15th. Number of Foggy Days, 0.
	30.28	38	56	E.	.00	" Clear " 13.
13	30.04	47	72	E.	.00	"Fair "10.
14	29.91	49	62	E.	.00	Number of Cloudy " 7. Total Number of Days on which Rain or Snow fell, 12.
15	30.19	47	41	N.W.	.01	Depth of unmelted Snow on ground at end of month, .00.
16	30.21	47	86	N.W.	.00	Dates of Auroras, none.
17	29.94	53	49	w.	.00	Dates of Solar Halos, 8th and 21st. Dates of Lunar Halos.
18	29.88	43	42	N.W.	.00	Mean Max. Temp., 54.3. Mean Min. Temp., 38.3.
19	30.16	38	52	N.W.		Thunder storm, none. Dates of Frosts,
20	30.20	43		Ε.	.00	COMPARATIVE TEMPERATURE,
			43		.00	1871 47.0 1881 42.8
21	30.14	53	45	W.	.00	1872
22	30.25	50	52	N.E.	.00	1873
23	30.07	58	62	8.W.	.00	1875 42.1
24	29.96	65	85	8.W.	.01	1876 43.2 1886 47.7 1877
25	30.12	45	78	N.E.	.08	1877
26	30.28	41	76	E.	т -	1879
27	29.94	42	96	N.E.	.85	1880 46.2 1890 46.3
28	30.08	46	78	N.	.05	COMPARATIVE PRECIPITATIONS.
29	30.07	52	63	S.	.00	Inches. Inches. Inches. 1871 1.66
30	29.88	55	65	s.w.	.00	1871
	20.00	00	00	5.77	.00	1873 3,83 1883 2.83
						1874 7.99 1884 4.76 1875 4.92 1885 3.30
Tomare			1			1876 3.61 1886 1.70
TOTALS					2.29	1877 4.19 1887 2.68
Af m a nr.c	20.02	10.0				1878 6.14 1879 6.54 1889 3.07
MEANS	30.03	46.8	63.3	N.W.	.076	1880 2.80 1890 2.29

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of May, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of May, 1890, . Population estimated at 420,000.	Rate per 1,000 inhabitants, 22.57
Total number 790	NATIVITY.
SEX.	United States
Males	Ireland
Females	England 14
CONDITION.	Scotland 5
Married	Germany
Married	British America
Single 431	Italy
Widows	Other Countries 20
Widowers	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 139	British American
Total deaths of children Under 2 years 183	Italian
Under 5 years 232	Other Countries
	Mixed
Under 1 year	Unknown
Diarrheal diseases Under 5 years 6	
All ages 6	Still-births during the month 49

	for	for										A	G	E.							-		SE	EX.
CAUSES OF DEATH. 1. ZYMOTICS.	Total Mortality May, 1890.	Potal Mortality	May, 1889.	Under Smos.	3 mos. and under 6 mos.	months and under I year.	under 2 yrs.	2 years and under 3 yrs.	years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	30 years and under 100 yrs.	100 years and over.	Mades.	Femules.
ALCOHOLISM	5		2		=					=	-				3	1				1			2	3
CROUP	5		9			-	2	-	1	1	4	1						-					2	
CARBUNCLE	-										-	-	_	-	-		-			-	-	-		_
CHOLERA MORBUS	1	_	1	-	_			1	-		1				-						-		1	
CHOLERA INFANTUM	1		3		_	1					1	-		-	-	-	-	_					1	
CEREBRO-SPINAL MENINGITIS			2					-				-		_			-	-				-		
Congestive Fever							-																	-
Diarrhea	4		10	1	-	3					4		-	-							-		2	2
DYSENTERY			4			-				-	-				-									
Diputueria	36		50		-	2	3	8	7	5	25	7	3	1	-					-			20	1)
ERYSIPELAS	5		3		1						1		-	-		2	1	1				-	4	1
Intermittent Fever														-				-				-		
INFLUENZA	1	_						_				-		-		1		Н				-	1	
MEASLES	1		7							_	1				-	_				-	-		1	
Purpura															-	-		-				-		_
Puerperal Fever	1		1					-						1		-								1
PYÆMIA	2		_			-					-		-	-	-	1	1	-	-	-			2	-
REMITTENT FEVER		-	-																					-
RHEUMATISM	1 1		1					-		-			1			-			-					1
SCARLATINA	7	-	4					2		1	4	3					-				-		4	- 3
SMALL POX	-	-														-				-			-	
SYPHILIS (CONGENITAL)	2		1					-	=		2		-	-						-			2	
Syphilis			1					-					-			-			-				-	
SEPTICÆMIA	4	-	4		-			_		-	1			1		1	1	-			-		3	
Tonshlitis	1		-	_			1				3.			_		-	-	-	-	_			1	
	7	-	9					1			1			5		1			Н			-		2
TYPHOID FEVER			-					-			-			-			-			-	-			
	2	-	7	-	1			-	-	-	2		=			-		-		-				2
WHOOPING COUGH																		-		-	-			
YELLOW FEVER							1	-			1								H					1
OTHER ZYMOTIC DISEASES		-	-	-		_	-				_	-	-	-					H		-	-		
II. CONSTITUTIONAL.																								
CANCER			27	-		_							_	-	-		-	99	-	4			711	-21
Hydrocephalus and Tuberc. Meningitis	33		27	-	-	0.1			0.1	-	14.11	0.1	- 0	-	5	4	4		8			-	12	21
MARASMUS, SCROFULA AND TABES MESENTERICA	19	-		1				3					2.		1						-		10	9
PHTHISIS PULMONALIS				19		1	2			1			15					1		-				14
	121		93		1	_				_	1	2	15	38	23	26	7	7	2			_	60	61
OTHER CONSTITUTIONAL DISEASES .	13	1 1	14				1		- 1			1	5	3	1	1	1	1		1			5	7

of May, Classified by Cause, Age and Sex.

	For	for									A	G:	E.									8	EX,
CAUSES OF DEATH.	Total Mortality May, 1890	Total Mortality May, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Kemales
APOPLEXT	35	22		1						1		1	1	1	3	8	8	11	1			19	
Bright's Disease	10	11										1			3	2	3	1				4	
Bronchitis	31	40	3	2	3	6	1		1	16		-	2	5	1	1	3	1	1	1		16	Ī
HEART DISEASE	56	77	1							1	4	4	2	8	6	10	10	6	5			32	
Meningitis	16	25	1	1	3	5	1		1	12	1	1				1		1				9	
NEPHRITIS	11	8									1			2	2	2	. 4			-		4	1
PLEURISY		2																					
PNEUMONIA	87	101	8	5	7	8	2			80	2	2	4	7	10	10	11	8	3			36	
OTHER LOCAL DISEASES	143	150	, 15	5	6	4	5	1	1	37	2	11	14	12	16	14	21	10	5	1		72	-
IV. DEVELOPMENTAL.																							
CYANOSIS	1	3	1		-					1		-			—		-						-
NANITION	6	4	4	1			_		-	5					1							1	
OLD AGE	25	30															1	13	7	3	1	10	
PREMATURE BIRTH	17	12	17							17												9	
PUERP'L DISEASES (not including Puerp'l Fever)	3	1											1	2									
OTHER DEVELOPMENTAL DISEASES	16	11	8	1	_1	2				12				1				1	2			9	
V. VIOLENT.																							
ACCIDENTAL	28	33	3	1		2	2			8	1	1	3	5	6	3	1					21	
IOMICIDAL																							
BUICIDAL	1	5																1		-		1	
OTHER VIOLENT CAUSES													-		_								
									_					_									
UNKNOWN CAUSES	6	b	2	1		1				4		1		1	-							2	
COTAL FROM ALL CAUSES	790	838	87	22	30	44	27	11	11 2	232	27	48	76	77	86	65	83	63	27	ő	1	394	39
OTAL FROM ZYMOTIC DISEASES	87	119	4	2	7	8	13	8	7	49	11	4	8	3	7	3	1		1			51	
" CONSTITUTIONAL DISEASES	211	179	20	2	3 }	8	3	2	1	39	5	22	41	30	31	11	20	10	2			98	11
" LOCAL do	389	436	28	14	19	23	9	1	3	97	10	20	23	35	41	48	60	38	15	2		192	19
66 66 DEVELOPMENTAL do	68	61	30	2	1	2				35			1	3	1		1	14	Ģ	3	1	29	
66 66 VIOLENT CAUSES	29	38	3	1		2	2			8	1	1	3	5	6	3	1	1				22	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of May, 1890, and for the corresponding month in 1889.

CASES REPORTED DU	RING MAY	7, 1890.	CASES REPORTED DU	RING MAY	, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	141		Diphtheria	191	****
Measles	92		Measles	434	****
Small Pox	1.		Small Pox	****	
Scarlatina	118	1	Scarlatina	53	****
Typhoid Fever	34		Typhoid Fever	60	****
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever	****	****

For the month of May, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN	DAILY MEAN	DAILY MEAN	PREVAILING DIRECTION	DAILT	GENERAL ITEMS.
2222	BAROMETER.	TEMPERATURE.	HUMIDITY.	OF WIND.	RAIN FALL.	
1	29.84	66	82	s.w.	, .05	Mean Barometer, 29.984.
2	30.20	44	54	E.	.11	Highest Barometer, 30.345, on the 22nd.
3		52	73	s.w.	.00	Lowest Barometer, 29.62, on the 6th. Monthly Range of Barometer, ——
ŏ	30.11					Mean Temperature, 57 0.
4	29.94	61	86	S.	.20	Highest Temperature, 80, on the 14th.
5	29.71	62	90	S.	.62	Lowest Temperature, 39, on the 2nd.
6	29.66	61	91	S.	.85	Monthly Range of Temperature, —— Greatest Daily Range of Temperature, 28.0, on the 31st.
7	30.00	55	56	W.	.04	Least Daily Range of Temperature, 5.0, on the 8th.
.8	30.01	48	77	W.	.25	Mean Daily Range of Temperature, —
9	30.08	54	50	s.w.	.05	Mean Daily Dew-point, 47.4. Mean Daily Relative Humidity, 74.0.
				s.w.		Prevailing Direction of Wind, S.
10	29.88	66	70		Т	Total Movement of Wind, 8,643 Miles.
11	30.13	51	76	N.E.	.23	Highest Velocity of Wind and Direction, 42 miles S. on the 20th. Number of Foggy Days, 0.
12	30.10	50	74	S.	.00	" Clear " 9.
13	29.88	58	75	s.	.00	" Fair " 11.
14	29.70	66	80	s.w.	.00	Number of Cloudy " 11. Total Number of Days on which Rain or Snow fell, 15.
15	29.87	63	90	s.w.	.01	Depth of unmelted Snow on ground at end of month, .00.
16	29.94	64	' 80	s.w.	.65	Dates of Auroras, none.
				E.	T	Dates of Solar Halos, none. Dates of Lunar Halos, none.
17	29.94	57	75			Mean Max. Temp., 65.2. Mean Min. Temp., 48.9.
18	30.12	55	52	S.	T	Thunder storm, 5th.
19	29.98	64	66	S.	T	Dates of Frosts,
20	29.75	64	89	S.	T	COMPARATIVE TEMPERATURE. 1871
21	30.21	54	55	N.W.	.28	1872
22	30,32	53	65	N.E.	.00	1873
23	30.14	49	73	E.	.00	1874
		55	76	E.	.00	1876
24	30.08			S.		1877
25	30.27	52	90		.00	1878
26	20.20	54	. 78	8.	.00	1880 62.6 1890
27	29.86	58	97	S.	1.02	COMPARATIVE PRECIPITATIONS.
28	29.81	61	69	N.W.	.11	Inches. Inches.
29	29.99	55	67	N.	.00	1871 4.54 1881 4.1
30	29.91	56	69	E.	.00	1872 3.29
31	29.79	63	43	N.W.	.00	1874 3.70 1884
01	20.10		40		.00	1875 3.76 1885 4.2
					1.10	1876 2.70 1886 3.0
ALS					4.48	1877 3.38 1887 1.66
						1879 0.97 1889 4.1
NS	29.984	57.0	74.0	S.	.144	1880 1.67 1890 4.4

276/17

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of June, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of June, 1890, . Population estimated at 420,000.	Rate per 1,000 inhabitants, 19.11
Total number 669	NATIVITY.
SEX.	United States 444
Males	Ireland
Females	England
CONDITION.	Scotland
Married 209	Germany
	British America
Single	Italy 8
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch 6
	German
Under 1 year 119	British American
Total deaths of children Under 2 years 153	Italian
Under 5 years 199	Other Countries
(Under 1 year	Mixed 50
Under 2 years 6	Unknown 59
Diarrhœal diseases Under 5 years 6	
All ages	Still-births during the month 42

CAUSES OF DEATH.		for	for					- 00				A	. G	E.						-			SI	EX.
ALCORDIGISM		Total Mortality	Me	Under 8 mos.	under 6 mos.	months and under 1 year.	year and under 2 yrs.	years	years a	ler	2 2	under 10 yrs.	0 years and under 20 yrs.	O years and under 30 yrs.	O years and under 40 yrs.	O years and under 50 yrs.	O years and under 60 yrs.	O years and under 70 yrs.	O years and under 80 yrs.	O years and under 90 yrs.	0 years and	00 years and over.	fales.	Females.
CARDENCE	ALCOHOLISM	,				=				=	T							===	-	00	00 22			
CARRINGER CHOLERA MORROS. 1		6	-			1	1	1	1	1	5		1											3
CHOCKER MORRES. 1			-	-																				
CHOLERA INFANTEN 5 28 2 3		1																		1				1
CONCESTITUTIONAL. CREEKING-SPINAL MENNINGITIS. 2 1		5	28		2	3																		2
CONGESTIVE PEVER DIABRIGICA 5 14 1 1 1 1 1 1 1 1 5 DYSENTERY 1 3 1 5 6 7 9 28 1 1 INTERMITTENT FEVER FUNCTIONAL MEAGLES PORTURENT PORTURENT FEVER PORTURENT SCALLATINA 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2	1											1		1								1
Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director Director		-																		-				
Dysentery		5	14		-		1				1				1			1		1				
Direction		1										-		-						1				
ERVAIPELAS 1 1 1 1 1 1 1 1 1 INTERMITTENT FEVER						1	5	6	7	0	28	1		-						-	-		15	14
INPLÜENZA. MEASER 8 3 1 2 4 1 8 7 7 PURPURA MEASER 9 3 1 2 4 1 8 8 7 7 PURPURA PURPURA PURPURA PURPURA 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												-	-											1+
Institution						_					-													
MEABLES 8 3 1 2 4 1 8 7 PURPERS PURPERS PURPERS PURPERS REMITERNY FEVER RHEUMATISM 3 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																								
PUERPERAL FEVER. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		8	2		1	2		1			8													1
PUERPERAL FEVER. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2											-													
Pyemia		2						_	_			-												
REMITTENT FEVER RHEUMATISM			9											_										2
RHEUMATISM. 3 7					-		-													-				
SCARLATINA . 2		. 3	7											7										
SYPHILIS (CONGENITAL) SYPHILIS SEPTICEMIA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-									Ω												2
Syphilis (Congenital)			-																		-			2
SEPTICEMIA		1				7					7													
TONSILLITIS		-									1												1	
TYPHOID FEVER. 8 12 1 3 2 2 7 7 TYPHOS FEVER . 8 12 7 1 3 2 2 7 7 WHOOPING COUGH. 5 13 1 3 1 5 5 7 YELLOW FEVER . 7 OTHER ZYMOTIC DISEASES . 7 HYDROCEPHALUS AND TUBERC. MENINGITIS . 22 15 2 3 4 6 3 1 19 1 1 1 1 11		1	1		-			-																
TYPHOID FEVER		-	1											1										1
TTPHUS FEVER		2	10		-									_										-
### WHOOPING COUGH			12											3										1
THE CONSTITUTIONAL. CANCER				_							-													
OTHER ZYMOTIC DISEASES			10	1																				3
II. CONSTITUTIONAL. CANCER																								
CANCER	OTHER ZIMOTIC DISEASES																						_	
CANCER																								
CANCER																								
CANCER	II. CONSTITUTIONAL																							
HYDROCEPHALUS AND TUBERC. MENINGITIS 22 15 2 3 4 6 3 1 19 1 1 .		0.1																						
Minimum Sarama un Biara Managaria															1		8	9	2	2	1			25
DIAMANTIN CHINALIA AND TARRA MESTATRATA	MARASMUS, SCROFULA AND TABES MESENTERICA							3					1.										-	11
PRITATE DIVINOVALE				10	3	2	1				16													9
		107	108									2	15	34	25	16	10	4	1				44	68
OTHER CONSTITUTIONAL DISEASES . 18 13 1 1 1 1 4 4 2 1	OTHER CONSTITUTIONAL DISEASES .	13	13					1			1	1	4		4	2	1						7 /	6

of June, Classified by Cause, Age and Sex.

	for	for									A	G :	E.									S:	EX,
CAUSES OF DEATH.	Total Mortality June, 1890.	Total Mortality June, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos, and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
Apoplexy	19	21												1	3	4	4	5	2			11	
Bright's Disease	11	10												3	2	4		2				9	-
Bronchitis	22	20	1		2	4	1	1		9			2	2	3		1	2	2	1		11	1
HEART DISEASE	56	49			1					1	1	3	6	1	10	11	14	7	2			32	1 5
MENINGITIS	17	18	2	3	3	1	3		1	13	2	1						1				5	1
NEPHRITIS	8	16									1	1	1	2		2	1					6	
PLEURISY																							
PNEUMONIA	38	42	2		4	5	2	1	1	15		1	8	2	4	10	2	1				21	1
OTHER LOCAL DISEASES	110	130	8	3	5	ő	2		1	24	2	3	9	7	19	16	10	13	7			49	6
IV. DEVELOPMENTAL.																							
OYANOSIS	2	2	2							2					_							1	
NANITION	9	9	6		2					8							1					5	
OLD AGE	18	20															2	6	8	2		9	
PREMATURE BIRTH	14	14	13		1					14												10	
PUERP'L DISEASES (not including Puerp'l Fever)	3	2											2		1						1		
OTHER DEVELOPMENTAL DISEASES	16	18	10	1	2					13						1	1	1				10	
V. VIOLENT.																							
ACCIDENTAL	38	37	. 1	1		1			2	5	2	2	11	2	6	7	2	1				29	
Tomicidal	1	1			-										1							1	
SUICIDAL	6	1										1	1	2		1	1					5	
OTHER VIOLENT CAUSES	1														1								
Unknown Causes	7	4								5					1	1						4	
COTAL FROM ALL CAUSES	669	756	63	20	36	34	20	10	16	199	15	34	80	56	82	77	55	42	25	4		340	32
COTAL FROM ZYMOTIC DISEASES	82	155	1	6	10	11	8	8	10	54	3	2	10	3	5	1	2		2			45	3
" " Constitutional Diseases	191	187	12	6	6	7	4		1	36	4 (20	35	31	26	19	14	3	2	1		77	11
" " LOCAL do	281	306	13	6	15	15	8	2	3	62	6	9	21	18	41	47	32	31	13	1		144	13
" " DEVELOPMENTAL do	62	65	31	1	5					37			2		1	1	4	7	8	2		35	2
" " VIOLENT CAUSES	46	39	1	1		1			2	5	2	3	12	4	8	8	3	1				35	1

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of June, 1890, and for the corresponding month in 1889.

CASES REPORTED DU	RING JUNI	E, 1890.	CASES REPORTED DUR	ING JUNE	, 1889.
	City.	Quarantine.	and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	City.	Quarantine.
Diphtheria	110		Diphtheria	165	
Measles	246		Measles	187	****
Small Pox			Small Pox		****
Scarlatina	76		Scarlatina	36	
Typhoid Fever	39		Typhoid Fever	26	
Typhus Fever			Typhus Fever		
Yellow Fever	****		Yellow Fever	****	

For the month of June, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.87	66	43	N.W.	.00	Mean Barometer, 29.983.
2	29.96	66	, 33	N.W.	.00	Highest Barometer, 30.308, on the 16th.
2	30.13	62		N.W.		Lowest Barometer, 29.712, on the 25th.
8		62	45		.00	Monthly Range of Barometer, — Mean Temperature, 64.2.
4	30.10	59 .	87	N.	.26	Highest Temperature, 87.0, on the 18th.
5	30.05	54	92	N.	Т	Lowest Temperature, 50.0, on the 13th.
6	29.98	54	89 .	E.	.14	Monthly Range of Temperature, —— Greatest Daily Range of Temperature, 28.0, on the 7th.
7	29.83	66	75	w.	.33	Least Daily Range of Temperature, 2.0, on the 6th.
8	30,20	62	40	N.W.	.00	Mean Daily Range of Temperature, —
*				W.		Mean Daily Dew-point, 52.2.
9	30.16	68	36		.00	Mean Daily Relative Humidity, 69.7. Prevailing Direction of Wind, N.W.
10	30.16	65	55	W.	.00	Total Movement of Wind, 7,759 Miles.
11	29.89	75	76	S.W.	.20	Highest Velocity of Wind and Direction, 30 miles N.W on the 2nd.
12	29.99	54	97	N.E.	.13	Number of Foggy Days, 0. " Clear " 8.
13	29.94	52	98	N.	.99	" Fair " 13.
14	29.96	56	87	E.	.03	Number of Cloudy "9.
15	30.15	58	86	E.	.00	Total Number of Days on which Rain or Snow fell, 8. Depth of unmelted Snow on ground at end of month, .00.
16	30.26	64	' 81	s.w.	.00	Dates of Auroras, Dates of Solar Halos, 2nd, 3rd, 18th, 21st.
17	29.97	68	80	s.w.	.00	Dates of Lunar Halos, none.
18	29.78	76	58	w.	.00	Mean Max. Temp., Mean Min. Temp., Thunder storm, 6th, 11th, 25th.
19	29.88	70	61	N.W.	.00	Dates of Frosts,
20	30.16	62	65	N.E.	.00	COMPARATIVE TEMPERATURE. 1871 65.9 1881 60.6
21	30.06	64	65	8.W.	.00	1871 65.9 1881 60.6 1872 68.2 1882 65.9
22	29.98	60	82	E.	.00	1873 67.8 1883 69.0
23	30.08	58	77	· E.	.00	1874
24	29,96	71	85	s.w.	.00	1876 68.1
25	29.75	76	66	N.W.	.13	1877
26	29.72	73	59	N.W.	.00	1879 64.1 1889 67.7
27	29.81	66	66	N.W.	т	1880 67.3 1890 64.2
28	29.79	67	68	E.	.00	COMPARATIVE PRECIPITATIONS.
29	29.59	64	81	E.	.00	Inches. Inches Inches 1871
30	29.96	72	55	w.	.00	1872 4.87 1882 1,08
1						1873 0,54 1883 2,07 1874 3,94 1884 4,01
						1875 7.25 1885 3.70
						1876
TALS					2.21	1877 3.21 1887 1.98
						1878 2.28 1888 2.69 1879 6.24 1889 2.77
EANS	29.983	64.2	69.7	N.W.	0.73	1880 0.75 1890

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of July, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Population estimated at 437,245.	Rate per 1,000 inhabitants, 25.85
Total number	NATIVITY.
SEX.	United States 680
Males	Ireland
Females	England
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year	British American
Total deaths of children Under 2 years 408	Italian
Under 5 years 453	Other Countries
(Under 1 year	Mixed
Under 2 years	Unknown
Diarrhœal diseases Under 5 years 190	
All ages 199	Still-births during the month

	for	for	1					=		-	A	G	E.									SE	x.
CAUSES OF DEATH.	Total Mortality July, 1890.	Fotal Mortality July, 1889.	Under 3 mos.	mos. and under 6 mos.	6 months and under 1 year.	l year and under 2 yrs.	2 years and under 3 yrs.	S years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	0 years and under 70 yrs.	0 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
	9	5			9			00	4	Ĕ_	10		2	3	3	1	9		00	6 2	-	5	4
ALCOHOLISM	1	4		_			-		1	1			_		_	-						1	
CARBUNCLE	3	1	-										-		_	_	2		1			2	1
CHOLERA MORBUS	7	8		-	1					1					2			1		1		3	4
CHOLERA INFANTUM	179	200	20		70	31	2	1		179												104	75
CEREBRO-SPINAL MENINGITIS	3	2			1		-	-	_	2	1	-			_	-		-				2	1
Congestive Fever			-	tererente													-						
Diarrhea	9	41	2	3	- 2	1				8	_		_		-	1						7	2
DYSENTERY	4	11				1		1		2	-			1		-	1	-					4
DIPHTHERIA	28	32		-	2		3	-		19	9	-		-	-							13	15
ERYSIPELAS	2	1		1		-				1	-	-					1					1	1
Intermittent Fever																							
Influenza					-			-			-	-							-				
Measles	2	2	-			2	-			2		-			-	-				1.			2
PURPURA		-				_	-	-	-		-	-						-					
PUERPERAL FEVER		1	7								-												
Ружміа	3					-			-			_	-	1			1		1		-	2	1
REMITTENT FEVER		-																					-
RHEUMATISM		1																					_
SCARLATINA	1	1	-	-	-	1			-	1	-		-	_							-		1
SMALL POX			-																	_			
Syphilis (Congenital)	4	1	2		2	-	-			4								-			-	2	2
SYPHILIS	-	1	-		_		-											_	_	-			
SEPTICÆMIA		-																					_
Tonsillitis																							-
	9	17	1	-		1	_			2		2		4	-	1				-	-	5	4
TYPHUS FEVER		-				-		1				_							-		-		
WHOOPING COUGH	7	14	3	2	1					6	1			-	-		-	-		-		2	5
Yellow Fever			-		-					-	-								-		-		
OTHER ZYMOTIC DISEASES												-	-		-								
OTHER ZIMUTIC DISEASES		-	_	-	-	-M. M.					=	-	-						-				
																					1		
II. CONSTITUTIONAL.																							
CANCER	- 04	10	_	-								_	1	1	4	11	-	0.1				9	15
Hydrocephalus and Tuberc. Meningitis	24		0	-					1		1		1	1	4		-0	4	-			8	10
Marasmus, Scrofula and Tabes Mesenterica			2		7	4	3	1		28	1	1				2	2	2	1			19	16
PHTHISIS PULMONALIS	113	113			-	2			1		3	9	30	23	20	6	3		1		-	56	57
				2					-		-		_					1		_			
OTHER CONSTITUTIONAL DISEASES .	9	13			1					1			4	1	1	1	1					6	3

of July, Classified by Cause, Age and Sex.

	for	for									A	Gł:	E.									SE	X,
CAUSES OF DEATH.	Total Mortality July, 1890.	Total Mortality July, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos, and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	28	18											2		6	5	4	8	3			9	19
Bright's Disease	14	8				-	1	-		1	1	1	2		1		4	2	2			9	5
Bronchitis	21	24	1	2	4	1	2	-		10	2		2			1	2	4				9	12
HEART DISEASE	58	70			1		_	1		2	1	2	4	6	10	9	15	5	3	1		27	31
MENINGITIS	28	23	3	4	5	5		1		18	3	2	2	1	1		1					14	14
Nephritis	17	9		-	-	2		-	1	3			1	4	4	4		1				8	9
PLEURISY																							
PNEUMONIA	41	36	3	3		4	7	1	1	19		2	5	2	7	5		1				24	17
OTHER LOCAL DISEASES	143	165	20	9	13	13	2	1		58	3	7	7	15	11	15	13	10	4			80	63
IV. DEVELOPMENTAL.																							
CYANOSIS	1		1		_			_		1	-	_											1
INANITION	12	8	9	2	1					12												в	6
OLD AGE	14	25															3	4	5	2		6	8
PREMATURE BIRTH	13	11	13					1		13					_							7	6
PUERP'L DISEASES (not including Puerp'l Fever)	4	1											2	1	1								4
OTHER DEVELOPMENTAL DISEASES	32	20	21	3	1	2				27					2	1			1	1		17	15
V. VIOLENT.	ļ																		1				
ACCIDENTAL	34	39	2	1				1	2	6	2	6	3	10	2	2	3					27	7
Homicidal	1	2			-										1			-				1	
Suicidal		4			-				-			-		j									
OTHER VIOLENT CAUSES	2	1					-						j	1	1							1	1
																			-				
Unknown Causes	9	2	4	-			-		•	4		1		2	1					1		4	5
Total from all Causes	942	1044	122	98	113	75	20	15	10	458	27	33	76	76	80	65	63	41	22	6		496	446
Total from Zymotic Diseases	271	343	and the same	61	79	42	5	9		228	11	11, 10	2	9	5	3	7	1	2	1		140	122
" Constitutional Diseases	199	235	17	13	9	6	3	1	2	51	4	10	44	25	27	20	11	5	2			98	101
" " LOCAL do	350	353	27	18	23	25	12	4	2	111	10	14	25	28	40	39	39	31	12	1		180	170
" " DEVELOPMENTAL do	76	65	44	5	2	2	-			53		_	2	1	3	1	3	4	6	3		36	40
" " VIOLENT CAUSES	37	46	2	1				1	2	6	2	6	3	11	4	2	3	-				29	8
(TOUBLE CAUSED			1	1		1	-	_			11	-			1		-	1				_	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of July, 1890, and for the corresponding month in 1889.

CASES REPORTED DU	RING JUL	Y, 1890.	CASES REPORTED DUE	RING JULY	7, 1889.
	City.	Quarantine.		City.	Quarantine
Distribution	73		Diphtheria	93	****
Diphtheria			Measles	50	
Measles	216	****			
Small Pox	****		Small Pox	****	****
Scarlatina	72		Scarlatina	15	****
	48		Typhoid Fever	97	****
Typhoid Fever	40		Typhus Fever		
Typhus Fever		****		****	
Yellow Fever			Yellow Fever		

For the month of July, 1890. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	29.98	70	75	E.	, .00	Mean Barometer, 30.023.
2	29.96	70	85	s.	.00	Highest Barometer, 30.258, on the 22nd.
3	29.82	72	80	S.,	.03	Lowest Barometer, 29.661, on the 9th. Monthly Range of Barometer. ——
4						Mean Temperature, 71.0.
*	29.79	74	81	S.	.05	Highest Temperature, 95.0, on the 31st.
5	29.96	76	55	S.W.	T	Lowest Temperature, 52.0, on the 21st.
6	30.06	68	60	N.W.	.00	Monthly Range of Temperature, —
7	30.04	72	68	s.w.	.00	Greatest Daily Range of Temperature, 27.0, on the 15th. Least Daily Range of Temperature, 6.0, on the 29th.
8	29.80	80	71	s.w.	,00	Mean Daily Range of Temperature, —
9	29.76	74				Mean Daily Dew-point, 58.2.
			44	W.	.00	Mean Daily Relative Humidity, 67.0.
10	30.06	62	52	N.W.	.00	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,567 Miles.
11	30.21	61	70	E.	.00	Highest Velocity of Wind and Direction, 35 miles W. on the 19th.
12	30.14	64	54	N.E.	,00	Number of Foggy Days, 0.
13	30.10	66	67	s.	,00	" Clear " 8. " Fair " 13.
14	30.08	67	79	s.w.		Number of Cloudy " 10.
					.00	Total Number of Days on which Rain or Snow fell, 9,
15	29.99	78	76	s.w.	.00	Depth of unmelted Snow on ground at end of month, .00.
16	30.02	82	46	W.	.00	Dates of Auroras, Dates of Solar Halos, 24th.
17	29.87	76	47	w.	.00	Dates of Lunar Halos,
18	29.90	72	45	N.W.	.07	Mean Max. Temp., 72.1. Mean Min. Temp., 56.3.
19	29.93	65	63	s.w.	.00	Thunder storm, 31st. Dates of Frosts,
20	30.11	- 61	61	N.W.		COMPARATIVE TEMPERATURE.
21	30.24				.08	1871
		60	54	N.W.	.00	1872
22	30.24	64	58	s.w.	.00	1873
23	30,23	68	55	s.w.	.00	1874 73 1884 64 1875
24	30.20	64	86	S.E.	.00	1876
25	80.03	72	94	s.w.	.48	1877 70
26	29.92	75	90	s.w.	1,01	1878 73
27	30.05	78	64	W.		1880
28	30.19	74		W.	.00	COMPARATIVE PRECIPITATIONS.
			70		.00	Inches. Inches.
29	30.18	70	81	s.w.	.07	1871 3.24 1881 2.96
30	30.02	81	73	s.w.	.00	1872
81	29.87	86	74	8.W.	.13	1874 3.47 1894 4.25
						1875 3.93 1885 1.44
TALS					1.92	1876 5.86
					1.02	1877
EAW8	30,023	71.0	67.0	s.w.	0.07	1879 3.09 1889 5.80
		12.0	01.0	D.W.	.061	1880 6.86 1890 1.92

376

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of August, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of August, 1890, . Population by National Census, 446,507.	Rate per 1,000 inhabitants, 27.00
Total number 1,007	NATIVITY.
SEX.	United States
Males 500	Ireland
Females 507	England
CONDITION.	Scotland
000	Germany
ALLWAN AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL AND A TOTAL	British America 4
Single 686	Italy
Widows 67	Other Countries
Widowers	Unknown
Unknown 5	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
Colored	Scotch
	German
Under 1 year 400	British American 60
otal deaths of children Under 2 years 468	Italian
Under 5 years 501	Other Countries
	Mixed
Under 1 year	Unknown
Diarrhoad diseases	
Under 5 years	

	for	for	11								A	. G	E.									S:	EX.
CAUSES OF DEATH.	Potal Mortality f. August, 1890.	Mortality gust, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under 1 year.	1 year and under 2 yrs.	years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	under 5 years.	urs and er 10 yrs.	ars and er 20 yrs.	30	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	er 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	· ·	ales.
I. ZYMOTICS.	Tota	Total	Und	3 mo	6 mo	1 year	2 yer	3 yea	4 yea	Total	5 years	10 years	20 years	30 ye	40 ye	50 ye	60 ye	70 years	80 ye	90 ye	100 y	Males.	Femal
ALCOHOLISM	5	4											1	1		2		1				3	2
CROUP	1	2						1		1												1	
CARBUNCLE																							
CHOLERA MORBUS	10	10			1					1			1	3		2		1	2			4	6
Cholera Infantum	206	124	47	45	81	28	3	1		205	1											117	89
CEREBRO-SPINAL MENINGITIS	3	3			1	1				2		1										1	2
Congestive Fever					,																		
DIARRHŒA	19	29	7	4	2	3				16							1	2				8	11
DYSENTERY	6	25	1						-	1	1					1	1		2			3	3
DIPHTHERIA	27	36			2	4	2	3	2	13	10	1	1		1		1					12	15
ERYSIPELAS	1															-	1	-					1
INTERMITTENT FEVER																		_					
Influenza			-						-			-						_					
MEASLES	3	2				3	-	-		3	-	-	-					-		_		1	2
PURPURA						-		-	-		_				-	_			_	<u> </u>			
PUERPERAL FEVER	1	1	-	-					-				1										1
Ружміа		1	-		-			-			-		-			-	-		_				
REMITTENT FEVER				-		-		-			-	-	-	-			_						
RHEUMATISM	-	1			-	_							-					-					
SCARLATINA	2	1	-			1		1		2			-				-						2
SMALL POX											-				!								
SYPHILIS (CONGENITAL)	5	1	3	1	1		-		-	5	-			-					-			3	2
Втрица			-								-	_							-				
Вертісжина		1								-								-					
Tonsillitis,			-							-	_			-			-						
Typhoid Feyer	20	35										3		6	2								
	20			_							-		7			1	1					15	5
TYPHUS FEVER	2	15	-							2			_	_									
WHOOPING COUGH		15	1	-	1													_				2	
YELLOW FEVER														}									
OTHER ZYMOTIC DISEASES				_											_								
																-							
II. CONSTITUTIONAL																							
II. CONSTITUTIONAL.			-																				
CANCER	28	82												5	3	7	10	3				10	18
	11	15	1	2	2	2	1	1		9	1		1									4	7
MARASMUS, SCROFULA AND TABES MESENTERICA	55	52	27	12	8	3		_		50	1			1				2		1		19	36
PHTHISIS PULMONALIS	120	100	2	1	1			_		4	1	16	36	33	19	6	4	1	_			55	65
OTHER CONSTITUTIONAL DISEASES .	18	22			1			1	1	2		3	5	3		1	2	2		1	11	4	14

of August, Classified by Cause, Age and Sex.

	for .	for									A	G :	E.									SI	ex,
CAUSES OF DEATH.	Total Mortality for August, 1890.	Total Mortality August, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXY	26	26			1					1			1	2	5	8	3	2	4			14	12
Bright's Disease	8	11			-			-					_	1	1	3	2	1				4	4
Bronchitis	23	25	2	3	3	1	2	1		12		1				3	3	3	1			14	8
HEART DISEASE	48	66			1					1	4	2	7	6	6	4	10	6	2			22	20
deningitis	15	15		1	5	4	1		1	12	1	2										9	
Vephritis	8	10										1	1		2	2	2					3	
PLEURIST																							
PNEUMONIA	88	34	1		6	2	4		1	14			4	3	5	3		3	1			20	13
OTHER LOCAL DISEASES	175	160	32	14	24	15	1	3	1	90	1	3	13	12	16	15	15	7	3			80	98
IV. DEVELOPMENTAL.																							
CYANOSIS	1	1	1				_			1	_	_										1	
[NANITION	9	17	5	3	1					9			_		_	-				-		2	
OLD AGE	17	24							_								2	5	7	3		6	1
PREMATURE BIRTH	12	12	12							12												3	
PUERP'L DISEASES (not including Puerp'l Fever)	2											1		1									
OTHER DEVELOPMENTAL DISEASES	35	12	26		1		1			28			1		1		2	1	2			19	1
V. VIOLENT.																							
Accidental	35	38		1		1		1		3	5	4	 5	5	-3	3	3	3	1			28	,
Homicidal	2				-	-					-	_	1		1							2	
SUICIDAL	9	3											2	2	1	4						8	:
Other Violent Causes		1			-	-	_																
						_																	
Unknown Causes	6	6	1	1	-					2			2		2							3	5
TOTAL FROM ALL CAUSES	1007	973	169	88	143	68	15	13	5	501	26	38	90	84	68	65	63	43	25	4		500	507
TOTAL FROM ZYMOTIC DISEASES	311	291	59	50	89	40	5	6	2	251	12	5	11	10	3	6	5	4	4			170	141
" " CONSTITUTIONAL DISEASES	232	221	30	15	12	5	1	2		65	3	19	42	42	22	14	16	8		1		92	140
" " Local do	336	347	35	18	40	22	8	4	3	130	6	9	26	24	35	38	35	22	11			166	170
44 44 DEVELOPMENTAL do	76	66	44	3	2		1			50		1	1	1	1		4	6	9	3		31	4.5
" " VIOLENT CAUSES	46	42		1		1		1		3	5	4	8	7	5	7	3	3	1			38	8

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of August, 1890, and for the corresponding month in 1889.

CASES REPORTED DURI	NG AUGUS	ST, 1890.	CASES REPORTED DURI	NG AUGUS	ST, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	69		Diphtheria	99	
Measles	71		Measles	10	****
Small Pox			Small Pox		****
Scarlatina	30		Scarlatina	15	••••
Typhoid Fever	102		Typhoid Fever	211	
Typhus Fever			Typhus Fever		****
Yellow Fever			Yellow Fever	• • • •	••••

For the month of August, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.02	70	82	W. '	.17	Mean Barometer, 30.011.
2	30.19	69	62	S.E.	.00	Highest Barometer, 30.26, on the 19th.
3	30.18	71	83	s.w.	.00	Lowest Barometer, 29.52, on the 27th. Monthly Range of Barometer, —
4	30.12	79	80	s.w.	.00	Mean Temperature, 68.9.
5						Highest Temperature, 89.0, on the 4th.
Đ	30.16	80	75	s.w.	.00	Lowest Temperature, 50.0, on the 25th. Monthly Range of Temperature, ——
6	30.04	80	67	w.	,20	Greatest Daily Range of Temperature, 25.0, on the 7th.
7	30.11	71	62	N.W.	.00	Least Daily Range of Temperature, 6.0, on the 23rd.
. 8	30.12	71	67	8.W.	.00	Mean Daily Range of Temperature, —— Mean Daily Dew-point, 59.2.
9	29.92	64	95	E.	.15	Mean Daily Relative Humidity, 75.6.
10	29.77	72	81	s.w.	.07	Prevailing Direction of Wind, S.W.
11	29.84	64	71	E.	.05	Total Movement of Wind, 5,370 Miles. Highest Velocity of Wind and Direction, 27 miles W. on the 27th.
12				N.E.		Number of Foggy Days, 0.
	30.08	64	7 5		Т	" Clear " 7.
13	30,10	66	71	N.E.	Т	" Fair " 16, Number of Cloudy " 8.
14	29.97	72	62	w.	.00	Total Number of Days on which Rain or Snow fell, 12.
15	30.00	73	64	w.	T	Depth of unmelted Snow on ground at end of month, .00.
16	30.23	65	51	N.W.	.00	Dates of Auroras,
17	30.11	68	82	s.w.	.00	Dates of Solar Halos, Dates of Lunar Halos,
18	30.13	70	82	N.W.	.35	Mean Max. Temp., 76.1. Mean Min. Temp., 61.7.
19	30.16	64	93	E.	т	Thunder storm, 10th, 17th, 24th. Dates of Frosts,
20	30,09	70	85	S.E.	.54	COMPARATIVE TEMPERATURE.
21	30,00	69	76	S.E.	1	1871
				W.	.08	1872
22	29.87	72	74		.06	1874
23	29.91	62	94	N.E.	.16	1875
24	30.02	60	80	W.	.19	1876
25	80.03	61	70	w.	.00	1878
26	29.97	68	83	S.	T	1879
27	29.59	70	83	w.	.68	1880 69 1890 69
28	29.84	70	64	N.W.	.00	COMPARATIVE PRECIPITATIONS.
29 .	29.72	67	74	N.W.	.00	Inches. 1871 3.06 1881 1.23
30	29.76	67	74	s.	.08	1872 3.90
81	29,92	63	69	w.	,00	1873 6.21 1883 0.39 1874 6.67 1884 5.01
						1875 3.50 1885 7.64
OTALS					2.76	1876 1.23 1886 3.64 1877 4.49 1887 3.05 1878 7.66 1888 6.53
EANS	30.011	68.9	75.6	s.w.	.089	1879 6.71 1889 3.95 1880 2.90 1890 2.76

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of September, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of September, 1890, Population by National Census, 446,507.	Rate per 1,000 inhabitants, 20.18
Total number	NATIVITY.
SEX.	United States 508
Males	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
Cincle 455	British America
Single	Italy
Widows 49	Other Countries
Widowers	Unknown
Unknown 9	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(German
Under 1 year 224	British American
Total deaths of children Under 2 years 276	Italian
Under 5 years 315	Other Countries 67
(Under 1 year 78	Mixed
Under 2 years 89	Unknown 60
Diarrhœal diseases Under 5 years 91	
(All ages 107	Still-births during the month 54

-	for	for 39.									A	G	E.									SH	ex.
CAUSES OF DEATH.	Total Mortality for September, 1890.	Total Mortality for September, 1889.	Under 3 mos.	3 mos. and under 6 mos.	months and moder I year.	1 year and under 2 yrs.	years and under 3 yrs.	years and under 4 yrs.	4 years and midder 5 yes.	Total under 5 years.	5 years and mider 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yes.	40 years and under 50 yrs.	50 years and under 60 yrs.	on years and under 70 yes.	70 years and under 50 yrs.	under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mailes.	Females.
	2	E /	-	00	_ ي		31	ec	-	=	· · ·	2 -	2	5	7	26	- B	Tie -	7 -	5.5	=		
	4				1		2	-														2	
CROUP	1	11			-			1		4												3	1
CARBUNCLE	3	2					1									1						1	
CHOLERA MORBUS							1			1			_			1		1				1	2
CHOLERA INFANTUM	73	68	14	20	29	9	1			73												- 30	43
CEREBRO-SPINAL MENINGITIS	1	2			1	_	_			1.												1	
Congestive Fever																							
DIARRHŒA	25	18	4	1	9	2				16			2	1	1		2	1	2			13	12
Dysentery	6	15			1					1					1	4						3	3
DIPHTHERIA	19	44		1		1	3	4	5	14	3			2								7	12
ERYSIPELAS																							
INTERMITTENT FEVER																							
INPLOENZA																							
MEASLES																							
PURPURA	1	1							1	1												1	-
PUERPERAL NEVER	2							_					2										2
Ружміа		-			_																		
REMITTENT FEVER																							
RHEUMATISM	. 1	1															1					1 .	
SCARLATINA	4				1		1			2	1	1										3	1
SMALL POX					-		-														-		-
Syphilis (Congenital)	5	2	2	1		1	-			4	-	1	-						-			2	3
Cubinitio	-		-																				
BEPTICÆMIA	2							1		1									-				-
Marian a mar											1											1	1
							—																
Typhoid Fever	27	33									1	6	15	3	1			1				16	11
Typhus Fever																							
WHOOPING COUGH	3	11	1	1		1				3												2	1
YELLOW FEVER																							
OTHER ZYMOTIC DISEASES	2													1		1						2	
II. CONSTITUTIONAL.																							
CANCER	19	17												2	5	4	7		1			6	13
Hydrocephalus and Tuberc, Meningitis	18	16		3	. 3	6	1		3	16	1					1						8	10
Marasmus, Scrofula and Tabes Mesenterica	42	47	13	11	12	5	1			42												16	26
PHTHISIS PULMONALIS	101	115	1	1	1	1	-			4		15	20	28	17	10	6	1				45	56
Other Constitutional Diseases .	15	8		-	-	3				3		1	4	3	3	-						6 !	9
						0				0			*	0	0	4							

of September. Classified by Cause, Age and Sex.

	for 10.	for 59.	-						00000E2/0		A	G	E.				-		-			SI	ex,
CAUSES OF DEATH.	Total Mortality for September, 1890.	Total Mortality fo September, 1889.	Under 3 mos.	3 mos. and under 6 mes.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 yeans and	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yes.	90 years and under 100 yrs.	100 years and over.	Males.	Кеплајен.
APOPLEXY	28	27				1	1			2				3	8	5	5	3	2			14	14
BRIGHT'S DISEASE	4	11											1			1	2		-			4	
Bronchitis	25	32		4	3	4	2	1		14		2	2		3		-	3	1			12	13
HEART DISEASE	59			1				1		2	1	1	4	10	5	13	12	8	3	_		28	31
MENINGITIS	10	20	3	1	1	3				8	1			1								8	2
Nephritis	6	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~											2	1	1	1		1				2	4
PLEURISY																				_			
PNEUMONIA	19	33			2	3	1			6	1		1	1	2		3	4	1			11	8
OTHER LOCAL DISEASES	126	126	19	9	7	11	4	2		52		5	9	14	16	11	8	7	3	1		72	54
IV. DEVELOPMENTAL.																							
CYANOSIS	2	2	2						_	2												2	
INANITION	8	18	6	2						8												4	4
OLD AGE	13	22																4	6	3		6	7
PREMATURE BIRTH	9	14	9							9												7	2
PUERP'L DISEASES (not including Puerp'l Fever)	4	1										2		2									4
OTHER DEVELOPMENTAL DISEASES	22	19	13		2					15		1			1	2	1	2				11	11
V. VIOLENT.																							
ACCIDENTAL	28	24	4		1	1			2	8		1	5	4	3	2	3	2				19	9
Homicidal	2	2										1				1						1	1
SUICIDAL	4	8												2	1				1			4	
OTHER VIOLENT CAUSES	1														1								1
Unenown Causes	5	3	2	1						3				1	1							2	3
TOTAL FROM ALL CAUSES	751	837	93	57	74	52	18	10	11	315	10	37	69	79	70	59	50	38	20	4	- 0	377	374
TOTAL FROM ZYMOTIC DISEASES	181	214	21	24	42	14	8	6	6	121	6	8	21	7	3	7	3	3	2		1	89	92
" CONSTITUTIONAL DISEASES	195	203	14	15	16	15	2		3	65	1	16	24	33	25	16	13	1	1			81	114
" " LOCAL do	277	312	22	15	13	22	8	4		84	3	8	19	30	35	31	30	26	10	1		151	126
" " DEVELOPMENTAL do	58	76	30	2	2					34		3		2	1	2	1	6	6	3		30	28
" " VIOLENT CAUSES	35	29	4		1	1			2	8		2	5	6	5	3	3	2	1			24	11

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of September, 1890, and for the corresponding month in 1889.

CASES REPORTED DURIN	G SEPTEM	IBER, 1890.	CASES REPORTED DURING	SEPTEMI	BER, 1889.
1	City.	Quarantine.		City.	Quarantine
Diphtheria	75	1	Diphtheria	99	
Measles	32	2	Measles	4	
Small Pox		****	Small Pox		
Scarlatina	21		Scarlatina	17	
Typhoid Fever	214		Typhoid Fever	216	
Typhus Fever			Typhus Fever		
Yellow Fever			Yellow Fever	****	****

For the month of September, 1890. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	DAILY MEAN TEMPERATURE.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILY RAIN FALL.	GENERAL ITEMS.
1	30.21	65	68	N.W.	.00	Mean Barometer, 30.134.
2	30.22	67	64	W.	.00	Highest Barometer, 30.42, on the 11th. Lowest Barometer, 29.70, on the 17th.
3	30.24	63	77	N.E.	.00	Monthly Range of Barometer,
4		62	91	s.w.	.00	Mean Temperature, 62.9.
5		72	87	s.w.	т	Highest Temperature, 83.0, on the 5th. Lowest Temperature, 39.0, on the 25th.
6	[] 30.05	70	89	Ε.	1.51	Monthly Range of Temperature, —
						Greatest Daily Range of Temperature, 29.0, on the 30th.
7		66	86	E.	.11	Least Daily Range of Temperature, 4.0, on the 17th. Mean Daily Range of Temperature, —
8	30.18	65	85	E.	.00	Mean Daily Dew-point, 54.9.
9	30.19	67	91	s.w.	T	Mean Daily Relative Humidity, 79.0.
10	30.37	58	78	N.E.	.08	Prevailing Direction of Wind, S.W. Total Movement of Wind, 7,261 Miles.
11	30.39	61	78	N.E.	т	Highest Velocity of Wind and Direction, 34 miles S.W. on the 13th.
12	30.18	69	93	E.	.97	Number of Foggy Days, 0
18	29.96	76	89	S.W.	.61	" Clear " 10. " Fair " 7.
14	30.13	67	73	Е.		Number of Cloudy " 13.
					.01	Total Number of Days on which Rain or Snow fell, 12.
15	30.12	65	98	E.	.12	Depth of unmelted Snow on ground at end of month, .00. Dates of Auroras,
16		68	, 94	S.W.	1.25	Dates of Solar Halos, 8th, 23rd.
17	29.78	65	96	N.E.	.13	Dates of Lunar Halos, 28th.
18	29.92	67	71	N.W.		Mean Max. Temp., 69.6. Mean Min. Temp., 56.2. Thunder storm, none.
19		61	75	S.	.00	Dates of Frosts, none.
21		67	75	s.w.		COMPARATIVE TEMPERATURE.
21	30.16	58	70	N.W.	.00	1871
	30.02		81	s.w.		1872 63.9 1882
					.00	1874 64.3 1884
23	29.88		65	W.	.00	1875 59.3 1876 58.8 1886
24	30.18	54	56	N.W.	.00	1877 63.9 1887
25	30.27	õ1	60	8.W.	.00	1878 63.1 1888
26		54	87	S.W.	.12	1879
27	30.02	64	82	N.W.	.08	
28		50	76	N.E.	.00	COMPARATIVE PRECIPITATIONS.
29			75	N.E.	.00	Inches. Inches. Inches. 1871
30				W.	.00	1872 6.05 1882 1.50
			12		.00	1870 2,91 1883 0.331
						1874 2.05 1884 1.70
						1870
CALS					5.04	1877
						1878 3.47 1888 0.91 1876 1.54 1889
AWS	30.134	62.9	79.0	S.W.	.168	1880 2.50 1890 5.04

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of October, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Deaths during the month of October, 1890, Population by National Census, 446,507.	Rate per 1,000 inhabitants, 20.26
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England ,
CONDITION.	Scotland 6
Married	Germany
	British America 50
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown 10	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
(1.)	German
Under 1 year 172	British American 47
Total deaths of children Under 2 years 206	Italian
Under 5 years 231	Other Countries 64
(Under 1 year 21	Mixed
Diarrhœal diseases Under 2 years	Unknown
(All ages	Still-births during the month 50

		-	11	-	-	-		1	-	-	_	_	-	_	-	_	-	-	-			l GT	9.35
CALIGES OF DEAMI	ity for 890.	ity for			- :							.G							-		-	SI	ex.
CAUSES OF DEATH.	Potal Mortality f	tal Mortality October, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yrs.	urs and ler 4 yrs.	4 years and under 5 yrs.	under 5 years	5 years and under 10 yrs	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs	er 80 yrs	er 90 yrs	90 years and under 100 yrs.) years and over.	œ.	ules.
I. ZYMOTICS.	Tota	Total	Und	3 mc	oun g	1 ye	2 ye	3 year	4 ye	Tota	a ye	10 y	20 y	30 y	40 y	50 y	60 y	70 years	S0 years under	90 y und	100 3	Males.	Female
ALCOHOLISM	9	4			-								3	3	2	1						5	4
CROUP	2	11				1	1			2												1	1
Carbuncle	2	1													1				1			1	1
CHOLERA MORBUS																							
CHOLERA INFANTUM	22	16	6	5	5	5		1		22												11	11
CEREBRO-SPINAL MENINGITIS	1	1						1		1					-							1	
Congestive Fever					-																		
DIARRHŒA	11	6	3		2	1	1			7					1		1	2				3	8
DYSENTERY	4	7													1	1	2						4
DIPHTHERIA	18	49				2	3	3	1	9	8				1							10	8
ERYSIPELAS	1												1										1
INTERMITTENT FEVER																							
INFLUENZA	1																			1		1	
MEASLES	1					1				1													1
PURPURA	1														1							1	
PUERPERAL FEVER	1												1							_			1
Ружміа				-															_				
REMITTENT FEVER																							
RHEUMATISM	, 2	1															1		1				2
SCARLATINA		2		-																			
SMALL POX																		-					
STPHILIS (CONGENITAL)	3	7	1			1		1		3												3	
SYPHILIS		2																					
SEPTICÆMIA	3	2													2		1					1	2
Tonsillitis																							
TYPHOID FEVER	20	23					_					6	6	4	3	1						12	8
Typhus Fever																							
WHOOPING COUGH	1	7					1			1													1
Yellow Fever																							
OTHER ZYMOTIC DISEASES		2							-														
																	;						_
																-				1			
									-														
II. CONSTITUTIONAL.																							
CANCER	26	20											2	2	1	8	7	4	2			10	16
Hydrocephalus and Tuberc. Meningitis	18	13	2		8	4	1		1	16	1	1.										11	7
Marashus, Scrofula and Tabes Mesenterica	27	46	10	6	7	1		1		25							1		1			12	15
PHTHISIS PULMONALIS	110	120	2	1		2		1		6		11	41	28	16	4	2	2				53	57
OTHER CONSTITUTIONAL DISEASES .	15	10	2		1		=		_	3	i	1	1	3	5	1	1			-	-	9	6
				1				-			-	-		-							11		

of October, Classified by Cause, Age and Sex.

	for .	for .									A	G :	E.									S	EX.
CAUSES OF DEATH.	Potul Mortality October, 1890.	Total Mortality October, 1889	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under I year.	I year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	under 30 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Femalos
					=				4						5		- 5		4				-
APOPLEXY	21	. 19			_	1				1	_		_	2							-	15	
BRIGHT'S DISEASE	10	17		-						-	1		2	1		3	2		1		_	7	-
Bronchitis	28	41	4	5	5			-		17			_		1	3	1	5				39	-
HEART DISEASE	75	79	2			1		1	1		2	_	5	9	9		18	13			-	9	
MENINGITIS	16	15	2	2	1	3	1	1	_	10	1		2	1					1				-
Nephritis	10	13				_						1	1		3		2	2	1		-	7	
PLEURISY																				_			
PNEUMONIA	53	55	4	4	3	_			3	_	3	2	3	6	6	5	5	9				29	-
OTHER LOCAL DISEASES	124	112	18	2	6	8	1			35	3	5	6	12	13	11	24	9	5	1		65	-
IV. DEVELOPMENTAL.																							
IV. DEVELOT RESEARCH			_								_				_					_			
CYANOSIS	1		1							1													
INANITION	10	5	6	4						10					!							5	
OLD AGE	22	28														2	3	3	9	4	1	9	
PREMATURE BIRTH	16	11	16							16												11	
PUERP'L DISEASES (not including Puerp'l Fever)	2	7											1	1									
OTHER DEVELOPMENTAL DISEASES	26	19	19	1	1					21						1	1	2	1			15	
V. VIOLENT.																							
ACCIDENTAL	33	25	3	2						5	2		11	ő	2	3	2	3	-			26	
HOMICIDAL	1	1											1										
Suicidal	3	4											_	2		1						2	
OTHER VIOLENT CAUSES		1																					
		-										_		-									
Unknown Causes	4	2							-						2	1		1				2	
TOTAL FROM ALL CAUSES	754	804	101	32	39	34	9	10	6	231	21	28	87	79	75	52	80	59	35	6	1	400	88
TOTAL FROM ZYMOTIC DISEASES	103	141	10	5	7	11	6	6	1	46	8	6	11	7	12	2	6	2	2	1	I	50	
" Constitutional Diseases	196	209	16	7	16	7	1	2	1	50	1	13	44	33	22	13	11	6	3			95	10
" LOCAL do	337	351	30	13	15	16	2	2	4	82	10	9	19	31	37	29	57	42	20	1		185	1
" " DEVELOPMENTAL do	77	70	42	5	1					48			1	1		3	4	5	10	4	1	40	
" " VIOLENT CAUSES	37	31	3	2						5	2		12	7	2	4	2	3		-		28	

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of October, 1890, and for the corresponding month in 1889.

CASES REPORTED DURI	NG OCTOB	ER, 1890.	CASES REPORTED DURIN	G OCTOBI	ER, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	90		Diphtheria	137	****
Measles	62		Measles	1	2
Imall Pox	****		Small Pox	7	****
Scarlatina	30		Scarlatina	32	****
Cyphoid Fever	159		Typhoid Fever	209	****
Typhus Fever	****		Typhus Fever		
Yellow Fever	****	1	Yellow Fever		****

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of October, 1890. as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERAL ITEMS.
1	30.30	60	67	E.	00.00	Mean Barometer, 29.898.
2	30.28	66	56	s.w.	.00	Highest Barometer, 30.412, on the 22nd. Lowest Barometer, 29.317, on the 17th.
8	30.10	62	87	S.E.	.24	Monthly Range of Barometer, —
4	29.78	64	97	E.	.82	Mean Temperature, 51.0.
5	29.74	63	69	N.W.	.00	Highest Temperature, 77.0, on the 2nd. Lowest Temperature, 36.0, on the 22nd.
6	29.79	54	66	N.W.	.00	Monthly Range of Temperature, —
7	29.95	48	80	N.E.	.26	Greatest Daily Range of Temperature, 23.0, on the 2nd. Least Daily Range of Temperature, 4.0, on the 24th.
.8	30.07	50	86	N.	,25	Mean Daily Range of Temperature,
9	30,29	50	69	N.W.	.00	Mean Daily Dew-point, 43.4. Mean Daily Relative Humidity, 78.6.
10	30.11	54	84		T.	Prevailing Direction of Wind, N.W.
				N.W.		Total Movement of Wind, 8,719 Miles.
11	29.88	58	76	N.W.	.04	Highest Velocity of Wind and Direction, 54 miles S.E. on the 19th. Number of Foggy Days, 0.
12	29.92	49	65	N.W.	.00	" Clear " 7.
18	30.01	48	69	N.W.	.00	" Fair " 8. Number of Cloudy " 16.
14	29.79	49	86	s.w.	.08	Total Number of Days on which Rain or Snow fell, 16.
15	29.92	54	75	W.	.21	Depth of unmelted Snow on ground at end of month, .00.
16	30.11	59	78	w.	.00	Dates of Auroras, Dates of Coronas, 30th. Dates of Solar Halos, 2nd, 16th, 18th, 26th.
17	29.48	55	73	N.W.	.79	Dates of Lunar Halos, 22nd, 25th, 26th.
18	29.92	54	78	w.	.01	Mean Max. Temp., 56.4. Mean Min. Temp., 45.6. Thunder storm, none.
19	29.66	53	92	S.E.	.52	Dates of Frosts, 13th, 22nd.
20	29.71	44	87	E.	.67	COMPARATIVE TEMPERATURE.
21	30.10	44	74	N.	т	1871
22	30.39	42	75	N.	.00	1873
23	30.28	44	81	E.	.00	1874
24	29.82	47	93	E.	1.10	1876 47.8 1886 51.5
25	29.73	. 44	88	N.	.44	1877 50.8 1887 51.0 1878 54.9 1888 47.1
26	29.64	43	80	N.E.	.00	1879
27	29.40	44	78	N.	.01	1880 50.9 1890 51.0
28	29.51	43	69	w.	.00	COMPARATIVE PRECIPITATIONS.
29	29.48	44	92	s.	.17	Inches. Inches.
30	29.45	46		S.W.		1871
			71		.02	1873 5.33 1883 6.40
31	29.93	46	79	W.	.00	1874 1.39 1884 3.17 1875 4.99 1885 5.71
TOTALS					5.63	1876
MEANS	29,598	51.0	78.6	N.W.	.181	1878 3.76 1888 3.58 1879 0.91 1889 3.31 1880 3.15 1890 5.63

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of November, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

pulation by National Census, 446,507.	Rate per 1,000 inhabitants, 19.43
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England ,
CONDITION.	Scotland
Married	Germany
	British America
Single	Italy
Widows	Other Countries
Widowers	Unknown
Unknown	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 132	British American
al deaths of children Under 2 years 163	Italian
Under 5 years 192	Other Countries 60
(Under 1 year	Mixed
Under 2 years 8	Unknown
arrhœal diseases Under 5 years 8	
All ages 12	Still-births during the month 68

Total Deaths with Principal Causes for the month

	for 0.	for	. 6									A	G	E.									SI	ex.
CAUSES OF DEATH.	Potal Mortality for November, 1890.	Total Mortality for	November, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 months and under I year.	1 year and under 2 yrs.	2 years and under 3 yes.	3 years and under 4 yrs.	4 years and under 5 crs.	Total under 5 vears.	a years and	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 80 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	*89	Females.
I. ZYMOTICS.	Tots	Tota	S	Und	8 m	6 m	1 ye	2 ye	3 ye	4 ye	Tota	a y e	10 y	20 y	30 y	40 y	50 y	60 y	70 y	80 y	90 y	100	Males.	Fem
ALCOHOLISM	10	1	7											1	3	4	2						7	3
CROUP	5		8				2	1		1	4	1											. 3	2
CARBUNCLE																								
CHOLERA MORBUS	-		1											-										
CHOLERA INFANTUM	8		В	3	2	2	1				8												4	4
CEREBRO-SPINAL MENINGITIS		1																						
Congestive Fever		1				· ′.													1					
DIARRHŒA	3	(9										1						2					3
Dysentery	1	1 1	2														1						1	
DIPHTHERIA	18	4:	2				3	5	2	2	12	4	1			1							8	10
ERYSIPELAS	2			1	1						2		-										1	1
INTERMITTENT FEVER																								
INFLUENZA																		Ŧ,						
MEASLES	2	-			-			1	1		2													2
PURPURA	1	1	1									1												1
PUERPERAL FEVER	3													1	1	1								3
Ружміа	2	1 5	2	1	-						1	-	-	1									1	1
REMITTENT FEVER																								
RHEUMATISM	1	1	1		-	-	-							-	1		_							1
SCARLATINA	1					-						1												I
SMALL Pox		:	2		-							-							-					
Syphilis (Congenital)	6	1 1	1	5		1					6		-							-			4	2
Sypulis	1	1 1												1										1
SEPTICÆMIA	3		ı											1	1				1				1	2
Tonsillitis	-																							
Typhoid Feyer	19	17	7 11										4	8	3	1	3						и,	10
Typhus Fever										-			_											
WHOOPING COUGH			! 3										-											
YELLOW FEVER																								
OTHER ZYMOTIC DISEASES	2	1 1	1 1									1				}		1					1	1
11. CONSTITUTIONAL.																								
CANCER	26	30	0 11												2	1	11	10	2				11	15
Hydrocephalus and Tuberc. Meningitis	8		5		2	2	1	1		1	7		1										3	5
MARASMUS, SCROFULA AND TABES MESENTERIC	A 19	2	5	5	4	5	4				18						1						10	9
PHTHISIS PULMONALIS	113	11	ō	1		3		1			5	1	13	27	31	14	11	9	2				47	66
OTHER CONSTITUTIONAL DISEASES .	10	1	8		1	2					3			3	1		1	1	1				6	4

of November, Classified by Cause, Age and Sex.

	for 30.	for 39.									A	G:	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for November, 1890.	Total Mortality fo November, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 50 yrs.	60 years and under 70 yrs.	To years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Mules.	Females.
		23											2	3	5	4	9	9	1	1		20	15
APOPLEXY	35					1 1				. 1			2		3	2	3	1	2			6	7
BRIGHT'S DISEASE	13	36	8	ō	1	9				26					-	1	2	2	2			12	21
Bronchitis			3	-	1	- 1		-	1	3	1	3	2	7	15	14	12	9	3	W. 2000A		33	36
HEART DISEASE	69		11 0	2		7	4			9	3		1	- 3			1		_	-		10	7
MENINGITIS	17	14		2	5	1	1	_		9	-						1					1	5
Nephritis	6	12											1	r	-								-
PLEURISY										-				-			_	10		3		41	38
PNEUMONIA	79		5	3	8	5	3	1	1	26	1	2	5	7	6	10	9			3			60
OTHER LOCAL DISEASES	105	93	11	2	5	2	1	1		22	3	3	10	16	18	7	10	10	6			45	
IV. DEVELOPMENTAL.																							
CYANOSIS	2	3	2							2												2	
INANITION	4	9	3		1					4												2	2
OLD AGE	18	16														1	1	5	5	6		8	10
PREMATURE BIRTH	13	11	13							13												7	6
PUERP'L DISEASES (not including Puerp'l Fever)	5	3										1	2	2									5
OTHER DEVELOPMENTAL DISEASES	13	8	8	1						9							2	1	1			6	7
v. violent.																							
ACCIDENTAL	37	26	2	1		2	1		1	7	3	1	4	õ	5	7	5	2				31	6
Homicidal	2	1	1							1			1									2	
SUICIDAL	4	5												1	1	1	1					2	2
OTHER VIOLENT CAUSES	1	2										J			1								1
UNKNOWN CAUSES	3	1	1							1					1	1						3	
TOTAL FROM ALL CAUSES	723	702	73	24	35	31	17	5	7	192	18	30	73	83	80	78	77	57	20	10	-	318	375
TOTAL FROM ZYMOTIC DISEASES	88	105	10	3	3	6	7	3	3	35	8	6	13	9	7	6	.1	3				40	48
" CONSTITUTIONAL DISEASES	176	193	6	7	12	5	2		1	33	1	14	30	34	15	21	20	5				77	99
" " LOCAL do	357	319	27	12	19	18	7	2	2	87	8	8	23	37	50	38	47	41	14	4		168	189
60 44 DEVELOPMENTAL do	53	50		1	1					28		1	2	2		1	3	6	6	6		25	30
44 VIOLENT CAUSES	44	34	1 3	1	-	2	1		1	8	1	1	5	6	7	8	6	2				35	9

Comparative Statement of Cases of Contagious Disease reported to the Bourd of Health for the month of November, 1890, and for the corresponding month in 1889.

CASES REPORTED DURI	NG NOVEM	BER, 1890.	CASES REPORTED DURING	G NOVEME	ER, 1889.
	City.	Quarantine.		City.	Quarantine
Diphtheria	75	1	Diphtheria	131	
Measles	106		Measles	4	2
Small Pox	****		Small l'ox	3	
Scarlatina	40	1	Scarlatina	36	
Typhoid Fever	89		Typhoid Fever	64	****
			Typins Fever		****
Typhus Fever	• • • •	••••	Yellow Fever	****	••••

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of November, 1890, as reported by J. W. SMITH, Sergeant Signal Corps, U.S.A.

DATE.	DAILY MEAN BAROMETER.	Daily Mean Temperature.	DAILY MEAN HUMIDITY.	PREVAILING DIRECTION OF WIND.	DAILT RAIN FALL.	GENERAL ITEMS.
1	29.94	49	80	W. /	.00	Mean Barometer, 30.02.
2	29.79	47	80	s.w.	т	Highest Barometer, 30.376, on the 9th.
_						Lowest Barometer, 29.424, on the 18th. Monthly Range of Barometer, ——
3	29.61	89 .	70	W.	.00	Mean Temperature, 41 8.
4	29.92	42	70	W.	.00	Highest Temperature, 64.0, on the 8th.
5	30.24	54	70	s.w.	.00	Lowest Temperature, 15.0, on the 28th.
6	30.24	51	86	s.w.	.00	Monthly Range of Temperature, 49.3 Greatest Daily Range of Temperature, 25.0, on the 25th.
7	30.25	51	93	S.	.00	Least Daily Range of Temperature, 5.0, on the 11th.
				8.W.		Mean Daily Range of Temperature, 15.0
8	30.12	54	78		.00	Mean Daily Dew-point, 33.6.
9	30.18	51	84	s.	.00	Mean Daily Relative Humidity, 77.0. Prevailing Direction of Wind, West.
10	30.16	50	79	N.W.	T	Total Movement of Wind, 8,285 Miles.
11	30.25	35	91	N.W.	.11	Highest Velocity of Wind and Direction, 41 miles W. on the 18th.
12	30.29	36	100	N.W.	.03	Number of Foggy Days, 0.
						" Clear " 10. " Fair " 11.
13	30.13	41	68	w.	.00	Number of Cloudy " 9.
14	30.15	49	66	w.	.00	Total Number of Days on which Rain or Snow fell, 6.
15	30.25	47	97	N.W.	.12	Depth of unmelted Snow on ground at end of month, .00.
16	30.34	43	75	N.W.	.06	Dates of Auroras, Dates of Coronas, 16th.
17	29.85	46	93	s.w.	49	Dates of Solar Halos, 24th, 26th. Dates of Lunar Halos, 26th.
						Mean Max. Temp., 49.1. Mean Min. Temp., 34.5.
18	29.63	48	67	N.W.	.16	Thunder storm, none.
19	29.68	45	78 -	w.	.00	Dates of Frosts,
20	29.74	34	71	N.W.	.00	COMPARATIVE TEMPERATURE.
21	30.04	87	54	N.W.	.00	1872 40.0 1882
22	29.84	42	71	s.w.	т	1873
						1874 41.0 1884
23	29.93	28	78	N.W.	T	1875 34.0 1885
24	30.13	27	. 68	W.	.00	1877
25	29.81	48	48	s.w.	.00	1878 40.0 1888 43.
26	30.09	35	66	N.W.	.00	1879
2"	30.04	27	67	N.W.	T	1880
				N.W.		COMPARATIVE PRECIPITATIONS.
28	30.02	23	73		.00	Inches. Inche
29	29.91	83	68	W.	.00	1871 6.42 1881 3.7
30	29.68	. 40	80	8.W.	.00	1872 3.66 1882 1.2
						1874 2.85 1884 4.4
						1875 5.47
					0.07	1876
ATS		3			0.97	1877 9.62 1887
	240011111111111111111111111111111111111	-		CHARLES THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY		1879 2.97 1889 4.9

OFFICE OF THE BOARD OF HEALTH OF THE CITY OF BOSTON.

Statement of Mortality for the month of December, 1890.

With an enumeration of the more prominent causes; accompanied by an abstract of Meteorological Observations.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

*Deaths during the month of December, 1890, .	
Population by National Census, 448,477.	Rate per 1,000 inhabitants, 22.74
Total number	NATIVITY.
SEX.	United States
Males	Ireland
Females	England
CONDITION.	Scotland 8
Married	Germany
	British America
Single 416	Italy 4
Widows	Other Countries
Widowers	Unknown
Unknown 8	PARENTAGE.
COLOR.	United States
White	Irish
Colored	English
	Scotch
	German
Under 1 year 135	British American
Total deaths of children Under 2 years 174	Italian
Under 5 years	Other Countries
(Under 1 year	Mixed
Under 2 years	Unknown
Diarrhœal diseases Under 5 years	
(All ages 9	Still-births during the month 59

^{*}Deduct one death (Cholera Infantum) from the month of July mortality statement.

Total Deaths with Principal Causes for the month

	for 0.	for 9.	11	_		-	-				A	G	E.							-		SI	EX.
CAUSES OF DEATH.	Total Mortality for December, 1890.	Total Mortality fo December, 1889.	Under 3 mos.	8 mos. and under 6 mos.	nonths and	1 year and under 2 yrs.	ears and nder 3 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	al under 5 years.	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under so yes.	80 years and under 90 yrs.	90 years and under 100 yrs.	years and over.	Males.	Femules.
I. ZYMOTICS.	Tol	To	, a	n S	6 n	l J	2 3	3 y	4 4 1	Tot	a de la	10	20 u	30 u	40 un	20 m	09 In	70 m	80	06	100	Ma	E.
ALCOHOLISM	6	7		-										4	2							4	2
CROUP	5	17			1		1	1	1	4	1											4	1
CARBUNCLE																							
Cholera Morbus										-										1			
Cholera Infantum	1	1			1					1				_4									1
CEREBRO-SPINAL MENINGITIS	4	1		2				1		'3			1									3	1
CONGESTIVE FEVER																							
DIABRHŒA	6	9	4	2						6												4	2
DYSENTERY	2	1													1		1						2
DIPHTHERIA	33	59				7	6	4	2	19	7	4	1		1	1						12	21
ERYSIPELAS	4	. 2			1					1		1				1		1					4
INTERMITTENT FEVER																							
INFLUENZA	2		1			1				2												2	
MEASLES	2			1				1		2												2	
PURPURA																							
PUERPERAL FEVER	3	1											2	1									3
Ружміа		1		-																			
REMITTENT FEVER																							
RHEUMATISM	2	1					1			1					1								2
SCARLATINA	7	4					2	1	3	6		1										5	2
SMALL Pox											-						-						
SYPHILIS (CONGENITAL)	1	1	1	-						1												1	
Syphilis	1	1	-									_	1										1
SEPTICÆMIA	1		-	_									1				-			-			1
Tonsillitis,				-																			
Typhoid Fever	19	13		-							1	1	13	2		1		1				12	7
Typhus Fever		-	-																				
WHOOPING COUGH		3	,					_															
YELLOW FEVER											-									_			*******
OTHER ZYMOTIC DISEASES	1	1										-	1									1	
			1			-					-	-	-		-								
II. CONSTITUTIONAL.																							
CANCER	26	29				-				-			-			11	5	6				7	19
Hydrocephalus and Tuberc. Meningitis	16	15	1	1	2	5	-	1	3	13	1		1		1							7	9
MARASMUS, SCROFULA AND TABES MESENTERICA		20	16	1	4	3	1			25	-			-						-		10	15
PHTHISIS PULMONALIS	125	145	10	1		4	-				0	12	39	20	13	7	9	1	-	1		63	62
					1	-												_		1			
OTHER CONSTITUTIONAL DISEASES .	12	17					1			1		1	4	2	2	- Anna	2	1	1			8	, 4

of December, Classified by Cause, Age and Sex.

	for 0.	for 19.									A	G	E.									SI	EX.
CAUSES OF DEATH.	Total Mortality for December, 1890.	Total Mortulity fo December, 1889.	Under 3 mos.	3 mos. and under 6 mos.	6 mos. and under 1 year.	1 year and under 2 yrs.	2 years and under 8 yrs.	3 years and under 4 yrs.	4 years and under 5 yrs.	Total under 5 years	5 years and under 10 yrs.	10 years and under 20 yrs.	20 years and under 30 yrs.	30 years and under 40 yrs.	40 years and under 50 yrs.	50 years and under 60 yrs.	60 years and under 70 yrs.	70 years and under 80 yrs.	80 years and under 90 yrs.	90 years and under 100 yrs.	100 years and over.	Males.	Females.
APOPLEXT	24	.30					-								4	7	6	3	4			11	13
BRIGHT'S DISEASE	12	12					-				-	1		2	3	2	3	1				10	2
Bronchitis	49	43	6	8	9	3	2		1	29	1	1	-	1	2	4	3	6	2			19	80
HEART DISEASE	90	82	2					-		2	5	4	3	9	15	11	21	16	4			43	47
Meningitis	14	20		1	3	2	1		1	8	1	1		1		2	1			_		8	6
Nephritis	10	8									2		1	1	1	3	2			_		5	5
PLEURISY	3				-								1		1				1			1	2
PNEUMONIA	100	148	2	3	5	9	7	2	1	29	4		4	7	19	8	20	3	6			47	53
OTHER LOCAL DISEASES	114	102	12	6	2	3	2	1	1	27	2	4	5	12	13	8	20	13	9	1		52	62
					-															_			
IV. DEVELOPMENTAL.																							
CYANOSIS	3	5	2				1			3	-							-	-			2	1
INANITION	10	6	9			1				10												6	4
OLD AGE	33	24															2	7	17	7		8	25
PREMATURE BIRTH	9	21	9							9												4	5
PUERP'L DISEASES (not including Puerp'l Fever)	7	4											5	2									7
Other Developmental Diseases	18	24	13	1						14						1		2	1			14	4
V. VIOLENT.																							
ACCIDENTAL	47	32	1			1			1	3		3	9	9	10	5	3	ő		_		38	9
Homicidal																							
SUICIDAL	2	6												2								2	
OTHER VIOLENT CAUSES	1	2												1									1
Unenown Causes		1							-														
TOTAL FROM ALL CAUSES	850	919	79	27	29	39	25	12	14	225	27	40	92	85	93	72	98	65	44	9		415	435
TOTAL FROM ZYMOTIC DISEASES	100	123	6	5	3	8	10	8	6	46	9	7	20	7	5	3	1	2			Į.	50	50
" CONSTITUTIONAL DISEASES	204	226	17	3	7	12	2	1	3	45	3	19	44	31	20	18	16	7		1		95	109
44 LOCAL do	416	445	22	18	19	17	12	3	4	95	15	11	14	33	58	45	76	42	26	1		196	220
66 66 DEVELOPMENTAL do	80	84	33	1		1	1			36			5	2		1	2	9	18	7		34	46
66 66 VIOLENT CAUSES	50	40	1			1			1	3		3	9	12	10	5	3	5				40	10

Comparative Statement of Cases of Contagious Disease reported to the Board of Health for the month of December, 1890, and for the corresponding month in 1889.

CASES REPORTED DURIN	NG DECEM	BER, 1890.	CASES REPORTED DURING	G DECEMB	ER, 1889.
	City.	Quarantine.		City.	Quarantine.
Diphtheria	117		Diphtheria	174	
Measles	287		Measles	9	****
Small Pox			Small Pox		
Scarlatina	112		Scarlatina	49	1
Typhoid Fever	54	••••	Typhoid Fever	64	****
Typhus Fever		****	Typhus Fever	****	****
Yellow Fever			Yellow Fever		****

METEOROLOGICAL OBSERVATIONS TAKEN AT THE SIGNAL OFFICE, BOSTON.

For the month of December, 1890. as reported by J. W. SMITH, Sergeant Signal Corps, U. S. A.

T. 4 7073	DAILY MEAN	DAILY MEAN	DAILY MEAN	DIRECTION	DAILT	GENERAL ITEMS.		
DATE.	BAROMETER.	TEMPERATURE.	HUMIDITY.		RAIN FALL.			
1	29.67	21	54	N.W.	.00	Mean Barometer, 30.024. Highest Barometer, 30.592, on the 25th.		
2	30.17	13	75	W.	.00	Lowest Barometer, 29.363, on the 27th.		
8	30.06	20	93	N.W.	.66	Monthly Range of Barometer, —		
4	29.81	28	63	W.	.25	Menn Temperature, 26.0. Highest Temperature, 56.0, on the 4th.		
5	30.30	32	82	s.w.	.01	Lowest Temperature, .0, on the 3d.		
6	30.17	30	97	N.W.	.01	Monthly Range of Temperature, —— Greatest Daily Range of Temperature, 40.0, on the 3d.		
7	30.08	25	76	N.W.	.12	Least Daily Range of Temperature, 30.0, on the 3d.		
″8	30.24	18	75	N.W.	.00	Mean Daily Range of Temperature, —		
. 9	29,86	28	70	N.W.	.00	Mean Daily Dew-point, 18.0. Mean Daily Relative Humidity, 75.0.		
10	29.58	32	75	S.	.00	Prevailing Direction of Wind, N.W.		
11	29.62	38	67	W.		Total Movement of Wind, 1,148 Miles. Highest Velocity of Wind and Direction, 54 miles N.E. on the 17th.		
		25	83	N.W.	.00 T	Number of Foggy Days, 0.		
12	29.71					" Clear " 10.		
18	30.19	14	69	W.	.00	Number of Cloudy " 12.		
14	30.01	34	55	s.w.	.00	Total Number of Days on which Rain or Snow fell, .		
75	30.28	35	67	W.	.00	Depth of unmeited Snow on ground at end of month, 6 inches. Dates of Auroras, Dates of Coronas,		
16	30.51	23	91	N.	,00	Dates of Solar Halos, 1st, 8th.		
17	29.97	33	91	N.E.	.40	Dates of Lunar Halos, 20th, 23d, 25th.		
18	29.50	36	88	N.W.	.91	Mean Max. Temp., 34.2. Mean Min. Temp., 17.8. Thunder storm, none.		
19	30.14	. 17	67	N.W.	.00	Dates of Frosts,		
20	30.43	22	49	W.	.00	COMPARATIVE TEMPERATURE. 1871 28.0 1881		
21	29.97	33	60	s.w.	.02	1872 24.0 1882 30.0		
11.2	29.96	38	75	W.	т	1873 31.0 1883		
20	29.76	41	65	w.	.00	1874		
24	30.06	26	67	W.	т	1876		
25		16	68	N.W.	.00	1877		
26		19	95	w.	S0	1879 32.0 1889 38.0		
Complete to the control	29,40	27	89	W.	.54	1880		
28	29.84	15	71	W.	.00	COMPARATIVE PRECIPITATIONS.		
				w.		Inches.		
29	29.89	17	81		Т	1871		
30	30.40	10	95	N.W.	. T	1870 5,64 1883 3.71		
51	30.36	14	70	N.W.	T	1874 2.14 1884 4.46 1875 2.09		
						1876 3.71 1886 3.66		
TOTALS					3.72	1877 1.32 1887 2.71 1878 6.76 1888 4.39		
						1879 5.36 1889 1.88		
MEANS	10.02	25.0	75	7.11.		1880 3.42 1890 3.72		

SUMMARY OF DEATHS IN BOSTON.

With Principal Causes, for the year 1890. Compared with those of 1889.

Published by order of the Board of Health.

SAMUEL H. DURGIN, M.D.,

Chairman.

	1890.	1889.		1890.	1889.
CD + 1 NT	10,181	10,259	Influenza	24	
Total No. of deaths from all causes		420,000	Intermittent Fever		annes.
Population (estimated)	22.70	24.42	Measles	19	48
Annual death rate per 1000 inhabitants		1,968	Purpura	6	3
Total No. from Zymotic diseases	1,677	1,900		27	12
Percentage of deaths from Zymotic dis-	10 15	10.10	Puerperal Fever	13	8
eases to total mortality	16.47	19.18	Pyemia	19	0
Total No. of Still-births	627	598	Remittent Fever	-	0.1
Total deaths of children under 1 year .	2,271	2,360	Rheumatism	20	31
" 2 years .	2,823	2,967	Scarlatina	42	23
" " 5 years .	3,349	3,633	Small Pox		2
Percentage of deaths under 5 years to			Syphilis (congenital)	40	22
total mortality	32.89	35.41	Syphilis	3	10
Total No. of deaths from diarrheal dis-			Septicæmia	18	. 18
eases, under 5 years	590	598	Tonsillitis	1	1
Total No. of deaths from diarrheal dis-			Typhoid Fever	155	186
eases, all ages	665	710	Typhus Fever		
Percentage of deaths from diarrhoal dis-			Whooping Cough	39	96
eases to total mortality	6.53	6.92	Yellow Fever	_	_
Alcoholism	76	62	Other Zymotic Diseases	. 8	5
Croup	61	119	Cancer	326	306
Carbuncle	6	2	Phthisis Pulmonalis	1,495	1,431
Cholera Morbus	23	22	Bright's Disease	134	155
Cholera Infantum	498	450	Bronchitis	453	448
Cerebro Spinal Meningitis	17	21	Heart Disease	783	789
Diarrhea	114	163	Pneumonia	1,092	934
Dysentery	30	76	Old age	243	282
Diphtheria	401	564	Violent Deaths	450	423
Erysipelas		24			
Dijapona					

^{*}Population by National Census.











